

EX LIBRIS



Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

A LABORATORY HANDBOOK
FOR DIETETICS



THE MACMILLAN COMPANY

NEW YORK · BOSTON · CHICAGO · DALLAS
ATLANTA · SAN FRANCISCO

MACMILLAN & CO., LIMITED

LONDON · BOMBAY · CALCUTTA
MELBOURNE

THE MACMILLAN CO. OF CANADA, LTD.

TORONTO

A LABORATORY HANDBOOK FOR DIETETICS

BY

MARY SWARTZ ROSE, PH.D.

ASSOCIATE PROFESSOR DEPARTMENT OF NUTRITION,
TEACHERS COLLEGE, COLUMBIA UNIVERSITY

REVISED EDITION



New York

THE MACMILLAN COMPANY

1921

All rights reserved

TX 33
R 74
1921

COPYRIGHT, 1912 and 1921,
By THE MACMILLAN COMPANY.

Set up and electrotyped. Published November, 1912.

Revised Edition, July, 1921.

TO THE
MACMILLAN CO.

PREFACE TO THE FIRST EDITION.

INVESTIGATIONS into the quantitative requirements of the human body have progressed so far as to make dietetics to a certain extent an exact science, and to emphasize the importance of a quantitative study of food materials. It is the purpose of this little book to explain the problems involved in the calculation of food values and food requirements, and the construction of dietaries, and to furnish reference tables which will minimize the labor involved in such work without limiting dietary study to a few food materials.

Only brief statements of the conditions affecting food requirement have been made, the reader being referred to general textbooks on the subject of nutrition for fuller information, but such data have been included as seem most useful in determining the amount of food for any normal individual under varying conditions of age and activity.

Most of the available information in regard to food values is in terms of percentage composition, or of a single unit, as the 100-Calorie portion or the individual serving. The two latter are very useful, but too limited in scope and too inelastic in form to serve the needs of the general student. The first involves calculations which are always tedious and rob the student of time for a more comprehensive comparative study of food values. To lighten this labor, tables are included, giving the food values for the 100-Calorie Portion, which is taken as the Standard Portion in the sense that it serves as a convenient unit in building up a day's ration to yield a stated number of Calories; for the gram, which is the unit of weight for all scientific workers; for the ounce, the common unit of the small family group; and for the pound, the unit of the large family or institutional group. These tables have been in practical use for several years in the author's classes, and their value in relieving the student of monotonous clerical labor has been demonstrated.

While it is desirable to encourage the use of labor-saving devices, the student of dietetics ought to know the processes involved

in dietary calculation, for these must be applied frequently in estimation of the food values of mixtures of food materials. Experience has shown that every step must be explained in detail, and no apology is offered for the exceeding simplicity of some of the problems presented.

Little attempt has been made to give measures corresponding to different weights of food materials, because this is properly a part of laboratory work in dietetics, and ample space has been provided for records of original observations. Such data must always be used with caution, for there is great diversity in the capacity of measuring vessels unless officially standardized, and much more in foods of different qualities, localities, and seasons.

The author gratefully acknowledges the helpful criticism of Professor Henry C. Sherman in the preparation of this work.

PREFACE TO THE SECOND EDITION.

AMONG the recent advances in the science of nutrition, none is more notable than the recognition of three vitamins as essential to the continued well-being of mankind, both in childhood and in adult life. It is not yet possible to speak of these systematically in quantitative terms, although much knowledge has already accumulated as to their occurrence in food materials, and it is possible to grade many foods as to the relative richness or poorness of their yield of the different vitamins. A table has been prepared which indicates roughly the vitamin content of a number of common food materials. This table is necessarily far from complete, but it represents fairly our present state of knowledge.

Owing to the increasing interest in the nutrition of children, the section furnishing data for the estimation of their energy requirements has been extended, both in the direction of more material on weight and height relationships and of tables of energy requirements for different ages.

The tables on energy requirements of adults have been amplified and, it is hoped, put into more convenient form for practical use.

Dietary standards for calcium, iron, and phosphorus have been somewhat modified by recent experimental work, and the revised data have been tabulated with the idea of facilitating their use. The tables giving the ash content of food materials have been revised in accordance with the tables in the Second Edition of the *Chemistry of Food and Nutrition*, with the kind permission of the author, Professor Henry C. Sherman.

An abridged method of dietary calculation, designed to reduce the labor where large quantities of food are involved, as in institutions, has been described in detail. Thanks for permission to use this method are due to Dr. A. R. Rose.

Several new reference tables, furnishing additional data on the composition of food materials and on the relation of weight

to measure in food, will, it is hoped, make this book still more useful than the first edition.

The author wishes to thank Miss Grace MacLeod, Miss Harriet Barto, and Miss Margaret Sandels for their generous help in bringing this material up to date.

TABLE OF CONTENTS.

PART I.

	Page.
FOOD VALUES AND FOOD REQUIREMENT.....	1
The Composition of Food Materials.....	1
The Functions of Food.....	5
Food as a Source of Energy.....	6
Food as Building Material.....	7
Food in the Regulation of Body Processes.....	8
Food Requirement.....	9
The Energy Requirement of Normal Adults.....	9
The Energy Requirement of Children.....	12
The Energy Requirement of the Aged.....	17
The Protein Requirement.....	18
The Fat and Carbohydrate Requirement.....	19
The Ash Requirement.....	19
The Vitamine Requirement.....	21

PART II.

PROBLEMS IN DIETARY CALCULATION.....	25
Studies in Weight, Measure, and Cost of Some Common Food Materials.....	25
Relation Between Percentage Composition and Weight..	59
Calculation of the Fuel Value of a Single Food Material..	60
Calculation of the Weight of a Standard or 100-Calorie Portion.....	61
Food Value of a Combination of Food Materials.....	62
Distribution of Foodstuffs in a Standard Portion of a Single Food Material.....	63
Calculation of a Standard Portion of a Combination of Food Materials.....	64
Calculation of the Percentage Composition of a Food Mixture.....	65
The Calculation of a Complete Dietary.....	66
Scoring of the Dietary.....	74
Abridged Method of Dietary Calculation.....	77

PART III.

	Page
REFERENCE TABLES.	85
Refuse in Food Materials.	85
Measures of Weight, Metric System.	87
Equivalents for Metric Units.	87
Weight of Food per Cup and Tablespoon.	87
Weight of Food per Bushel.	89
Conversion Tables—Ounces and Pounds to Grams.	90
Conversion Tables—Grams to Ounces.	91
Food Values in Terms of Standard Units of Weight.	92
Food Values of Some Less Common Food Materials.	126
Energy Content of Foods Sold by Confectioners.	132
Ash Constituents in Percentage of the Edible Portion.	133
Ash Constituents in Standard or 100-Calorie Portions.	139

APPENDIX.

THE EQUIPMENT OF A DIETETICS LABORATORY.	144
INDEX.	147

LIST OF TABLES.

Table.	Page.
I. Table of Weight and Height for Men at Different Ages	9
II. Table of Weight and Height for Women at Different Ages	10
III. Daily Energy Allowance per Unit of Body Weight for Young and Middle Aged Adults	11
IV. Energy Expenditure per Hour Under Different Conditions of Muscular Activity	11
V. Daily Energy Requirement According to Occupation	12
VI. Average Daily Requirement of Children per Unit of Body Weight	13
VII. Average Total Energy Requirement of Children	13
VIII. Average Weight and Height of Children from Birth to the Fifth Year	14
IX. Average Weight and Height of Boys at Different Ages	15
X. Average Weight and Height of Girls at Different Ages	16
XI. Average Rate of Growth of Boys and Girls at Different Ages	17
XII. Von Noorden's Reductions in Energy Requirement in Old Age	18
XIII. Dietary Standards for Calcium, Phosphorus, and Iron	20
XIV. Distribution of Vitamines in Investigated Food Materials	22
XV. Food Values of Food Materials Requiring Study of Weights and Measures	27
XVI. Approximate Amount of Refuse in Common Food Materials as Purchased	85
XVII. Measures of Weight, Metric System	87
XVIII. English Equivalents for Metric Weights and Measures	87

Table.	Page.
XIX. Weights Corresponding to Common Measures of Food Materials.	87
XX. Weight Per Bushel of Some Common Food Materials.	89
XXI. Conversion Table, Ounces and Pounds to Grams.	90
XXII. Conversion Tables, Grams to Ounces.	91
XXIII. Food Values of Food Materials Used Chiefly by Weight	92
XXIV. Food Values Per Gram and Per 100 Calories of Some Less Common Food Materials.	126
XXV. Energy Content of Foods Sold by Confectioners.	132
XXVI. Ash Constituents of Food in Percentage of the Edible Portion.	133
XXVII. Protein, Calcium, Phosphorus, and Iron in Grams Per 100 Calories of Food Material.	139

A LABORATORY HANDBOOK
FOR DIETETICS



PART I.

FOOD VALUES AND FOOD REQUIREMENT.

THE COMPOSITION OF FOOD MATERIALS.

THE nutritive value of any food material depends largely upon its chemical composition. Through food must be supplied all the elements which enter into the structure of the living body, which afford energy for its activities, and which so regulate the vital processes as to produce that harmonious interaction which means health. The chief elements which food must furnish are carbon, hydrogen, oxygen, nitrogen, sulphur, phosphorus, iron, sodium, potassium, calcium, magnesium, and chlorine. The body can use these elements only in the form of certain definite compounds; charcoal and diamonds are forms of carbon, but no one would take them for food. The most important combinations of elements or chemical groups available for the welfare of the body are shown in the following table:

Carbon	}	forming Carbohydrates.
Hydrogen		
Oxygen		
Carbon	}	forming Fats.
Hydrogen		
Oxygen		
Carbon	}	forming Proteins.
Hydrogen		
Oxygen		
Nitrogen		
Sulphur		
Phosphorus (sometimes)	}	forming Water.
Hydrogen		
Oxygen		
Sulphur	}	forming Ash Constituents, which exist partly as mineral salts and partly in combination with carbohydrates, fats, proteins, and other organic com- pounds.
Phosphorus		
Chlorine		
Sodium		
Potassium		
Calcium		
Magnesium		
Iron		
Iodine		
Silicon		

Unidentified substances known as **Vitamines.**

With the exception of water, which can be supplied independently of other substances in such quantities as may be necessary, the essential constituents of food are proteins, fats, carbohydrates, ash constituents, and vitamins.

These six chemical groups,—proteins, fats, carbohydrates, ash constituents, vitamins, and water—afford all the materials essential to an adequate diet.

In case of many food materials, there is more or less inedible material, such as the rind of fruits, the shells of nuts, bone, connective tissue, and sometimes fat in meat, which is discarded as refuse. It is customary for food analysts to report their findings on a food which contains refuse in two ways:

1. AS PURCHASED, the amount of material which is ordinarily rejected being included in the total weight on which the percentage of each constituent is calculated.

2. EDIBLE PORTION, the refuse being entirely discarded before taking the weight on which the calculations are made.

A single example will serve to make this clear. An average banana, weighing about five and one-half ounces, will lose on peeling nearly two ounces, or approximately thirty-five per cent of its original weight. The total weight of each of the foodstuffs in such a banana is as follows:

Water, ounces	Protein, ounces	Fat, ounces	Carbohydrate, ounces	Ash, ounces
2.69	0.04	0.02	0.79	0.03

If these values are expressed in percentages of the original weight of the unpeeled fruit (5.5 ounces), the results are reported "As Purchased":

Refuse,* per cent	Water, per cent	Protein, per cent	Fat, per cent	Carbohydrate, per cent	Ash, per cent
35.0	48.9	0.8	0.4	14.3	0.6

If they are expressed in terms of the peeled fruit (3.57 ounces) the results appear somewhat different, and are reported as "Edible Portion":

Refuse, per cent	Water, per cent	Protein, per cent	Fat, per cent	Carbohydrate, per cent	Ash, per cent
—	75.4	1.1	0.6	22.1	0.8

In which of the above ways food values shall be expressed is merely a matter of convenience, provided the amount of refuse is not far

* The average per cent of refuse in a number of the more common food materials is shown in Table XV.

from the average. A greater degree of accuracy as to nutritive value is insured by first removing the inedible portion, and then basing calculations on the weight of edible substance, but it must be borne in mind that the refuse affects estimations of cost made in this way. Thus if three bananas are purchased for five cents, and are found to weigh one pound in their skins, the weight of edible material will be about ten ounces; at the rate of ten ounces for five cents, the cost per pound of edible material will be nearly eight cents. Knowing the percentage of refuse, we can convert the weight of edible material into weight as purchased by the following proportion:

$$\begin{aligned} \text{Weight of edible portion} & : \text{Per cent of edible portion} :: x : 100. \\ x & = \text{weight of material as purchased.} \end{aligned}$$

Thus, in the case above,

$$\begin{aligned} \text{Weight of edible portion} & \quad \text{Per cent of edible portion} \\ 10.4 \text{ ounces} & \quad : \quad 65 \quad : : x : 100. \\ x & = 16 \text{ (ounces of material as purchased).} \end{aligned}$$

WATER is present in all food materials, with the exception of a few pure fats, sugars and starches. The amount may be anywhere from two to ninety-five per cent, crackers averaging about seven per cent, bread about thirty-five per cent, most meats from sixty to seventy-five per cent, and fresh fruits and vegetables from seventy-five to ninety-five per cent. Since water can be added to the diet without cost, its presence or absence is most significant from the economic standpoint. A pound of fresh tomatoes and one of rolled oats can often be bought for the same price, but the tomatoes will contain fifteen ounces of water and one ounce of dry matter, whereas the oats will furnish fifteen ounces of dry matter and one ounce of water; in other words, the dry matter in the tomatoes in this case may cost eighty cents per pound, while that in rolled oats costs five and one-third cents per pound.

PROTEIN is not determined directly, but is estimated from the amount of nitrogen which the given material contains. The average amount of nitrogen in protein is estimated as about sixteen per cent. If we assume that sixteen parts of nitrogen correspond to one hundred parts of protein, then for one part of nitrogen, there will be six and one-fourth parts of protein. Analyses made

in this way report the crude protein as " $N \times 6.25$." This method is not strictly accurate for two reasons; first, because the nitrogen present may not be altogether in the form of true proteins, but partly as simpler compounds of lower value; second, because individual proteins differ considerably in the per cent of nitrogen which they contain, some having as low as fifteen per cent, and a number having seventeen to eighteen per cent. Hence, to secure strict accuracy, different factors are needed for the different food materials; but inasmuch as calculations of food values made on average analyses are only approximately correct in any given case, the convenient factor 6.25 has been widely adopted, and is satisfactory if it be borne in mind that estimations of protein in food materials made in this way tend to indicate somewhat more protein than is probably available to the body. For such reasons as these, it is customary in experimental work, to compare the intake and output of nitrogen rather than to try to express that in food in terms of protein.

FAT is determined by extraction of the food material with ether, and hence is more accurately designated "ether extract." Besides true fat and fatty acids, this extract may contain other acids, waxes, coloring matter or other substances. Thus the amount of fat is exaggerated, especially in some food materials low in fat, such as fresh fruits and green vegetables, in which as much as fifty per cent of the ether extract may be substances other than fat. In cases where the amount of fat is relatively greater, errors due to this cause are practically negligible.

CARBOHYDRATES, as ordinarily reported, are estimated "by difference," that is, by subtracting the sum of the percentages of protein, fat, ash and water from one hundred. Here again, the results are only approximately accurate, partly because all the errors in the other estimations are charged against the carbohydrates, and partly because carbohydrates may be included which are not available for food, as woody fiber and certain gums.

ASH is obtained by burning off all the combustible substances and weighing the residue. It is chiefly significant in showing what proportion of a dry foodstuff is not available for fuel; consequently reports of total ash are not very important in dietary calculation. The nature of the mineral matter is, however, a matter of considerable importance, and while it is not necessary to calculate

the total amount of every one of the different mineral constituents in every dietary, familiarity with their distribution in food materials should be acquired by frequent reference to such data as in Tables XXVI and XXVII.

VITAMINES exist in very small quantities in food materials and their exact chemical composition is not yet known; they can, however, be extracted from the materials in which they occur by suitable chemical methods. The kind and the amount of any vitamine in a given food material are at present most satisfactorily determined by experiments in feeding animals. When any one of the vitamines is withheld from the diet there is a loss of health with characteristic symptoms of the deficiency disease associated with such absence, and in case of two of the three known vitamines there is in the young animal interference with normal growth. By starting with a diet known to be lacking in just one vitamine, and adding to this different amounts of a food containing the lacking dietary essential, it is possible to find out just how much is needed to maintain a normal rate of growth. For example; a diet of casein, starch, butter fat, and suitable mineral elements, with water to drink, is adequate for a rat except for one vitamine. This lacking substance may be found in the tomato, and addition to the diet of half a gram of dried tomato per day will result in normal growth. When such information has been secured, the way is open for comparative studies of the amounts present in food materials. The same vitamine which served in the experiment just outlined is present in the carrot, one gram of suitably dried carrot serving to promote growth as well as one-half a gram of dried tomato. It is evident that one would draw from such an experiment the conclusion that the dried tomato is twice as rich as the carrot in this particular vitamine.

At the present time we recognize three vitamines, known by various names, (1) **The "A" Vitamine** (Fat-soluble A) sometimes called the Antixerophthalmic Vitamine; (2) **The "B" Vitamine** (Water-soluble B) or the Antineuritic Vitamine; (3) **The "C" Vitamine** (Water-soluble C) or the Antiscorbutic Vitamine.

THE FUNCTIONS OF FOOD.

The human body is a working machine, for which the fuel is food; it is an aggregation of living cells in which chemical changes are continually occurring, old material being thrown out to be replaced by new, which must be obtained from food; it is an organism

capable of building itself up from a single cell by conversion of food into body substance. It cannot, however, perform these functions without the proper balance of chemical compounds in all its tissues and fluids, and these compounds must be derived from a well-balanced diet. It may be said, therefore, that food has three important functions; namely, to **supply energy**; to **build body substance**; and to **regulate body processes**.

FOOD AS A SOURCE OF ENERGY.

Proteins, fats and carbohydrates have the great common function of supplying the body with energy, which is the *power to do work*. This power is manifested in various ways, such as motion, heat, light, chemical or electrical activity. Our bodies are energy-transformers; their sole source of energy is food, and the most important result of the changes which foods undergo in the body is the evolution of energy in the form of work or heat. The work may be *internal*, as that of digestion, respiration, circulation, and muscular tension; or *external*, as in walking, running, or other muscular activity; the heat is chiefly a by-product of these various forms of work, but under certain circumstances, when heat loss is very rapid, energy may be converted into this form, to maintain the normal body temperature.

Since energy is easily transformed into heat, and this form is readily measured, a heat unit, the Calorie, has been adopted as the most convenient measure of energy. One Calorie is the amount of heat required to raise one kilogram (2.2 pounds) of water one degree Centigrade, or one pound of water four degrees Fahrenheit. Expressed in terms of work, it represents that required to lift one pound through the distance of 3087 feet, or 3087 foot-pounds.

The total energy value of each of the fuel foodstuffs (proteins, fats, and carbohydrates) has been determined by burning it in a calorimeter in pure oxygen, under such conditions that all the heat evolved is taken up by water surrounding the vessel in which the combustion occurs, and the increase in the temperature of the water measured by a delicate thermometer. In the body, combustion of protein is not quite so complete as in the calorimeter, and there are usually some losses due to failure of complete digestion of each kind of foodstuff, so that the available energy is somewhat less than the total energy value. In a healthy human

being, on an ordinary mixed diet, the fuel value of each foodstuff is on the average as follows: *

Protein, 4 Calories per gram,
Fat, 9 Calories per gram,
Carbohydrate, 4 Calories per gram.

Knowing the percentage composition of any food material, it is possible by means of these factors to compute its probable yield of energy to the body, as illustrated in Problem III, page 60.

FOOD AS BUILDING MATERIAL.

During the period of growth, which extends over the first twenty-five years of life, the body increases in weight usually from fifteen to twenty times. The source of the new body substance is food. In adult life, growth ceases, except in special cases, as when the body tissues have been depleted through disease or accident or where unusual exercise or pregnancy induces muscle formation; but in all living substance there is a constant loss of old material, to be replaced by new, small in amount, but essential to life. Hence there is never a time when building material can be dispensed with entirely, though it becomes less prominent after maturity. The foodstuffs which play a specific rôle in body building are the proteins and certain ash constituents, the most important being phosphorus, iron, and calcium.

Protein supplies nitrogen, essential for the protoplasm of all active cells and especially for the making of muscle. It is also a source of sulphur for body protein.

Phosphorus, like nitrogen, is essential to the development of every cell. It is also one of the chief elements giving rigidity to the bones. It occurs in chemical combination with protein and fat in milk and eggs, as simpler organic compounds in grains and legumes, and chiefly as inorganic salts in meat, fish, fruits, and green vegetables. While all kinds are useful, the organic forms, especially phospho-proteins and phospho-fats, seem to be used to the best advantage by the young.

Iron is an essential element of the hemoglobin of the blood and of all cell nuclei. Oxidation and cell development are therefore

* Most of the calculations of fuel value previously made are slightly higher than those in this book, owing to the use of Rubner's factors (protein 4.1, fat 9.3, carbohydrate, 4.1) which are now known to allow too little for losses in digestion.

dependent on its presence. Food iron is in the form of iron-protein compounds, found especially in egg yolk, green vegetables, fruits, legumes and whole grains.

Calcium as building material is found chiefly in the bones and teeth. It occurs in food in combination with protein, as in milk, or as inorganic salts in whole grains, legumes, fruits, and vegetables.

FOOD IN THE REGULATION OF BODY PROCESSES.

The chief constituents of food participating in the regulation of body processes are the ash constituents, vitamins, and water.

The most important mineral elements besides phosphorus, iron, calcium, and sulphur are magnesium, potassium, sodium, iodine, and chlorine. Upon the presence of the salts formed by these elements depend the neutrality of the blood, the acidity or alkalinity of the digestive juices, the solvent power and osmotic pressure of different body fluids, and the elasticity and irritability of nerve and muscle. They form such combinations as tend to protect the body against harmful substances when present and to aid in their elimination.

Vitamins are essential to growth in the young and to good health in all.

The "A" Vitamin (Fat-soluble A) is necessary for growth. Furthermore, animals deprived of it for some time develop a characteristic eye disease known as xerophthalmia in which the eyes become inflamed, swell shut, and finally go blind; hence it is sometimes called the Antixerophthalmic Vitamin. Other signs of failing health are loss in weight and deterioration of the hairy coat. Human beings also develop xerophthalmia under certain dietary restrictions. These things lead us to believe that this vitamin is very essential to human health. It occurs in liberal amounts in such foods as egg yolk, milk, cream, butter, fish oils, and green leaves, though it is found in various animal and plant foods in small quantities.

The "B" Vitamin (Water-soluble B) is needed for growth in considerable amounts. When it is absent from the diet, a disease results known as beri-beri in human subjects and polyneuritis in other animals. This vitamin, on account of its preventive and curative properties, is also known as the Antineuritic Vitamin. It occurs in egg yolk, milk, whole grains and many vegetables and fruits.

The "C" Vitamin (Water-soluble C) is not so essential to

growth as the other two vitamins, but is equally important for health. Human beings deprived of it only a few weeks develop scurvy; accordingly this vitamin is known as the Antiscorbutic Vitamin. It is found in various fresh fruits and vegetables, especially worthy of mention being oranges, lemons, tomatoes, and potatoes. It is readily affected by heat, by aging, by drying, and by alkalies; hence the desirability of avoiding possible deficiency through knowing which foods retain their antiscorbutic property best, or by having a variety of fresh foods in the diet.

FOOD REQUIREMENT.

THE ENERGY REQUIREMENT OF NORMAL ADULTS.

The first requirement of the body is for energy to replace that lost in its constant internal work and more or less irregular and variable external work. The greater the amount of muscular work, the higher the energy requirement. By use of the following tables it is possible to determine with considerable accuracy the energy requirement of any adult.* Tables I and II give the average

TABLE I
TABLE OF WEIGHT AND HEIGHT FOR MEN AT DIFFERENT AGES †

Height	19 yrs.	20	21-22	23-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
5 ft.	107	110	114	118	122	126	128	131	133	134	135
1 in.	112	115	118	121	124	128	130	133	135	136	137
2 "	117	120	122	124	126	130	132	135	137	138	139
3 "	121	124	126	128	129	133	135	138	140	141	142
4 "	124	127	129	131	133	136	138	141	143	144	145
5 "	128	130	132	134	137	140	142	145	147	148	149
6 "	132	133	136	138	141	144	146	149	151	152	153
7 "	136	137	140	142	145	148	150	153	155	156	158
8 "	140	141	143	146	149	152	155	158	160	161	163
9 "	144	145	147	150	153	156	160	163	165	166	168
10 "	148	149	151	154	157	161	165	168	170	171	173
11 "	153	154	156	159	162	166	170	174	176	177	178
6 ft.	158	160	162	165	167	172	176	180	182	183	184
1 "	163	165	167	170	173	178	182	186	188	190	191
2 "	168	170	173	176	179	184	189	193	195	197	198
3 "	173	175	178	181	184	190	195	200	202	204	205
4 "	178	180	183	186	189	196	201	206	209	211	212
5 "	183	185	188	191	194	201	207	212	215	217	219

In ascertaining height—measure in shoes; stand erect, and press measuring rod down against scalp. Weigh yourself in indoor clothing and shoes. Subtract one inch for height, if measured in shoes.

* For detailed discussion of the factors influencing the energy requirement and interpretation of the terms indicating different degrees of muscular activity consult Sherman's Chemistry of Food and Nutrition, or Lusk's Science of Nutrition.

† Private communication, printed by permission of Thomas D. Wood, M. D., Professor of Physical Education, Columbia University.

TABLE II.

TABLE OF WEIGHT AND HEIGHT FOR WOMEN AT DIFFERENT AGES *

Height	19 yrs.	20	21-22	23-24	25-29	30-34	35-39	40-44	45-49	50-54
4 ft. 10 in.	98	102	106	110	113	116	119	123	126	129
11 "	103	107	109	112	115	118	121	125	128	131
5 ft.	109	112	113	115	117	120	123	127	130	133
1 "	113	115	116	118	119	122	125	129	132	135
2 "	116	118	119	120	121	124	127	132	135	138
3 "	120	121	122	123	124	127	130	135	138	141
4 "	123	124	125	126	128	131	134	138	141	144
5 "	126	127	128	129	131	134	138	142	145	148
6 "	129	130	131	133	135	138	142	146	149	152
7 "	131	133	135	137	139	142	146	150	153	156
8 "	135	137	139	141	143	146	150	154	157	161
9 "	138	140	142	145	147	150	154	158	161	165
10 "	141	143	145	148	151	154	157	161	164	169
11 "	145	147	149	151	154	157	160	164	168	173
6 ft.	150	152	154	156	158	161	163	167	171	176

In ascertaining height—measure yourself in shoes; stand erect, and press measuring rod down against scalp. Weigh yourself in indoor clothing and shoes. If shoes have sensible heels, subtract one inch for height; if heels are "high," subtract two inches.

weight in proportion to height, for men and women of different ages, and Tables III, IV, and V afford data for calculating the energy requirement according to this weight. Thus a man weighing 70 kilograms, at light exercise, will require 2450–2800 Calories according to Table III, or if we state his day's activity more definitely, assuming that he sleeps 7 hours, works at his desk 10 hours, does light exercise equivalent to walking 7 hours, we may then calculate his requirement according to Table IV:

Sleeping,	7 × 65 Calories=	455 Calories.
Sitting,	10 × 100 Calories=	1000 Calories.
Exercise,	7 × 170 Calories=	1190 Calories.
Total for day,		<u>2645 Calories.</u>

If the subject under consideration is an adult of normal physique but weighs more or less than 70 kilograms, the total energy requirement is calculated as proportional to weight. Thus for a person of 55 kilograms (man or woman), with the same degree of activity, the proportional energy requirement would be 2078 Calories. In the strictest sense the smaller subject would probably have a somewhat larger energy output per unit of weight, as metabolism is more nearly proportional to surface than to weight.

* Private communication, printed by permission of Thomas D. Wood, M. D., Professor of Physical Education, Columbia University.

TABLE III.

DAILY ENERGY ALLOWANCE PER UNIT OF BODY WEIGHT FOR YOUNG AND MIDDLE AGED ADULTS.

(Approximate Averages.)

	Calories per Kilogram	Calories per Pound
Without Exercise:.....	30-35	14-16
With Light Exercise.....	35-40	16-18
With Moderate Exercise.....	40-45	18-20
With Hard Muscular Labor	45-50	20-23
With Very Severe Labor.....	50-60	23-27

TABLE IV.

ENERGY EXPENDITURE PER HOUR UNDER DIFFERENT CONDITIONS OF MUSCULAR ACTIVITY.*

Form of Activity	Calories per Hour		
	Per 70 Kilograms (Average Man)	Per Kilogram	Per Pound
Sleeping.....	65	0.93	0.43
Awake lying still.....	77	1.10	0.50
Sitting at rest.....	100	1.43	0.65
Reading aloud.....	105	1.50	0.69
Standing relaxed.....	105	1.50	0.69
Hand sewing.....	111	1.59	0.72
Standing at attention.....	115	1.63	0.74
Knitting (23 stitches per minute on sweater).....	116	1.66	0.75
Dressing and undressing.....	118	1.79	0.81
Singing.....	122	1.74	0.79
Tailoring.....	135	1.93	0.88
Typewriting rapidly.....	140	2.00	0.91
Ironing (with five-pound iron).....	144	2.06	0.93
Dishwashing (plates, bowls, cups and saucers).....	144	2.06	0.93
Sweeping bare floor (38 strokes per minute).....	169	2.41	1.09
Bookbinding.....	170	2.43	1.10
"Light exercise".....	170	2.43	1.10
Shoe making.....	180	2.57	1.17
Laundry work (towels rubbed on a board without water, 35 times per minute).....	182	2.60	1.18
Walking slowly (2.6 miles per hour).....	200	2.86	1.30
Carpentry, metal working, industrial printing.....	240	3.43	1.56
"Active exercise".....	290	4.14	1.88
Walking moderately fast (3.75 miles per hour).....	300	4.28	1.95
Stoneworking.....	400	5.71	2.60
"Severe exercise".....	450	6.43	2.92
Sawing wood.....	480	6.86	3.12
Swimming.....	500	7.14	3.25
Running (5.3 miles per hour).....	570	8.14	3.70
"Very severe exercise".....	600	8.57	3.90
Walking very fast (5.3 miles per hour).....	650	9.28	4.22

* Calculated from data from the following sources, taking 100 Calories per man per hour as the standard for "quiet living":

Sherman, Chemistry of Food and Nutrition, p. 186, (Revised Edition, 1918).

Benedict and Johnson, Energy Loss of Young Women During the Muscular

TABLE V.

DAILY ENERGY REQUIREMENT ACCORDING TO OCCUPATION.

(Approximate Averages.)

195 lbs

Men	Calories per Kilogram	Calories per 70 Kilograms (per Man)
Tailor.....	33-37	2300-2600
Weaver.....	34-39	2400-2750
Shoemaker.....	38-42	2700-2950
Bookbinder.....	40-41	2800-2850
Metalworker.....	48-56	3350-3950
Carpenter.....	40-50	2800-3500
Farm laborer.....	45-60	3150-4200
Painter.....	50-54	3500-3800
Excavator.....	60-70	4200-4900
Stoneworker.....	66-67	4600-4700
Lumberman.....	70-76	4900-5300
Women	Calories per Kilogram	Calories per 56 Kilograms (per Woman)
Hand sewer.....	27-30	1500-1700
Machine sewer.....	32-40	1800-2250,
Bookbinder.....	38-40	2100-2250
Waitress.....	43-53	2400-3000
Washerwoman.....	50-60	2800-3350

THE ENERGY REQUIREMENT OF CHILDREN.

The energy requirement of children is higher in proportion to body weight than that of adults. In youth the metabolism is more intense and there is a great storage of food materials in the body in the process of growth, as is evident from the fact that a baby doubles in weight in the first 180 days of life. The muscular activity of children is also frequently greater than that of adults, so that their food requirement may be increased further in this way.

To calculate the energy requirement of any child, it is necessary to know the requirements per unit of weight at different stages of growth, *i. e.*, different ages, and the weight of the normal child at corresponding periods. Such data will be found in Tables VI-XI. Thus a normal boy, five years old, 42 inches high, should weigh 41 pounds or 18.6 kilograms, and will require at least 80 Calories per kilogram, making a total per day of 1488 Calories.

Activity of Light Housework, Proceedings of the American Philosophical Society, Vol. 53 (1919), pp. 89-96.

Langworthy and Barott, Energy Expenditure in Household Tasks, American Journal of Physiology, Vol. 52 (1920), pp. 400-408.

With more than moderate activity, as much as 90 Calories per kilogram may be required, a total of 1674 per day.

If a child is below normal weight, he should not be fed according to his present weight, but regarded as undernourished and treated as nearly as possible in harmony with what his weight ought to be. Standards for children should in general be considered as representing the minimum rather than the maximum food requirement.

TABLE VI.

AVERAGE DAILY ENERGY REQUIREMENT OF CHILDREN PER UNIT OF BODY WEIGHT.

Age in Years	Calories per Kilogram	Calories per Pound
Under 1	100	45
1-2	100-90	45-40
2-5	90-80	40-36
6-9	80-70	36-32
10-13	75-65	34-30
14-17	65-50	30-23

TABLE VII.

AVERAGE TOTAL ENERGY REQUIREMENT OF CHILDREN.*

AGE	CALORIES PER DAY	
	Boys	Girls
Under 2	900-1200	900-1200
2-3	1000-1300	980-1280
3-4	1100-1400	1060-1360
4-5	1200-1500	1140-1440
5-6	1300-1600	1220-1520
6-7	1400-1700	1300-1600
7-8	1500-1800	1380-1680
8-9	1600-1900	1460-1760
9-10	1700-2000	1550-1850
10-11	1900-2200	1650-1950
11-12	2100-2400	1750-2050
12-13	2300-2700	1850-2150
13-14	2500-2900	1950-2250
14-15	2600-3100	2050-2350
15-16	2700-3300	2150-2450
16-17	2700-3400	2250-2550

* From Sherman and Gillett's Food Allowances for Healthy Children.

TABLE VIII.

AVERAGE WEIGHT AND HEIGHT OF CHILDREN FROM BIRTH TO THE FIFTH YEAR*

AGE	BOYS		GIRLS	
	HEIGHT	WEIGHT	HEIGHT	WEIGHT
Birth	<i>Inches</i>	<i>Pounds</i>	<i>Inches</i>	<i>Pounds</i>
	20.6	7.6	20.5	7.16
3 mos.	23 ¹ / ₂	13
6 "	26 ¹ / ₂	18	25 ⁷ / ₈	16 ³ / ₄
7 "	27 ¹ / ₄	19 ¹ / ₈	26 ¹ / ₂	17 ³ / ₈
8 "	27 ⁵ / ₈	19 ³ / ₄	27	18 ¹ / ₄
9 "	28 ¹ / ₈	20 ³ / ₈	27 ⁵ / ₈	19 ¹ / ₈
10 "	28 ¹ / ₂	20 ⁷ / ₈	27 ⁷ / ₈	19 ¹ / ₂
11 "	29	21 ³ / ₈	28 ³ / ₈	20 ¹ / ₈
12 "	29 ³ / ₈	21 ⁷ / ₈	28 ⁷ / ₈	20 ³ / ₄
13 "	29 ⁷ / ₈	22 ⁷ / ₈	29 ³ / ₈	21
14 "	30 ¹ / ₄	23	29 ¹ / ₂	21 ⁵ / ₈
15 "	30 ³ / ₄	23 ⁵ / ₈	30 ¹ / ₈	21 ⁷ / ₈
16 "	31 ¹ / ₈	24 ¹ / ₈	30 ¹ / ₂	22 ⁵ / ₈
17 "	31 ³ / ₈	24 ¹ / ₂	30 ³ / ₄	22 ⁷ / ₈
18 "	31 ³ / ₄	24 ⁵ / ₈	31 ¹ / ₈	23 ³ / ₈
19 "	32 ¹ / ₄	25 ¹ / ₂	31 ¹ / ₂	23 ³ / ₄
20 "	32 ⁵ / ₈	25 ³ / ₄	32	24 ¹ / ₈
21 "	32 ⁷ / ₈	25 ³ / ₄	32 ¹ / ₄	24 ³ / ₄
22 "	33 ¹ / ₄	26 ⁷ / ₈	32 ⁶ / ₈	25 ¹ / ₄
23 "	33 ⁵ / ₈	27	32 ⁷ / ₈	25 ⁵ / ₈
24 "	33 ³ / ₄	27 ¹ / ₈	33 ³ / ₈	26 ³ / ₈
25 "	34	27 ⁷ / ₈	33 ³ / ₄	26 ⁷ / ₈
26 "	34 ¹ / ₈	28 ¹ / ₄	33 ⁷ / ₈	27 ¹ / ₄
27 "	34 ³ / ₄	29	33 ⁷ / ₈	27 ¹ / ₄
28 "	35 ¹ / ₈	29 ¹ / ₈	34 ⁵ / ₈	27 ³ / ₄
29 "	35 ³ / ₈	29 ¹ / ₄	34 ³ / ₄	27 ³ / ₄
30 "	35 ³ / ₈	29 ¹ / ₂	34 ⁷ / ₈	28 ¹ / ₄
31 "	35 ¹ / ₂	30 ¹ / ₂	35 ¹ / ₈	28 ³ / ₄
32 "	36	30 ⁵ / ₈	35 ³ / ₈	29
33 "	36 ¹ / ₈	30 ⁵ / ₈	35 ⁵ / ₈	29 ¹ / ₈
34 "	36 ¹ / ₂	31 ¹ / ₈	36 ¹ / ₂	30 ¹ / ₈
35 "	36 ³ / ₄	31 ⁷ / ₈	36 ¹ / ₂	30 ¹ / ₄
36 "	37 ¹ / ₈	32 ¹ / ₄	36 ³ / ₄	30 ¹ / ₂
37 "	37 ³ / ₈	32 ¹ / ₄	36 ³ / ₄	30 ³ / ₄
38 "	37 ¹ / ₂	32 ³ / ₈	37	31
39 "	37 ⁷ / ₈	33 ¹ / ₈	37 ¹ / ₄	31 ⁵ / ₈
40 "	38 ¹ / ₂	33 ¹ / ₂	37 ¹ / ₂	32
41 "	38 ⁵ / ₈	33 ⁵ / ₈	37 ³ / ₄	32 ¹ / ₄
42 "	38 ⁵ / ₈	33 ³ / ₄	38	32 ¹ / ₂
43 "	38 ³ / ₄	33 ³ / ₄	38 ¹ / ₄	32 ³ / ₄
44 "	38 ⁷ / ₈	34 ¹ / ₄	38 ¹ / ₂	33
45 "	39	34 ¹ / ₂	38 ¹ / ₂	33 ¹ / ₄
46 "	39	34 ³ / ₄	38 ³ / ₄	33 ¹ / ₂
47 "	39 ¹ / ₄	35 ³ / ₄	38 ⁷ / ₈	33 ¹ / ₂
48 "	39 ¹ / ₂	35 ⁷ / ₈	39	33 ³ / ₄
5 yrs.	41.6	41.1	41.3	39.7

* Reprinted by permission of the Children's Bureau, United States Department of Labor.

TABLE IX.

AVERAGE WEIGHT AND HEIGHT OF BOYS AT DIFFERENT AGES.*

Height inches.	5 yrs.	6 yrs.	7 yrs.	8 yrs.	9 yrs.	10 yrs.	11 yrs.	12 yrs.	13 yrs.	14 yrs.	15 yrs.	16 yrs.	17 yrs.	18 yrs.
39	35	36	37											
40	37	38	39											
41	39	40	41											
42	41	42	43	44										
43	43	44	45	46										
44	45	46	46	47										
45	47	47	48	48	49									
46	48	49	50	50	51									
47		51	52	52	53	54								
48		53	54	55	55	56	57							
49		55	56	57	58	58	59							
50			58	59	60	60	61	62						
51			60	61	62	63	64	65						
52			62	63	64	65	67	68						
53				66	67	68	69	70	71					
54				69	70	71	72	73	74					
55					73	74	75	76	77	78				
56					77	78	79	80	81	82				
57						81	82	83	84	85	86			
58						84	85	86	87	88	90	91		
59						87	88	89	90	92	94	96	97	
60						91	92	93	94	97	99	101	102	
61							95	97	99	102	104	106	108	110
62							100	102	104	106	109	111	113	116
63							105	107	109	111	114	115	117	119
64								113	115	117	118	119	120	122
65									120	122	123	124	125	126
66									125	126	127	128	129	130
67									130	131	132	133	134	135
68									134	135	136	137	138	139
69									138	139	140	141	142	143
70										142	144	145	146	147
71										147	149	150	151	152
72										152	154	155	156	157
73										157	159	160	161	162
74										162	164	165	166	167
75											169	170	171	172
76											174	175	176	177

* Reprinted by permission of Thomas D. Wood, M. D., Professor of Physical Education, Teachers College, Columbia University.

TABLE X.

AVERAGE WEIGHT AND HEIGHT OF GIRLS AT DIFFERENT AGES.*

Height inches.	5 yrs.	6 yrs.	7 yrs.	8 yrs.	9 yrs.	10 yrs.	11 yrs.	12 yrs.	13 yrs.	14 yrs.	15 yrs.	16 yrs.	17 yrs.	18 yrs.
39	34	35	36											
40	36	37	38											
41	38	39	40											
42	40	41	42	43										
43	42	42	43	44										
44	44	45	45	46										
45	46	47	47	48	49									
46	48	48	49	50	51									
47		49	50	51	52	53								
48		51	52	53	54	55	56							
49		53	54	55	56	57	58							
50			56	57	58	59	60	61						
51			59	60	61	62	63	64						
52			62	63	64	65	66	67						
53				66	67	68	68	69	70					
54				68	69	70	71	72	73					
55					72	73	74	75	76	77				
56					76	77	78	79	80	81				
57						81	82	83	84	85	86			
58						85	86	87	88	89	90	91		
59						89	90	91	93	94	95	96	98	
60							94	95	97	99	100	102	104	106
61							99	101	102	104	106	108	109	111
62							104	106	107	109	111	113	114	115
63							109	111	112	113	115	117	118	119
64								115	117	118	119	120	121	122
65								117	119	120	122	123	124	125
66								119	121	122	124	126	127	128
67									124	126	127	128	129	130
68									126	128	130	132	133	134
69									129	131	133	135	136	137
70										134	136	138	139	140
71										138	140	142	143	144
72											145	147	148	149

* Reprinted by permission of Thomas D. Wood, M. D., Professor of Physical Education, Columbia University.

TABLE XI.

AVERAGE RATE OF GROWTH OF BOYS AND GIRLS AT DIFFERENT AGES (MANNY).

AGE	BOYS		GIRLS	
	Increase per Year	Increase per Week	Increase per Year	Increase per Week
6 months.	Pounds 16.90	Ounces 5.19	Pounds 16.68	Ounces 5.11
1 year	9.00	2.75	8.60	2.65
2 "	6.00	1.83	5.70	1.76
3 "	4.70	1.45	4.50	1.38
4 "	3.80	1.16	4.00	1.23
5 " 6 mos.	4.13	1.27	3.87	1.20
6 " 6 "	4.00	1.23	3.60	1.09
7 " 6 "	4.30	1.34	4.30	1.34
8 " 6 "	5.00	1.55	4.80	1.48
9 " 9 "	5.10	1.59	4.90	1.52
10 " 6 "	5.80	1.80	5.50	1.69
11 " 6 "	5.30	1.62	6.60	2.05
12 " 6 "	6.20	1.91	9.20	2.82
13 " 6 "	7.90	2.43	10.00	3.07
14 " 6 "	10.40	3.21	9.60	2.96
15 " 6 "	12.20	3.77	8.40	2.57
16 " 6 "	13.60	4.20	5.60	1.73

THE ENERGY REQUIREMENT OF THE AGED.

In old age, the activity of the cells diminishes, decreasing the rate of metabolism and the amount of internal work. External work is usually less than in middle life, and the ability of the body to deal with an excess of food is lessened. For these reasons, the energy requirement per unit of weight gradually declines as old age comes on, usually after the 60th year, and sometimes earlier. While senility cannot be measured exactly in years, we may, for convenience, divide this period into three parts, (1) from 60 to 70; (2) from 70 to 80; (3) from 80 to the end of life, as a basis for estimating food requirements.

The energy requirement is most satisfactorily calculated by using one of the methods suggested for obtaining the energy requirement of an adult* when the weight of the individual is known and suitable allowance is made for lessened activity. After the requirement has been calculated as if for a middle aged person, a deduction should be made for the decreased metabolism according to the following table, adapted from suggestions by Von Noorden.

* Cf. Tables I-V.

TABLE XII.

VON NOORDEN'S REDUCTION IN ENERGY REQUIREMENT IN OLD AGE.

Age in Years	Per Cent of Reduction
60-70	10
70-80	20
80—	30

THE PROTEIN REQUIREMENT.

The protein requirement cannot be stated with the same exactness as the energy requirement. We know that some proteins will support growth; others serve merely to maintain the body at constant weight, and still others will by themselves neither maintain nitrogen equilibrium nor support growth. It is necessary therefore to choose proteins with some care if we try to limit the amount very closely, especially in childhood when they are so important for growth; or to take food materials of many kinds, so that different types of protein are represented in the diet.

The total amount of protein required is independent of the amount of muscular activity. In the adult it depends rather upon the amount of active tissue in the body. In the case of an adult man of ordinary physique weighing seventy kilograms, while the energy requirement may vary from 2400 to 4000 Calories according to occupation, a protein supply of about one gram per kilogram of body weight per day will be liberal. In the child the requirement is much higher in proportion to weight, owing to the use of protein as building material, especially for the muscles. At the time of most rapid growth nature provides about two and one-half grams of protein per kilogram of body weight per day. This is about ten per cent of the fuel requirement per kilogram, and it will be observed that a man at moderately active work, taking one gram of protein per kilogram is also getting about ten per cent of his calories in the form of protein. In old age, when new body substance is not being built, the existing cells are less active and the body is less capable of disposing of an excess, so that less than one gram per kilogram of body weight is needed, we find that there is also a decreased demand for total fuel, affording again a parallelism between energy and protein requirement. It seems safe to say, therefore, that except at complete rest from ten to fifteen per cent of the total fuel in the form of protein is sufficient for any age when the energy requirement is fully met.

When the protein in the diet is excessively high, it raises the metabolism without any beneficial and possibly with harmful

effects. It is at least a wasteful excess, and should be avoided. On the other hand, while it is possible to satisfy the requirements for nitrogen with less than ten per cent of the fuel in the form of protein, such a supply does not afford much reserve for such emergencies as loss in digestion, or inability of the body to utilize to good advantage the type of protein supplied, and is usually inadvisable.

THE FAT AND CARBOHYDRATE REQUIREMENT.

Assuming that from ten to fifteen per cent of the total fuel is derived from protein in satisfying the nitrogen requirement of the body, the remainder of the daily supply will have to be provided from carbohydrates and fats. The amount of fat which can be digested differs with the individual and the form in which it is taken, but the average man's maximum capacity for digestion of fat is about 200 grams per day, and he does not seem to maintain his best health with less than about 75 grams (2.5 ounces) of fat per day. Within these limits, much variation is possible. The amount of carbohydrates which can be taken to advantage depends largely upon the form, starch being capable of good digestion in amounts up to or even above 500 grams per day. The assimilation limit for sugar varies with the kind, but is lower than that for starch.

Under certain circumstances carbohydrates have a greater protein-sparing power than fats, but unless more than one-half of the total calories of the day's ration be derived from fats the protein-sparing action of a fat calorie or a carbohydrate calorie is practically the same. In the ordinary diet of a healthy individual the carbohydrates tend to predominate, so that there is seldom necessity for estimating fat and carbohydrate separately; the relative proportions will be determined largely by questions of bulk, ease of digestion, and the need for the fat-soluble vitamins, which may be associated with the food fat. In special cases it is sometimes necessary to calculate each separately, as in diabetes where the foodstuffs may all have to be carefully measured. The tables of food values will make these calculations comparatively simple.

THE ASH REQUIREMENT.

In a diet selected from a wide range of food materials, or a more limited one containing some kind of fruit and some green vegetable

every day and having milk as a prominent constituent, the needs of the individual for body-building and body-regulating ash constituents will probably be satisfactorily met. The ash requirement has now been determined for calcium and phosphorus with the same accuracy as the protein requirement. There is abundant evidence that attention must be paid to the mineral elements of the diet, some of which are as indispensable as protein even though needed in much smaller amounts. The ones which it seems most unwise to leave to chance are phosphorus, iron, and calcium, diets which supply protein and fuel in adequate amounts not necessarily carrying a sufficiency of all of these. Generally diets having enough calcium and iron will also supply sufficient phosphorus. The quantities per day believed to be desirable in feeding a family are as follows:

TABLE XIII.
DIETARY STANDARDS FOR CALCIUM, PHOSPHORUS, AND IRON.

CALCIUM		
	As Oxide (CaO) Grams	As Element (Ca) Grams
Per 3000 Calories, or per man.....	1.0	0.67
Per 100 Calories.....	0.032	0.023
PHOSPHORUS		
	As Pentoxide (P ₂ O ₅) Grams	As Element (P) Grams
Per 3000 Calories, or per man.....	3.0	1.32
Per 100 Calories.....	0.10	0.044
IRON		
	As Element (Fe) Grams	As Element (Fe) Milligrams
Per 3000 Calories, or per man.....	0.015	15.0
Per 100 Calories.....	0.0005	0.5

As the calculation of the ash constituents is laborious, it is often simpler to see that the foods rich in these elements are abundantly represented, *i. e.*, milk, eggs, whole grains, peas, beans, green vegetables, and fruit, any excess of ash not being likely to do harm.

When for any reason there is scarcity of the above foods, or a diet especially rich in any particular ash constituent is desired, the quantitative estimations of the various elements should be made by means of Tables XXVI and XXVII.

THE VITAMINE REQUIREMENT.

The necessity for at least three different vitamins in the diet has been demonstrated by experimental work with animals. It has also been confirmed for human beings by the cure of beri-beri, a disease due to lack of the "B" vitamin (Water-soluble B or the antineuritic vitamin); by the cure of scurvy, a disease due to lack of the "C" vitamin (Water-soluble C or the antiscorbutic vitamin); and apparently by the cure of xerophthalmia, a disease produced experimentally in some animals by withholding from the diet the "A" vitamin (Fat-soluble A or the antixerophthalmic vitamin), and reported as cured in children subsisting on an inadequate diet by adding to their ration foods rich in this vitamin, such as butter fat and chicken livers.

Other evidence that health depends on a suitable amount of each of these vitamins is afforded by experiments showing accelerated rate of growth in infants when the amount of the "B" vitamin in their diet is increased, and general improvement in their physical condition through increase in the amount of the "C" vitamin when, though not having acute scurvy, they have been receiving too little of this dietary essential in their food. The suggestion has also been made that a lack of the "A" vitamin may be a contributing factor in the susceptibility of the poor and undernourished to tuberculosis.

There is, then, abundant evidence as to the need for certain amounts of these known vitamins, but scientific investigation has not yet gone far enough for any one to state definitely how much of each is required either for adults or children. On a diet which meets all other nutritive requirements and in which milk, vegetables, and some fresh food are a regular part of the menu there is little likelihood of deficiency in any of the vitamins. The "B" vitamin is so widely distributed in fruits and vegetables that a diet containing these in addition to milk will be adequate as regards this dietary factor. The "A" vitamin is also found in sufficient quantity in milk not deprived of its natural fat, in eggs, butter, and green leaves; wherefore the presence of these in the diet is a guarantee of safety so far as this vitamin is concerned. The "C" vitamin is more readily destroyed by heat, aging, and drying than the other vitamins, from which it follows that the best general protection against shortage is in a fairly regular supply of

fresh food, and especially of fresh fruits and vegetables. Some information about the distribution of these vitamins in different foods may be secured from the following table:

TABLE XIV.

DISTRIBUTION OF VITAMINES IN INVESTIGATED FOOD MATERIALS.

+ indicates that the vitamin is present.
 ++ " " " " " " in considerable amount.
 +++ " " " " " " " large amount.
 +(?) " conflicting reports as to its presence.
 - " that the vitamin is absent or nearly so.
 X " " " " " has not been determined.

Source	A	B	C
Almonds.....	+	+	X
Apples.....	X	++	+++
Bananas.....	+ (?)	+	+
Barley, whole.....	+	++	X
Beans, kidney.....	X	+++	X
navy.....	X	+++	-
soy.....	+	+++	-
Beets.....	-	+	+
Brain.....	+	++	+ (?)
Brazil nuts.....	X	++	X
Bread, white (yeast).....	-	+	-
whole wheat (yeast).....	+	++	-
Butter.....	+++	-	-
Cabbage, fresh raw.....	++	+++	+++
cooked.....	++	++	+
dried.....	++	+++	- (?) Depends on process
Carrots, fresh raw.....	++	+	+
cooked.....	++	+	+ (?) Depends on process
Cauliflower.....	+	++	X
Celery.....	X	++	X
Chard.....	+	+	X
Cheese.....	++	++	-
Chestnuts.....	X	+	X
Coconut.....	+	++	X
Coconut oil.....	-	-	-
Codfish.....	+	+	+ (?)
Codliver oil.....	+++	-	-
Corn oil.....	- (?)	-	-
Cottonseed oil.....	- (?)	-	-
Cream (see also milk).....	+++	+	+ (?)
Dandelion greens.....	++	++	+
Dasheens.....	-	+	+
Eggs.....	+++	+	-
Egg yolk.....	+++	+	-
Endive.....	+	X	X
Fat, beef.....	+	X	X
Filberts.....	X	++	X
Germinated legumes.....	+	++	+++
Grapefruit.....	X	++	++
Grape juice (commercial).....	X	+	+

TABLE XIV—Continued.

Source	A	B	C
Grapes.....	×	+	+
Heart.....	+	+	+(?)
Herring.....	+	+	+(?)
Hickory nuts.....	×	++	×
Honey.....	—	+	—
Kidney.....	++	++	+(?)
Lard.....	—(?)	—	—
Lemon juice.....	—	++	+++
Limes.....	—	×	++
Lettuce.....	++	++	+++
Liver.....	++	++	+(?)
Maize, white.....	—	++	×
yellow.....	+	++	×
Milk, fresh.....	+++	++	+ Amount depends on cow's diet
condensed.....	++	+	+(?)
dried, skim.....	+	++	+(?) Depends on process
dried, whole.....	+++	++	+(?) Depends on process
skimmed.....	+	+	+ Amount depends on cow's diet
Meat, muscle.....	—	+(?)	+(?)
Nut margarines (vegetable fat) . . .	—	—	—
Oats.....	+	++	—
Oleomargarine (animal fat).....	+	—	—
Olive oil.....	—	—	—
Onions.....	×	++	++
Oranges.....	+	++	+++
Pancreas.....	—	+++	+(?)
Parsnips.....	—	++	×
Peanuts.....	+	++	×
Pears.....	—	+	×
Peas, dry.....	+	++	—
fresh.....	+	++	+++
Pecans.....	×	+	×
Pig heart.....	+	+	×
liver.....	+	+	×
Pine nuts.....	×	+	×
Potatoes, sweet.....	++	+	×
white, raw.....	+	++	+++
white, boiled 15 minutes.....	+	++	++
Prunes.....	×	+	—
Rice, polished.....	—	—	—
whole grain.....	+	++	—
Roe, fish.....	+	++	+(?)
Rutabaga.....	—	++	+++
Rye, whole grain.....	+	++	×
Spinach.....	+++	+++	+++
Squash, yellow.....	++	×	×
Sweetbreads (thymus gland).....	—	—	—
Tomatoes.....	++	+++	+++
Turnips, swede.....	—	++	+++
Walnuts.....	×	++	×

TABLE XIV—Continued.

Source	A	B	C
Whale oil	++	×	—
Wheat kernel	+	++	—
embryo	++	+++	—
bran	—	+	—
Whey	+(?)	++	+(?)
Yeast	—	+++	—

PART II.

PROBLEMS IN DIETARY CALCULATION.

PROBLEM I.

STUDIES IN WEIGHT, MEASURE AND COST OF SOME COMMON FOOD MATERIALS.

In the following table (XV) are grouped those common food materials which are purchased and used by measure more frequently than by weight. The food values are given for all the customary units of weight: namely, the gram for scientific accuracy; the ounce for the small family; and the pound for the larger institution; the data being calculated, unless otherwise stated, from Bulletin 28, Office of Experiment Stations, U. S. Department of Agriculture, using the Atwater factors for energy values. Since estimates of food values made on average proximate analyses cannot be absolutely accurate, the number of digits in this table (and in Tables XXIII, XXIV, and XXV) has been limited to one or two decimal places except on the gram, where the food values serve also to indicate the percentage composition as given in the original report. These can be used in cases where the closest concordance in results is desired.

For weighing the food materials, a Harvard Trip Scale with weights from one gram to one-half kilogram will be found most satisfactory, although any reliable household scale accurate to one-fourth ounce can be used. A number of standard or 100-Calorie portions of food materials representing the different classes of foodstuff should be weighed, carefully measured, and the result recorded in the blank space provided in the measure column of the tables. The total weight of the market unit, as the quart, can or package, should also be recorded in the blank space under the data on food values, and the cost of this and the 100-Calorie portion recorded in the cost column. Other useful data are the weight of one cupful or one tablespoonful, etc., of foods used by these measures in cookery, such as flour, sugar, butter, and milk. Comparison of the cost of 100-Calorie portions will give a true idea of

the relative economy of the different food materials as sources of fuel, and will save much time in dietary calculation. A complete record of a food material will appear as follows:

EXAMPLE OF A FOOD RECORD.

Food Material	R. S.	Weight			Pro- tein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Measure
		lb.	oz.	gms.						
Bread, white, miscel- lane- ous.				1	0.093	0.012	0.527	2.59		
			1		2.63	0.34	14.94	73.4	0.0044	
		1			42.18	5.44	239.05	1174	0.0666	
		1	1.36	38.6	3.6	0.46	20.39	100	0.0056	{ 1 thick slice
		12.00	340.0	34.56	4.08	179.28	880	0.05	1 loaf	

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.

Calculated principally from Bulletin 28, Office of Experiment Stations, U. S. Department of Agriculture.

A. P. denotes "as purchased."

E. P. denotes "edible portion."

S. P. denotes "standard" or "100-calorie" portion.

The Per Cent of Refuse in common food materials is given in Table XVI.

When it is impractical to weigh certain food materials some idea of the relation between weight and measure may be gained by reference to Tables XIX and XX, or to "Feeding the Family," Rose, New York, 1916.

Food Material	P.	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Almonds, A. P.				1	0.115	0.302	0.095	3.56		
			1		3.26	8.56	2.69	100.9		
		1			52.16	136.96	43.09	1614		
		1	0.99	28.1	3.23	8.49	2.67	100		
Almonds, E. P.				1	0.210	0.549	0.173	6.47		
			1		5.95	15.56	4.90	183.5		
		1			95.25	249.03	78.47	2936		
		1	0.54	15.5	3.24	8.48	2.67	100		
Apples, dried, A. P.				1	0.016	0.022	0.661	2.91		
			1		0.45	0.62	18.74	82.4		
		1			7.25	9.93	299.83	1318		
		1	1.21	34.4	0.55	0.75	22.74	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	qt. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Apples, fresh, A. P.				1	0.003	0.003	0.108	0.47		
			1		0.09	0.09	3.06	13.4		
		1			1.36	1.36	48.99	214		
		1	7.49	212.3	0.64	0.64	22.93	100		
Apples, fresh, E. P.				1	0.004	0.005	0.142	0.63		
			1		0.11	0.14	4.05	17.8		
		1			1.81	2.27	64.6	285		
		1	5.61	159.0	0.64	0.79	22.58	100		
Apricots, dried, A. P.				1	0.047	0.010	0.625	2.78		
			1		1.33	0.28	17.72	78.7		
		1			21.32	4.54	283.50	1260		
		1	1.27	36.0	1.69	0.36	22.50	100		
Apricots, fresh, A. P.				1	0.010		0.126	0.54		
			1		0.28		3.57	15.4		
		1			4.54		57.16	247		
		1	6.48	183.8	1.84		23.16	100		
Apricots, fresh, E. P.				1	0.011		0.134	0.58		
			1		0.31		3.80	16.4		
		1			4.99		60.78	263		
		1	6.08	172.4	1.89		23.10	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight		Protein, Grams	Fat, Grams	Carbo-hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Asparagus, canned, A. P.			1	0.015	0.001	0.028	0.18		
		1		0.43	0.03	0.79	5.1		
	1			6.80	0.45	12.70	82		
	1	19.49	552.5	8.29	0.55	15.47	100		
Asparagus, fresh, A. P.			1	0.018	0.002	0.033	0.22		
		1		0.51	0.06	0.93	6.3		
	1			8.16	0.91	14.96	101		
	1	15.89	450.5	8.10	0.90	14.85	100		
Bacon, smoked, A. P.			1	0.095	0.594		5.73		
		1		2.69	16.84		162.3		
	1			43.09	269.44		2597		
	1	0.62	17.5	1.66	10.37		100		
Bacon, smoked, E. P.			1	0.105	0.648		6.25		
		1		2.98	18.37		177.2		
	1			48.63	412.08		2836		
	1	0.56	16	1.68	10.37		100		
Bananas, A. P.			1	0.008	0.004	0.143	0.64		
		1		0.23	0.11	4.05	18.1		
	1			3.62	1.81	64.80	290		
	1	5.51	156.2	1.24	0.62	22.32	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	No. of	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Bananas E. P.				1	0.013	0.006	0.220	0.99		
			1		0.37	0.17	6.24	27.9		
		1			5.90	2.72	99.79	447		
		1	3.58	101.4	1.32	0.61	22.31	100		
Barley, pearled.				1	0.085	0.011	0.778	3.55		
			1		2.41	0.31	22.06	100.6		
		1			38.55	4.78	352.90	1610		
		1	0.99	28.2	2.38	0.31	21.78	100		
Beans, dried, A. P.				1	0.225	0.018	0.596	3.45		
			1		6.37	0.51	16.89	97.7		
		1			102.06	8.16	270.34	1564		
		1	1.02	29.0	6.53	0.52	17.30	100		
Beans, Lima, canned.				1	0.040	0.003	0.146	0.77		
			1		1.112	0.09	4.14	21.9		
		1			18.14	1.36	66.21	350		
		1	4.58	129.7	5.19	0.39	18.94	100		
Beans, Lima, dried.				1	0.181	0.015	0.659	3.50		
			1		5.13	0.43	18.68	99.1		
		1			82.10	6.80	298.92	1586		
		1	1.01	28.6	5.17	0.43	18.85	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	R. Q.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Beans,				1	0.032	0.003	0.099	0.55		
Lima,			1		0.91	0.09	2.81	15.6		
fresh,		1			14.52	1.36	44.91	250		
A. P.	1		6.40	181.5	5.81	0.54	17.96	100		
Beans,				1	0.071	0.007	0.220	1.23		
Lima,			1		2.02	0.20	6.24	34.8		
fresh,		1			32.21	3.17	99.79	557		
E. P.	1		2.88	81.5	5.79	0.57	17.93	100		
Beans,				1	0.021	0.003	0.069	0.39		
string,			1		0.59	0.09	1.96	11.0		
fresh,		1			9.52	1.36	31.30	176		
A. P.	1		9.11	258.4	5.43	0.78	17.83	100		
Beans,				1	0.023	0.003	0.074	0.42		
string,			1		6.65	0.09	2.10	11.8		
fresh,		1			10.40	1.36	33.60	189		
E. P.	1		8.50	241.0	5.54	0.72	17.83	100		
Beef, dried,				1	0.264	0.069		1.68		
salted,			1		7.48	1.96		47.5		
smoked,		1			119.75	31.30		760		
A. P.	1		2.11	59.7	15.74	4.11		100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	Lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Beef, dried, salted, smoked, E. P.				1	0.300	0.065	0.004	1.80		
			1		8.50	1.84	0.11	51.1		
		1			136.08	29.48	1.81	817		
		1	1.96	55.5	16.66	3.61	0.22	100		
Beef, roast, A. P.				1	0.236	0.277		3.44		
			1		6.69	7.85		97.4		
		1			107.05	125.64		1559		
		1	1.03	29.1	6.87	8.06		100		
Beef suet, A. P.				1	0.047	0.818		7.55		
			1		1.33	23.19		214.0		
		1			21.32	371.04		3425		
		1	0.47	13.2	0.62	10.83		100		
Beets, fresh, A. P.				1	0.013	0.001	0.077	0.37		
			1		0.37	0.03	2.18	10.6		
		1			5.90	0.45	34.93	167		
		1	9.56	271.0	3.52	0.27	20.87	100		
Beets, fresh, E. P.				1	0.016	0.001	0.097	0.46		
			1		0.45	0.03	2.75	13.1		
		1			7.26	0.45	44.00	209		
		1	7.66	217.1	3.47	0.22	21.10	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	qt.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Black-berries, fresh, A. P.				1	0.013	0.010	0.109	0.58		
			1		0.37	0.28	3.09	16.4		
		1			5.89	4.54	49.44	262		
		1	6.10	173.0	2.25	1.73	18.85	100		
Bread, white, miscellaneous.				1	0.093	0.012	0.527	2.59		
			1		2.63	0.34	14.94	73.4		
		1			42.18	5.44	239.05	1174		
		1	1.38	39.0	3.60	0.46	20.39	100		
Butter.				1	0.010	0.850		7.69		
			1		0.28	24.09		217.9		
		1			4.54	385.56		3488		
		1	0.46	13.0	0.13	11.05		100		
Cabbage, A. P.				1	0.014	0.002	0.048	0.27		
			1		0.40	0.06	1.36	7.5		
		1			6.35	0.91	21.77	120.6		
		1	13.26	376.0	5.26	0.75	18.05	100		
Cabbage, E. P.				1	0.016	0.003	0.056	0.32		
			1		0.45	0.09	1.59	8.9		
		1			7.25	1.36	25.40	143		
		1	11.20	317.5	5.08	0.95	17.78	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	li. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.						
Carrots, A. P.				1	0.009	0.002	0.074	0.35	
			1		0.25	0.06	2.10	9.9	
		1			4.08	0.91	33.56	159	
		1	10.08	285.7	2.57	0.57	21.14	100	
Carrots, E. P.				1	0.011	0.004	0.093	0.45	
			1		0.31	0.11	2.64	12.8	
		1			4.99	1.81	42.18	205	
		1	7.80	221.2	2.43	0.88	20.55	100	
Cauli- flower, A. P.				1	0.018	0.005	0.047	0.31	
			1		0.51	0.14	1.33	8.7	
		1			8.16	2.27	21.32	138	
		1	11.57	327.9	5.91	1.64	15.41	100	
Celery, A. P.				1	0.009	0.001	0.026	0.15	
			1		0.26	0.03	0.74	4.2	
		1			4.08	0.45	11.79	68	
		1	23.67	671.1	6.04	0.67	17.45	100	
Celery, E. P.				1	0.011	0.001	0.033	0.19	
			1		0.31	0.03	0.93	5.2	
		1			4.98	0.45	14.97	84	
		1	19.07	540.6	5.94	0.54	17.84	100	

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	Pt. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Cheese, American pale, A. P.				1	0.288	0.359	0.003	4.40		
			1		8.16	10.18	0.09	124.6		
	1	1	0.80	22.8	130.64	162.84	1.35	1994		
					6.50	8.17	0.07	100		
Cheese, Neu- chatel, A. P.				1	0.187	0.274	0.015	3.27		
			1		5.30	7.78	0.42	92.8		
	1	1			84.82	124.30	6.80	1485		
					5.71	8.47	0.46	100		
Cherries, fresh, A. P.				1	0.009	0.008	0.159	0.74		
			1		0.25	0.23	4.51	21.1		
	1	1			4.08	3.63	72.12	338		
					1.21	1.08	21.37	100		
Cherries, fresh, E. P.				1	0.01	0.008	0.167	0.78		
			1		0.28	0.23	4.73	22.1		
	1	1			4.54	3.63	75.75	354		
					1.28	1.03	21.41	100		
Chocolate.				1	0.129	0.487	0.303	6.11		
			1		3.65	13.80	8.59	173.3		
	1	1			58.51	220.90	137.40	2772		
					2.11	7.97	4.95	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	S. P.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Cocoa.				1	0.216	0.289	0.377	4.97		
			1		6.12	8.19	10.69	141.0		
		1			97.98	131.10	171.00	2256		
		1	0.71	20.1	4.34	5.81	7.58	100		
Cod, salt, boneless, A. P.				1	0.277	0.003		1.14		
			1		7.85	0.09		32.2		
		1			125.65	1.36		515		
		1	3.10	88.0	24.40	0.26		100		
Corn, canned.				1	0.028	0.012	0.190	0.98		
			1		0.79	0.34	5.39	27.8		
		1			12.70	5.44	86.19	445		
		1	3.60	102.0	2.86	1.23	19.39	100		
Corn, green, A. P.				1	0.012	0.004	0.077	0.39		
			1		0.34	0.11	2.18	11.1		
		1			5.44	1.81	34.93	178		
		1	9.00	255.1	3.06	1.02	19.64	100		
Corn, green, E. P.				1	0.031	0.011	0.197	1.01		
			1		0.88	0.31	5.58	28.7		
		1			14.06	4.98	89.36	459		
		1	3.49	99.0	3.06	1.09	19.49	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. sz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Corn- meal, granular.				1	0.092	0.019	0.754	3.56		
			1		2.61	0.54	21.38	100.8		
		1			41.73	8.62	342.01	1613		
	1		0.99	28.1	2.59	0.53	21.20	100		
Corn- flakes, toasted.*				1	0.055	0.015	0.810	3.60		
			1		1.56	0.43	23.00	102.1		
		1			24.95	6.80	367.40	1631		
	1		0.99	27.8	1.53	0.42	22.53	100		
Corn- starch.				1			0.900	3.60		
			1				25.52	102.0		
		1					408.24	1632		
	1		0.99	27.8			25.0	100		
Crackers, graham.				1	0.100	0.094	0.738	4.20		
			1		2.84	2.66	20.92	119.0		
		1			45.36	42.64	334.76	1904		
	1		0.84	23.8	2.38	2.24	17.58	100		
Crackers, oyster.				1	0.113	0.105	0.705	4.22		
			1		3.20	2.98	19.98	119.6		
		1			51.26	47.63	320.10	1914		
	1		0.84	23.7	2.68	2.49	16.72	100		

* Ont. Dept. of Agr., Bull. 162.

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz	Weight			Protein, Grains	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Crackers, soda.				1	0.098	0.091	0.731	4.14		
			1		2.78	2.58	20.74	117.2		
		1			44.45	41.27	331.64	1875		
		1	0.85	24.2	2.37	2.20	17.68	100		
Cran- berries, A. P.				1	0.004	0.006	0.099	0.47		
			1		0.11	0.17	2.81	13.2		
		1			1.81	2.72	44.91	211		
		1	7.57	214.6	0.86	1.29	21.25	100		
Cream, thick, (40 %).				1	0.022	0.400	0.030	3.81		
			1		0.62	11.34	0.85	107.9		
		1			9.98	181.44	13.67	1727		
		1	0.93	26.3	0.58	10.47	0.78	100		
Cucum- bers, A. P.				1	0.007	0.002	0.026	0.15		
			1		0.20	0.06	0.74	4.3		
		1			3.17	0.91	11.79	68		
		1	23.53	666.7	4.67	1.33	17.33	100		
Cucum- bers, E. P.				1	0.008	0.002	0.031	0.17		
			1		0.23	0.06	0.88	4.9		
		1			3.63	0.91	14.06	79.0		
		1	20.28	574.8	4.60	1.15	17.82	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	μ α	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Currants, dried, (Zante), A. P.				1	0.024	0.017	0.742	3.22		
			1		0.68	0.48	21.04	91.2		
		1			10.89	7.71	336.58	1459		
	1		1.10	31.1	0.75	0.53	23.07	100		
Currants, fresh, A. P.				1	0.015		0.128	0.57		
			1		0.48		3.62	16.2		
		1			6.80		58.04	259		
	1		6.17	174.8	2.62		22.38	100		
Dates, dried, A. P.				1	0.019	0.025	0.706	3.13		
			1		0.54	0.71	20.01	88.6		
		1			8.62	11.34	320.20	1416		
	1		1.13	32.0	0.60	0.80	22.59	100		
Dates, dried, E. P.				1	0.021	0.028	0.784	3.47		
			1		0.60	0.79	22.23	98.4		
		1			9.53	12.70	355.60	1575		
	1		1.02	28.8	0.61	0.81	22.58	100		
Eggs, whole, A. P.				1	0.119	0.093		1.31		
			1		3.37	2.63		37.2		
		1			53.98	42.18		595		
	1		2.69	76.2	9.06	7.08		100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	Pt. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Eggs, whole, E. P.				1	0.134	0.105		1.48		
			1		3.79	2.98		42.0		
		1			60.78	47.63		672		
		1	2.38	67.5	9.05	7.09		100		
Egg, white, E. P.				1	0.123	0.002		0.51		
			1		3.48	0.06		14.4		
		1			55.79	0.91		231		
		1	6.92	196.1	24.12	0.39		100		
Egg, yolk, E. P.				1	0.157	0.333		3.63		
			1		4.45	9.44		102.7		
		1			71.22	151.05		1643		
		1	0.97	27.6	4.33	9.18		100		
Farina.				1	0.110	0.014	0.763	3.62		
			1		3.12	0.39	21.64	102.6		
		1			49.89	6.35	346.10	1641		
		1	0.97	27.6	3.04	0.39	21.09	100.		
Figs, dried.				1	0.043	0.003	0.742	3.17		
			1		1.21	0.09	21.00	89.8		
		1			19.50	1.36	336.50	1437		
		1	1.12	31.6	1.36	0.09	23.44	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Material Food	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.	gms.*						
Force.*				1	0.109	0.015	0.750	3.54		
			1		2.86	0.43	21.27	100.4		
		1			45.76	6.85	340.30	1605		
	1		1.0	28.3	2.82	0.42	21.19	100		
Gelatin.				1	0.914	0.001		3.67		
			1		25.91	0.03		103.9		
		1			414.59	0.45		1662		
	1		0.96	27.3	24.95	0.03		100		
Graham flour.				1	0.133	0.022	0.714	3.59		
			1		3.77	0.63	20.24	101.7		
		1			60.32	9.98	323.87	1627		
	1		0.98	27.9	3.71	0.61	19.92	100		
Grapes, fresh, A. P.				1	0.010	0.012	0.144	0.72		
			1		0.28	0.34	4.08	20.5		
		1			4.54	5.44	65.32	328		
	1		4.87	138.1	1.38	1.66	19.89	100		
Grapes, fresh, E. P.				1	0.013	0.016	0.192	0.96		
			1		0.37	0.45	5.44	27.3		
		1			5.90	7.26	87.09	437		
	1		3.66	103.7	1.36	1.66	19.92	100		

* Ont. Dept. of Agr., Bull. 162.

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	qt. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Grape- nuts.*				1	0.115	0.010	0.790	3.71		
			1		3.26	0.28	22.39	105.2		
		1			52.16	4.54	358.34	1683		
		1	0.95	27.0	3.11	0.27	21.33	100		
Ham, smoked, boiled, A. P.				1	0.202	0.224		2.82		
			1		5.73	6.35		80.1		
		1			91.62	101.61		1281		
		1	1.25	35.4	7.15	7.93		100		
Hominy.				1	0.083	0.006	0.790	3.55		
			1		2.36	0.17	22.39	100.5		
		1			37.65	2.72	358.34	1608		
		1	1.0	28.3	2.35	0.17	22.32	100		
Lady fingers, A. P.				1	0.088	0.050	0.706	3.63		
			1		2.49	1.41	20.01	102.7		
		1			39.84	22.56	320.20	1643		
	1	0.97	27.6	2.43	1.40	19.47	100			
Lamb chops, broiled, A. P.				1	0.184	0.267		3.14		
			1		5.22	7.57		89.0		
		1			83.46	121.10		1425		
		1	1.13	31.9	5.86	8.51		100		

* Ont. Dept. of Agr., Bull. 162.

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	No. of	Weight		Protein, Grams	Fat, Grams	Carbo-hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Lamb chops, broiled, E. P.				1	0.217	0.299	3.56		
			1		6.15	8.48	100.9		
		1			98.43	135.63	1615		
		1	0.99	28.1	6.10	8.40	100		
Lard, A. P.				1		1.000	9.00		
			1		28.35		255.2		
		1			453.60		4082		
		1	0.39	11.1		11.11	100		
Lemon juice.				1		0.098	0.39		
			1			2.77	11.1		
		1				44.45	178		
		1	9.0	255.1		25.00	100		
Lentils, dried, A. P.				1	0.257	0.010	3.49		
			1		7.29	0.28	98.8		
		1			116.57	4.54	1581		
		1	1.01	28.7	7.37	0.29	100		
Lettuce, A. P.				1	0.010	0.002	0.16		
			1		0.28	0.06	4.5		
		1			4.54	0.91	72		
		1	22.32	632.9	6.33	1.27	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Lettuce, E. P.				1	0.012	0.003	0.029	0.19		
			1		0.34	0.09	0.82	5.4		
		1			5.44	1.36	13.15	87		
	1		18.47	523.6	6.28	1.57	15.18	100		
Macaroni.				1	0.134	0.009	0.741	3.58		
			1		3.80	0.25	21.00	101.5		
		1			60.78	4.08	336.12	1624		
	1		0.99	28.0	3.70	0.25	20.70	100		
Milk, con- densed, sweet- ened.				1	0.088	0.083	0.541	3.26		
			1		2.49	2.35	15.34	92.5		
		1			39.95	37.65	245.40	1480		
	1		1.08	30.6	2.70	2.54	16.58	100		
Milk, con- densed, unsweet- ened.				1	0.096	0.093	0.112	1.67		
			1		2.72	2.63	3.17	47.3		
		1			43.55	42.18	50.85	757		
	1		2.11	59.9	5.75	5.57	6.71	100		
Milk, skimmed.				1	0.034	0.003	0.051	0.37		
			1		0.96	0.09	1.45	10.4		
		1			15.40	1.36	23.10	166		
	1		9.61	272.5	9.26	0.82	13.90	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	Pa oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz	gms.						
Milk, whole.				1	0.033	0.040	0.050	0.69		
			1		0.94	1.13	1.41	19.6		
		1			14.96	18.14	22.68	314		
	1		5.10	144.5	4.76	5.78	7.22	100		
Molasses, cane,				1	0.024		0.693	2.87		
			1		0.68		10.65	81.3		
		1			10.88		314.40	1301		
	1		1.23	34.9	0.84		24.16	100		
Musk- melons, A. P.				1	0.003		0.046	0.20		
			1		0.09		1.30	5.6		
		1			1.36		20.86	88.9		
	1		18.00	510.2	1.53		23.47	100		
Musk melons, E. P.				1	0.006		0.093	0.40		
			1		0.17		2.64	11.2		
		1			2.72		42.18	180		
	1		8.91	252.5	1.52		23.48	100		
Oats, rolled.				1	0.167	0.073	0.662	3.97		
			1		4.73	2.07	18.77	112.6		
		1			75.75	33.12	300.40	1803		
	1		0.89	25.2	4.20	1.83	16.67	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	qt. of	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.	gms.						
Olives, green, A. P.				1	0.008	0.202	0.085	2.19		
			1		0.23	5.72	2.41	62.1		
		1			3.63	91.60	38.55	993		
		1	1.61	45.7	0.36	9.22	3.88	100		
Olives, green, E. P.				1	0.011	0.276	0.116	2.99		
			1		0.31	7.82	3.29	84.8		
		1			4.99	125.18	52.61	1357		
		1	1.18	33.4	0.37	9.23	3.88	100		
Olive oil.				1		1.000		9.00		
			1			28.35		255.1		
		1				453.60		4082		
		1	0.39	11.1		11.11		100		
Onions, fresh, A. P.				1	0.014	0.003	0.089	0.44		
			1		0.40	0.09	2.52	12.4		
		1			6.35	1.36	40.37	199		
		1	8.03	227.6	3.19	0.68	20.27	100		
Onions, fresh, E. P.				1	0.016	0.003	0.099	0.49		
			1		0.45	0.09	2.80	13.8		
		1			7.26	1.36	44.80	220		
		1	7.24	205.4	3.30	0.62	20.33	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	L. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Oranges, fresh, A. P.				1	0.006	0.001	0.085	0.37	
			1		0.17	0.03	2.41	10.6	
		1			2.72	0.45	38.56	169	
		1	9.45	268.1	1.61	0.27	22.79	100	
Oranges, fresh, E. P.				1	0.008	0.002	0.116	0.51	
			1		0.23	0.06	3.29	14.6	
		1			3.63	0.91	52.61	233	
		1	6.86	194.6	1.56	0.39	22.57	100	
Oysters, solids, A. P.				1	0.060	0.013	0.033	0.49	
			1		1.70	0.37	0.94	13.9	
		1			27.22	5.90	14.97	222	
		1	7.21	204.5	12.27	2.66	6.75	100	
Oysters, in shell, E. P.				1	0.062	0.012	0.037	0.50	
			1		1.75	0.34	1.05	14.3	
		1			28.14	5.44	16.30	229	
		1	7.00	198.4	12.30	2.38	7.34	100	
Parsnips, A. P.				1	0.013	0.004	0.108	0.52	
			1		0.37	0.11	3.06	14.7	
		1			5.90	1.81	48.96	236	
		1	6.78	192.3	2.50	0.77	20.77	100	

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	Pounds	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Parsnips, E. P.				1	0.016	0.005	0.135	0.65	
			1		0.45	0.14	3.83	18.4	
		1			7.30	2.27	61.24	294	
		1	5.43	154.1	2.47	0.77	20.80	100	
Peaches, canned, A. P.				1	0.007	0.001	0.108	0.47	
			1		0.20	0.03	3.06	13.3	
		1			3.17	0.45	48.99	213	
		1	7.50	213.2	1.49	0.21	23.03	100	
Peaches, fresh, A. P.				1	0.005	0.001	0.077	0.34	
			1		0.14	0.03	2.18	9.6	
		1			2.27	0.45	34.92	153	
		1	10.47	296.7	1.48	0.30	22.85	100	
Peaches, fresh, E. P.				1	0.007	0.001	0.094	0.41	
			1		0.20	0.03	2.67	11.7	
		1			3.17	0.45	42.64	187	
		1	8.53	242.1	1.70	0.24	22.76	100	
Peanuts, A. P.				1	0.195	0.291	0.185	4.14	
			1		5.52	8.25	5.24	117.3	
		1			88.36	131.87	83.82	1877	
		1	0.85	24.2	4.71	7.03	4.47	100	

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	a. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Peanuts, E. P.				1	0.258	0.386	0.244	5.48		
			1		7.31	10.94	6.91	155.4		
		1			117.03	175.09	110.70	2487		
	1		0.64	18.2	4.69	7.03	4.44	100		
Peanut butter.				1	0.293	0.465	0.171	6.04		
			1		8.31	13.20	4.85	171.3		
		1			132.90	210.90	77.56	2741		
	1		0.58	16.5	4.85	7.70	2.83	100		
Pears, canned, A. P.				1	0.003	0.003	0.180	0.76		
			1		0.09	0.09	5.10	21.5		
		1			1.36	1.36	81.64	344		
	1		4.65	131.7	0.39	0.39	23.72	100		
Pears, fresh, A. P.				1	0.005	0.004	0.127	0.56		
			1		0.14	0.11	3.60	16.0		
		1			2.27	1.81	57.61	256		
	1		6.25	177.3	0.86	0.71	22.52	100		
Pears, fresh, E. P.				1	0.006	0.005	0.141	0.63		
			1		0.17	0.14	4.00	17.9		
		1			2.72	2.27	63.96	287		
	1		5.57	158.0	0.95	0.79	22.28	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		lb.	oz.	gms.						
Peas, canned.				1	0.036	0.002	0.098	0.55		
			1		1.02	0.06	2.78	15.7		
		1			16.32	0.91	44.45	251		
	1		6.37	180.5	6.52	0.36	17.73	100		
Peas, dried, split, A. P.				1	0.246	0.010	0.620	3.55		
			1		6.97	0.28	17.57	100.7		
		1			111.6	4.54	281.40	1612		
	1		0.99	28.1	6.92	0.28	17.40	100		
Peas, green, A. P.				1	0.036	0.002	0.098	0.55		
			1		1.02	0.06	2.78	15.7		
		1			16.33	0.91	44.45	251		
	1		6.37	180.5	6.50	0.36	17.69	100		
Peas, green, E. P.				1	0.070	0.005	0.169	1.00		
			1		1.98	0.14	4.79	28.3		
		1			31.70	2.27	76.66	454		
	1		3.52	99.9	6.99	0.50	16.88	100		
Pineapple, canned, A. P.				1	0.004	0.007	0.364	1.53		
			1		0.11	0.20	10.32	43.5		
		1			1.81	3.18	165.10	696		
	1		2.30	65.1	0.26	0.45	23.71	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	Pounds	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		lb.	oz.	gms.						
Pineapple, fresh, E. P.				1	0.004	0.003	0.097	0.43		
			1		0.11	0.09	2.75	12.2		
		1			1.81	1.36	44.04	196		
		1	8.18	232.0	0.93	0.70	22.5	100		
Plums, fresh, A. P.				1	0.009		0.191	0.80		
			1		0.25		5.42	22.7		
		1			4.08		86.64	363		
		1	4.41	125.0	1.13		23.87	100		
Plums, fresh, E. P.				1	0.010		0.201	0.84		
			1		0.28		5.70	23.9		
		1			4.54		91.16	383		
		1	4.18	118.5	1.19		23.81	100		
Potatoes, raw, A. P.				1	0.018	0.001	0.147	0.67		
			1		0.51	0.03	4.17	19.0		
		1			8.16	0.45	66.68	304		
		1	5.27	149.5	2.69	0.15	21.97	100		
Potatoes, raw, E. P.				1	0.022	0.001	0.184	0.83		
			1		0.62	0.03	5.22	23.6		
		1			9.93	0.45	83.46	378		
		1	4.23	120.0	2.64	0.12	22.09	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		lb.	oz.						
Potatoes, cooked, chips, A. P.	1			1	0.068	0.398	0.467	5.72	
			1		1.93	11.28	13.25	162.2	
	1				30.85	180.50	211.80	2596	
	1		0.62	17.5	1.19	6.96	8.16	100	
Potatoes, sweet, A. P.				1	0.014	0.006	0.219	0.99	
			1		0.39	0.17	6.21	27.9	
	1				6.35	2.72	99.24	447	
	1		3.58	101.4	1.42	0.60	22.20	100	
Potatoes, sweet, E. P.				1	0.018	0.007	0.274	1.23	
			1		0.51	0.20	7.77	34.9	
	1				8.16	3.18	124.29	558	
	1		2.86	81.2	1.46	0.57	22.26	100	
Prunes, A. P.				1	0.018		0.622	2.56	
			1		0.51		17.63	72.6	
	1				8.16		282.10	1161	
	1		1.37	39.1	0.70		24.30	100	
Prunes, E. P.				1	0.021		0.733	3.02	
			1		0.60		20.78	85.5	
	1				9.53		332.48	1368	
	1		1.17	33.2	0.70		24.30	100	

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	μ. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		lb.	oz.	gms.						
Radishes, A. P.				1	0.009	0.001	0.040	0.21		
			1		0.26	0.03	1.13	5.8		
		1			4.08	0.45	18.14	93		
		1	17.21	487.8	4.39	0.49	19.51	100		
Radishes, E. P.				1	0.013	0.001	0.058	0.29		
			1		0.37	0.03	1.64	8.3		
		1			5.90	0.45	26.31	133		
		1	12.04	341.3	4.43	0.34	19.79	100		
Raisins, A. P.				1	0.023	0.030	0.685	3.10		
			1		0.65	0.85	19.42	87.9		
		1			10.43	13.61	310.70	1407		
		1	1.14	32.2	0.74	0.97	22.08	100		
Raisins, E. P.				1	0.026	0.033	0.761	3.45		
			1		0.74	0.94	21.57	97.7		
		1			11.79	14.97	345.19	1563		
		1	1.02	29.0	0.76	0.96	22.09	100		
Raspber- ries, black, fresh, E. P.				1	0.017	0.010	0.126	0.66		
			1		0.48	0.28	3.57	18.8		
		1			7.71	4.54	57.16	300		
		1	5.33	151.1	2.57	1.51	19.08	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	R ^h oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.	gms.						
Rhubarb, fresh, A. P.				1	0.004	0.004	0.022	0.14		
			1		0.11	0.11	0.62	3.9		
		1			1.81	1.81	9.98	62		
		1	25.20	714.2	2.86	2.86	15.71	100		
Rhubarb, fresh, E. P.				1	0.006	0.007	0.036	0.23		
			1		0.17	0.20	1.02	6.6		
		1			2.72	3.17	16.33	105		
		1	15.27	433.0	2.60	3.03	15.58	100		
Rice.				1	0.08	0.003	0.790	3.51		
			1		2.26	0.09	22.39	99.4		
		1			36.32	1.36	358.34	1591		
		1	1.01	28.5	2.28	0.09	22.52	100		
Salmon, canned, A. P.				1	0.195	0.075		1.45		
			1		5.53	2.13		41.2		
		1			88.45	34.02		660		
		1	2.41	68.7	13.40	5.15		100		
Salmon, canned, E. P.				1	0.218	0.121		1.96		
			1		6.18	3.43		55.6		
		1			98.87	54.88		889		
		1	1.80	51.0	11.12	6.17		100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	qt oz	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Saltines.			1	0.106	0.127	0.685	4.31		
			1	3.00	3.60	19.42	122.1		
	1			48.08	57.60	310.70	1954		
	1	0.82	23.2	2.46	2.95	15.90	100		
Sardines, canned, A. P.			1	0.237	0.121		2.04		
			1	6.72	3.43		57.7		
	1			107.50	54.89		924		
	1	1.73	49.1	11.64	5.94		100		
Sardines, canned, E. P.			1	0.230	0.197		2.69		
			1	6.52	5.58		76.3		
	1			104.32	89.28		1221		
	1	1.31	37.1	8.54	7.32		100		
Spinach, fresh, E. P.			1	0.021	0.003	0.032	0.24		
			1	0.59	0.09	0.91	6.8		
	1			9.52	1.36	14.50	108		
	1	14.76	418.4	8.79	1.25	13.39	100		
Squash, fresh, A. P.			1	0.007	0.002	0.045	0.23		
			1	0.20	0.06	1.28	6.4		
	1			3.17	0.91	20.41	103		
	1	15.62	443	3.10	0.88	19.91	100		

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		lb.	oz.						
Straw- berries, fresh, A. P.				1	0.009	0.006	0.070	0.37	
			1		0.26	0.17	1.98	10.5	
	1		9.53	270.3	4.08	2.72	31.75	168	
					2.43	1.62	18.90	100	
Straw- berries, fresh, E. P.				1	0.010	0.006	0.074	0.39	
			1		0.28	0.17	2.10	11.1	
	1		9.04	256.4	4.54	2.72	33.57	177	
					2.56	1.54	18.97	100	
Sugar, granu- lated.				1			1.00	4.00	
			1				28.35	113.4	
	1		0.88	25.0			453.60	1814	
						25.00	100		
Tapioca.				1	0.004	0.001	0.880	3.55	
			1		0.11	0.03	24.95	100.5	
	1		0.99	28.2	1.81	0.45	399.20	1608	
					0.11	0.03	24.83	100	
Tomatoes, canned.				1	0.012	0.002	0.04	0.23	
			1		0.34	0.06	1.13	6.4	
	1		15.63	442.5	5.44	0.91	18.10	103	
					5.31	0.88	17.70	100	

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	lb.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		oz.	gms.						
Tomatoes, fresh, A. P.			1	0.009	0.004	0.039	0.23		
			1	0.26	0.11	1.10	6.5		
		1		4.08	1.81	17.69	103		
		1	15.47	438.6	3.95	1.75	17.11	100	
Turnips, fresh, A. P.			1	0.009	0.001	0.057	0.27		
			1	0.26	0.03	1.62	7.7		
		1		4.08	0.45	25.85	124		
		1	12.92	366.3	3.30	0.37	20.88	100	
Turnips, fresh, E. P.			1	0.013	0.002	0.081	0.39		
			1	0.37	0.06	2.30	11.2		
		1		5.89	0.91	36.74	179		
		1	8.95	253.8	3.30	0.51	20.56	100	
Walnuts, Cali- fornia, A. P.			1	0.049	0.173	0.035	1.89		
			1	1.39	4.94	0.99	53.6		
		1		22.21	78.40	15.87	859		
		1	1.86	52.8	2.59	9.14	1.85	100	
Walnuts, Cali- fornia, E. P.			1	0.184	0.644	0.130	7.03		
			1	5.22	18.26	3.69	200.0		
				83.46	292.10	58.97	3199		
		↓	0.50	14.2	2.61	9.13	1.84	100	

3.1 454

TABLE XV.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	S. P.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Wheat, flaked,				1	0.134	0.014	0.743	3.63		
			1		3.80	0.39	21.06	103.0		
		1			60.78	6.35	337.00	1648		
		1	0.97	27.5	3.70	0.38	20.50	100		
Wheat, flour, entire.				1	0.138	0.019	0.719	3.60		
			1		3.91	0.53	20.38	102.0		
		1			62.60	8.69	326.14	1633		
		1	0.98	27.8	3.84	0.53	19.98	100		
Wheat, flour, high grade, roll- er process.				1	0.112	0.010	0.749	3.53		
			1		3.18	0.28	21.24	100.2		
		1			50.80	4.53	339.75	1603		
		1	1.0	28.3	3.17	0.28	21.19	100		
Wheat, shredded.				1	0.121	0.018	0.752	3.65		
			1		3.43	0.51	21.31	103.6		
		1			54.88	8.16	341.10	1657		
		1	0.97	27.4	3.51	0.49	20.59	100		
Zwiebach.				1	0.098	0.090	0.735	4.22		
			1		2.77	2.80	20.83	119.6		
		1			44.45	44.90	333.40	1916		
		1	0.84	23.7	2.32	2.35	17.41	100		

PROBLEM II.

GIVEN THE PERCENTAGE COMPOSITION, TO FIND THE WEIGHT OF PROTEIN, FAT, AND CARBOHYDRATE RESPECTIVELY, IN ANY WEIGHT OF FOOD MATERIAL.

In studying food values, it is necessary to be able to translate percentage quickly into terms of weight and vice versa. This is simple if it be clearly understood at the outset that percentage means *parts per 100 parts*, without regard to whether these parts be taken by English or Metric system. Cows' milk has the following percentage composition:

Protein	Fat	Carbohydrate
3.3 per cent	4.0 per cent	5.0 per cent

If we take as the basis for calculation a unit of weight, as one pound, we shall find the following weight of protein, fat and carbohydrate yielded by this amount of milk:

Protein	Fat	Carbohydrate
0.033 pound	0.04 pound	0.05 pound

The scientific unit of weight is the gram, and the food-stuffs are commonly reported in terms of this unit. In one gram of milk there will be by weight, according to the above analysis:

Protein	Fat	Carbohydrate
0.033 gram	0.04 gram	0.05 gram

In other words, dividing the figures representing the percentage composition by 100 (*i. e.*, moving the decimal point two places toward the left) will give the weight in grams of protein, fat and carbohydrate in one *gram* of any food material.

The number of grams of protein, fat or carbohydrate in one *ounce* of any food material may be found most easily by multiplying the values for one gram by 28.35, the number of grams in one ounce. Thus one ounce of milk yields:

Protein	Fat	Carbohydrate
0.9355 gram	1.134 grams	1.4175 grams
(0.033 × 28.35)	(0.04 × 28.35)	(0.05 × 28.35)

The number of grams of protein, fat, or carbohydrate in one *pound* will be found by multiplying the values for one gram by

453.6, the number of grams in one pound. Thus one pound of milk yields:

Protein	Fat	Carbohydrate
14.9688 grams	18.144 grams	22.68 grams
(0.033 × 453.6)	(0.04 × 453.6)	(0.05 × 453.6)

In general, to find the weights of foodstuffs in any given amount of food material, find the weight of the material, express this in grams, and multiply the result by the food values for one gram. For example, to find the weight of each of the foodstuffs in quart of milk.

First, ascertain the weight—34.4 ounces.

Second, express this weight in grams— $34.4 \times 28.35 = 975.24$ grams.

Third, multiply the weight in grams by the food values for one gram, as follows:

Protein.....	$975.24 \times 0.033 =$	32.183 grams.
Fat.....	$975.24 \times 0.04 =$	39.0096 grams.
Carbohydrates.....	$975.24 \times 0.05 =$	48.762 grams.

In actual practice it is not necessary to retain all of these figures in the decimal fractions, which imply greater accuracy than is possible in estimating food values from average analyses of the food materials, as already stated in Problem I. The discrepancies which occur from dropping decimals are within the limits of accuracy in this method of determining food values.

PROBLEM III.

TO FIND THE FUEL VALUE OF ANY GIVEN WEIGHT OF FOOD MATERIAL.

Since fuel values are expressed in terms of *Calories per gram*, one gram of protein yielding 4 Calories, one gram of fat 9 Calories, and one gram of carbohydrate 4 Calories, it is necessary to find first the amount of each nutrient in the given weight of food material in grams, and then to multiply these results by the respective factors for fuel values, the sum of the products being the total fuel value. For example, one gram of milk yields 0.033 gram of protein, 0.04 gram of fat and 0.05 gram of carbohydrate (cf. Problem II). Then

0.033 × 4 = 0.132	Calories from protein,
0.04 × 9 = 0.360	Calories from fat
0.05 × 4 = 0.200	Calories from carbohydrate
Total,	0.692 Calories, fuel value of one gram of milk.

Similarly, the total fuel value for one quart of milk is obtained as follows:

Weight of protein	= 32.18 grams;* 32.18 × 4 = 129.72	Calories
Weight of fat	= 39.01 grams;* 39.01 × 9 = 351.09	Calories
Weight of carbohydrate	= 48.76 grams;* 48.76 × 4 = 195.04	Calories
Total fuel value of one quart of milk	= 675.85 Calories	

PROBLEM IV.

TO FIND THE WEIGHT OF A STANDARD OR 100-CALORIE PORTION OF ANY SINGLE FOOD MATERIAL.

In order to obtain an intelligent idea of the relative value of different kinds of food materials, it is necessary to establish some common unit on the basis of which they may be compared. With regard to fuel value, such a unit has been devised in the Standard Portion, which is the amount of any food capable of yielding in the body energy equivalent to 100 Calories. Every student of dietetics should be familiar with the Standard Portions of all common food materials, and of the dishes which most frequently appear upon the table.

To find the weight in grams of any Standard or 100-Calorie Portion:

Determine the fuel value for one gram.

Divide 100 by the fuel value per gram, or in other words, solve the following proportion:

$$1 \text{ gram} : \text{Calories in one gram} :: x \text{ grams} : 100 \text{ Calories.}$$

Thus in the case of cows' milk, the fuel value per gram is 0.692 Calorie.†

Then $100 \div 0.692 = 144.5$ grams; or,

$$1 \text{ gram} : 0.692 \text{ Calorie} :: x : 100 \text{ Calories.}$$

$$0.692 x = 100$$

$$x = 144.5 \text{ grams, weight of One Standard Portion of Milk.}$$

Inasmuch as foods are purchased by English measure, it is necessary in estimating cost to express the Standard Portion in

* Cf. Problem II.

† Cf. Problem III, and Table XV.

ounces (or sometimes in pounds). This can be done by dividing the number of grams by 28.35 (the number of grams in one ounce), but much time can be saved by using Table XXI for converting grams to ounces. By reference to this table, we find that 144.5 grams equal 5.1 ounces.

PROBLEM V.

TO FIND THE FOOD VALUES FOR ANY COMBINATION OF FOOD MATERIALS.

In ordinary dietetic practice, it is necessary to deal frequently with combinations of two or more food materials. Sugar is added to fruit, milk and butter to vegetables, and the products of cook book recipes are often quite complex mixtures. To ascertain the food values of such dishes it is necessary to proceed as follows:

First, determine the weight of each ingredient in grams.

Second, compute separately the protein, fat and carbohydrate in grams, and the fuel value for each food material.

The sum of these will give the food values for the whole dish, as the following illustration will show:

ONE EGG CAKE.*

$\frac{1}{2}$ cup of butter	$\frac{1}{2}$ cup of milk
$\frac{1}{2}$ cup of sugar	1 $\frac{1}{2}$ cups of flour
1 egg	2 $\frac{1}{2}$ teaspoons of baking powder

* Boston Cooking-School Cook Book.

The butter weighs 57 grams; calculating the nutritive value according to Problems II and III (or referring to the food values of one gram in Table XV) we have the following results:

Protein, Grams	Fat, Grams	Carbohydrate, Grams	Calories
0.57	48.45	—	438.3

The other food materials are weighed and their food values calculated in similar fashion. The sum of the values for each food as tabulated below will give the value of the whole dish. The cost may be calculated for each ingredient and recorded at the same time.

FOOD VALUES OF A RECIPE.*

Material	Measure	Weight		Protein, Gm.	Fat, Gm.	Carb., Gm.	Calories.	Cost, Dollars
		Oz.	Gm.					
Butter.....	$\frac{1}{2}$ c.†	2.0	57	0.57	48.45	—	438.3	0.0450
Sugar.....	$\frac{1}{2}$ c.	3.9	105	—	—	105.00	420.0	0.0137
Egg.....	1	2.0	57	6.78	5.30	—	74.8	0.0300
Milk (skimmed)	$\frac{1}{2}$ c.	4.3	122	4.15	0.36	6.22	44.7	0.0050
Flour.....	$1\frac{1}{2}$ c.	6.0	172	17.26	1.72	128.73	607.8	0.0132
Baking powder	$2\frac{1}{2}$ tsp.†	0.5	15	—	—	—	—	0.0156
Totals (uncooked) ‡.....	3 c.	18.7	528	30.76	55.83	239.95	1585.6	0.1225

* For other dietary recipes see Food for The Worker, Stern and Spitz, Boston, 1917, and Feeding the Family, Rose, New York, 1916.

† c. denotes cup; tsp. denotes teaspoon.

‡ It is usually more satisfactory to take total weight and measure after the dish is cooked, so as to know the food value of a given amount of the finished product.

PROBLEM VI.

TO FIND THE DISTRIBUTION OF THE FOODSTUFFS IN A STANDARD PORTION OF A SINGLE FOOD MATERIAL.

While the standard portion is of most convenience in estimating the total energy value of a given dietary, it may also serve as a means of indicating the amount of protein, fat or carbohydrate furnished, if we calculate the weight of each foodstuff in the standard portion itself. Having determined the weight of each nutrient in one gram of the food material (according to Problem II), it is simply necessary to multiply these values by the weight of the standard portion in grams. Thus in the case of cows' milk,

	Protein, Gm.	Fat, Gm.	Carbohydrate, Gm.
Weight of each food-stuff in one gram.....	0.033	0.04	0.05
Weight of one Standard Portion.....	144.5 Gm.	—	—
Total weight of each foodstuff in one Standard Portion.....	4.7685	5.780	7.225

These results may be verified by multiplying the weight of protein, fat and carbohydrate by the factors for fuel values (cf. Problem III); the sum of the products will be 100 Calories.

Protein.....	4.7685	$\times 4 =$	19.074	Calories.
Fat.....	5.780	$\times 9 =$	52.020	Calories.
Carbohydrate.....	7.225	$\times 4 =$	28.900	Calories.
Total.....			99.994	Calories.

It is often convenient to express the distribution of foodstuffs

in a standard portion entirely in terms of energy value. From the calculations above it is evident that a standard portion of milk will yield, in round numbers, the following:

Calories from Protein	Calories from Fat	Calories from Carbohydrate	Total Calories
19	52	29	100

PROBLEM VII.

TO FIND A STANDARD PORTION OF ANY COMBINATION OF FOOD MATERIALS.

Standard portions of single food materials which are fairly constant in composition, may be permanently tabulated for reference, but in the case of mixtures great variation in food value is possible, even in recipes containing only three or four different ingredients, and the comparison of Standard Portions of various dishes in which the food values are purposely modified (as by using skim milk for whole milk, half water and half milk instead of milk only) is most profitable. It is necessary, therefore, to be able to calculate the food values for a standard portion of any mixture of food material.

The first step is to determine the total food values for the recipe, as described in Problem IV.

Having ascertained the total fuel value, *the per cent of the whole required to give 100 Calories* is found by dividing 100 by the total number of Calories yielded by the recipe. Taking this per cent of the total weight, measure, food values, etc., of the recipe, will give the measure, weight and distribution of foodstuffs in the Standard Portion.

For example, take the recipe for One Egg Cake in Problem V. The totals are as follows:

Measure (Uncooked)	Weight (Uncooked), Ounces	Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Calories	Cost	
3 c.	18.7	528	30.76	55.83	239.95	1585.6	\$0.1225

Dividing 100 by 1585.6, gives 0.063, *i.e.*, 6.3 per cent of the whole is required to yield 100 Calories.

Multiplying the totals by 0.063, we have the value for one Standard Portion, as follows:

Measure (Uncooked)	Weight (Uncooked), Ounces	Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Calories	Cost	
$\frac{1}{3}$ c.	1.18	33.3	1.94	3.52	15.12	100	\$0.0077

The total weight of the finished product is not the same as the combined weights of the ingredients in most cases, on account of changes in water content, but if the same *proportion* of the total weight or measure of cooked material is always taken for the

Recipe: **One Egg Cake.** Date:

Material	Measure	Weight		Protein, Gm.	Fat, Gm.	Carb., Gm.	Calories	Cost Dollars
		Oz.	Gm.					
Butter.....	$\frac{1}{4}$ c.	2.0	57	0.57	48.45	—	438.3	0.0450
Sugar.....	$\frac{3}{4}$ c.	3.9	105	—	—	105.00	420.0	0.0137
Egg.....	1	2.0	57	6.78	5.30	—	74.8	0.0300
Milk (skimmed) ..	$\frac{1}{2}$ c.	4.3	122	4.15	0.36	6.22	44.7	0.0050
Flour.....	$1\frac{1}{2}$ c.	6.0	172	19.26	1.72	128.73	607.8	0.0132
Baking powder ...	$2\frac{1}{2}$ tsp.	0.5	15	—	—	—	—	0.0156
Totals (uncooked)	3 c.	18.7	528	30.76	55.83	239.95	1585.6	0.1225
Standard Portion	Per cent of recipe 6.3	1.18	33	1.94	3.52	15.12	100	0.0077
1 Serving	12.5	2.34	66	3.84	6.98	29.99	198.2	0.0153

Computed by:

standard portion, no serious difficulties will be encountered. When a recipe is made, it is also well to consider the number of ordinary servings which it will make, and to calculate the food value for the individual portion. Such records are very useful in planning dietaries, saving time in calculation, especially if kept on uniform cards in a file. The foregoing shows a complete record on a convenient model.

PROBLEM VIII.

TO FIND THE PERCENTAGE COMPOSITION OF A FOOD MIXTURE.

Since the feeding of infants is commonly conducted according to the percentage method indicated in Problem IX, the ability to determine the percentage of each of the foodstuffs in any prescribed diet is as necessary as ability to modify milk according to a prescribed formula.

Given, for instance, such a prescription as the following, what per cent of protein, fat, and carbohydrate does it contain?

Whole milk, 16 ounces (by volume).

Barley water, 16 ounces (containing 0.25 ounce of barley flour).

Milk sugar, 1 ounce.

It is first necessary to determine the total amount of each of the foodstuffs, as in Problem V. The results are as follows:

Food Material	Measure	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams
		Ounces	Grams			
Milk.....	2 cups	17.2	487.60	16.09	19.50	24.38
Barley flour ..	$\frac{1}{2}$ tbsp.	0.25	7.08	0.74	0.16	5.10
Milk sugar....	3 tbsp.	1.0	28.35	—	—	28.35
Water.....	2 cups	16.0	453.60	—	—	—
Totals.....		34.45	976.53	16.83	19.66	57.83

Having the total weight of the mixture, it is now a simple matter to determine what per cent of this is represented by each ingredient:

Protein: $16.83 \div 976.53 = 0.0172$, or 1.72 per cent.

Fat: $19.66 \div 976.53 = 0.0201$, or 2.01 per cent.

Carbohydrate: $57.83 \div 976.53 = 0.0592$, or 5.92 per cent.

PROBLEM IX.

TO MAKE A COMPLETE DIETARY RECORD.

The dietary may be considered from two points of view: first, as a record of food actually consumed by a given number of persons in a given period; second, as a prescription of the food to be provided for certain individuals for a stated time. In either case, its value is increased by so arranging the report as to show not only the nutritive value of the diet, but also its cost and menu, thus presenting as clear a picture as possible of the food consumed, or a definite working plan for preparing the diet proposed. Since the data are frequently numerous, the work is much facilitated by suitable blanks, a convenient set consisting of six sheets, whose use is shown in the example of a complete dietary below.

Sheet Number I gives general information with regard to the subjects of the study; it shows their individual requirements and affords a means of comparing one study with another by reducing both to a uniform basis, either "per capita" or "per man" per day. The tables in the section on Food Requirements (Tables I-XIII) will be of assistance in determining food requirements of individuals of different ages, weights and muscular activity.

Sheet Number II is designed to give as accurately as possible a picture of how the food will appear upon the table. The amounts

should be stated for each dish in some way which will make the plan easy to follow in preparing the meals. Ordinarily, common measures (cups, tablespoons, etc.) will be most satisfactory, but in the laboratory it is frequently desirable that weights be stated, especially when several persons are engaged in preparing the day's ration, to avoid discrepancies due to inaccurate measurement. This careful statement of amounts serves also as a check against omitting in the computation of food values articles essential to the success of the menu.

Sheet Number III indicates the total quantities of each kind of material required for the dietary, summarized from sheets IV and V, and the market prices upon which the actual cost of the food materials on Sheet IV is based, giving the market unit which it is necessary to purchase in order to obtain these prices. Thus it may serve to show the different results of buying in large and small quantities, if the net weight of the food materials is taken at the time of purchase. It also provides a useful check on the accuracy of the calculations of the cost of small quantities. The statements as to the place and date of purchase afford criteria as to whether good judgment has been exercised in marketing, inasmuch as cost varies so greatly with locality and season.

The special aim of this sheet is to furnish a convenient marketing list and to guard against attractive menus with that underestimation of cost which tends to discredit dietary calculations as impractical, especially among those who do not realize how much can be accomplished by skillful choice and preparation of food materials. When the dietaries are to be prepared and the students do not buy the materials, Sheet III can be used to advantage as a requisition sheet.

Sheet Number IV is the detailed statement of the protein, calories and cost of the whole dietary. Where cost is involved, it is usually easier to make the calculations on food materials as purchased; if the food values are for edible material this should be definitely stated. At the end, space is arranged for a summary and comparison with the standard proposed on the first sheet. Differences of not more than five per cent may be considered negligible, but a slight excess is always better than a deficit, especially if no allowance is made for kitchen or table waste, which often amounts to ten per cent or more.

17.25
235
-1670
-1670
-1670

Sheet Number V provides for a statement of food combinations used in the menu, and if the calculations on the original food materials are tabulated on Sheet IV nothing more than weights and measures of the different ingredients will be required. If the recipe is calculated in detail on this sheet, then only the totals need be copied on Sheet IV. When recipe cards are on file, they may be referred to by number. Without this sheet, it is difficult for any one but the persons who planned the dietary to know how the different dishes proposed are to be made, and often important ingredients are omitted entirely.

Sheet No. VI provides for the calculation of calcium, iron and phosphorus in the dietary. Since a surplus of any or all of these elements is not usually disadvantageous so far as we know, it is more important to see whether the requirement is met than to determine the precise amount of each element present. This may be done by selecting from the dietary for calculation those foods which are the main sources of the element in question. If these supply enough to meet the requirement, calculations on the remaining foods need not be made. If the foods selected for calculation do not yield enough, the work should be continued until the requirement has been met or the dietary has been shown to be actually deficient in the element under consideration. If the dietary should prove deficient, it should, of course, be revised to meet the standards set for the ash constituents.

In the sample dietary sheet on page 74, this method of estimating the ash constituents is well illustrated. Milk alone yields more than enough calcium and phosphorus to meet the standards set, and consequently calculations on other foods are not made for these elements; but the dietary is barely adequate in iron, hence it was necessary to continue calculation till every food used was included.

At the present time it is not possible to set quantitative standards for the vitamins. The best thing to do until research develops further is to see that some food or foods rich in each vitamin is present. A list of vitamin-containing foods in the illustrative dietary used here is appended to Dietary Sheet No. VI.

AN EXAMPLE OF A COMPLETE DIETARY.

DIETARY SHEET No. I.

Persons served: *One Child.*

No. meals served: *Four.*

No. days: *One.*

Place: *New York City.*

Date: *August, 1911.*

METHOD OF ESTIMATING FOOD REQUIREMENTS.

For energy: *70 Calories per Kilogram.*

For protein: *10-15 Per cent of total fuel in form of Proteins.*

PROPOSED INDIVIDUAL STANDARDS.

Sex.	Age.	Weight.		Protein, Gms.	Fuel Value, Calories	Cost, Dollars
		Lbs.	Kg.			
<i>Boy</i>	<i>10 years</i>	<i>63</i>	<i>28.5</i>	<i>50-75</i>	<i>1995</i>	<i>0.28</i>

PROPOSED STANDARD PER CAPITA
PER DAY.

Protein, Gms.	Fuel Value, Calories	Cost, Dollars

PROPOSED STANDARD PER MAN
PER DAY.

Protein, Gms.	Fuel Value, Calories.	Cost, Dollars

DIETARY SHEET NO. II.

MENUS.

Meal	Dishes	Amounts
<i>Breakfast,</i> 8:00 A. M.	<i>Cantaloupe</i>	1/2 small one
	<i>Farina</i>	3/4 c.* cooked
	<i>Top milk for mush</i>	2/3 c.
	<i>Toast</i>	2 slices bread
	<i>Butter</i>	3/4 lb.*
	<i>Milk to drink</i>	2/3 c.
<i>Dinner,</i> 12:00 P. M.	<i>Creamed halibut</i>	3/4 c.
	<i>Baked potato</i>	1 medium
	<i>Sliced tomatoes</i>	1 small one
	<i>Bread</i>	1 slice
	<i>Butter</i>	1/2 lb.
	<i>Milk sherbet</i>	3/4 c.
<i>Lunch,</i> 3:00 P. M.	<i>Bread</i>	1 slice
	<i>Butter</i>	3/4 lb.
<i>Supper,</i> 6:00 P. M.	<i>Poached egg</i>	1 egg
	<i>on</i>	
	<i>Toast</i>	1 slice bread
	<i>Apple sauce</i>	1/2 c.
	<i>Bread</i>	1 slice
	<i>Butter</i>	1/2 lb.
	<i>Cornstarch blanc mange</i>	2/3 c.
<i>Milk.....2/3 c. sugar</i>	1 tsp.	

* c. denotes cup; tb. denotes tablespoon.

DIETARY SHEET NO. III.

PRICE LIST.

Material	Total Required	Market Price	Weight of Market Unit. Ounces	Place of Purchase	Date
<i>Cantaloupe</i>	1/2 melon	3 for 25 c.	36.0	Upper West	August
<i>Farina</i>	1 oz.	15 c. per pkg.	29.0	Side, New York City.	1911
<i>Milk</i>	1 qt.	9c. per qt.	34.4		
<i>Bread</i>	1/3 loaf	5c. per loaf			
<i>Butter</i>	3 lb. (1.6 oz.)	32c. per lb.	16.0		
<i>Halibut steak</i>	1 1/2 oz.	18c. per lb.	16.0		
<i>Potatoes</i>	1 medium	25c. per pk.	150.0		
<i>Eggs</i>	1	36c. per doz.	24.0		
<i>Apples</i>	1 small	12c. per qt.	32.0		
<i>Cornstarch</i>	2 lb.	10c. per pkg.	16.0		
<i>Tomatoes</i>	1 small	10c. per lb.	16.0		
<i>Lemons</i>	1	3 for 5c.	4 oz. juice		
<i>Sugar</i>	2 3/4 oz.	1/2 lb. for 20c.	56.0		
<i>Vanilla</i>	1/4 tsp.	25c. per bottle	2.0		
<i>Flour</i>	3/4 lb.	24 1/2 lbs. for 90c.	392.0		

DIETARY SHEET NO. IV.

NUTRITIVE VALUE AND COST.

Material	Weight		Protein, Gms.	Fuel Value, Calories.	Cost, Dollars
	Oz.	Gms.			
<i>Cantaloupe</i>	6.00	170.00	0.54	33.6	0.0400
<i>Farina</i>	0.97	27.60	3.04	100.0	0.0049
<i>Milk</i>	17.20	487.50	18.09	337.5	0.0450
<i>Bread</i>	4.00	113.40	10.52	293.6	0.0164
<i>Butter</i>	1.25	42.6	0.35	272.4	0.0125
<i>Creamed halibut</i>	See Sheet V.		11.45	210.5	0.0881
<i>Potato</i>	4.00	113.4	2.04	76.0	0.0032
<i>Milk sherbet</i>	See Sheet V.		4.88	270.7	0.0249
<i>Egg</i>	2.00	56.7	6.74	74.3	0.0300
<i>Apple sauce</i>	See Sheet V.		0.25	125.4	0.0227
<i>Cornstarch blanc mange</i>	See Sheet V.		5.24	204.8	0.0222
<i>Tomatoes</i>	2.00	56.7	0.52	13.0	0.0200
<i>Sugar (with blanc mange)</i>	0.25	7.1	—	28.4	0.0006
TOTALS			63.66	2036.2	0.2805
STANDARD			50-75	1995.0	0.2800
DIFFERENCE				+41.2	+0.0005
				(2%)	(0.2%)

DIETARY SHEET NO. **V**

RECIPES.

Name	Materials	Measure	Weight		Protein, Gms.	Total Calories	Cost, Dollars
			Oz.	Gms.			
<i>Creamed halibut</i>	<i>Halibut flaked</i>	$\frac{1}{3}$ c.	1.50*	42.6	5.88	38.4	0.0186
	<i>Milk</i>	$\frac{1}{2}$ c.	4.30	121.9	4.88	84.3	0.0113
	<i>Flour</i>	$\frac{3}{4}$ lb.	0.18	5.3	0.60	18.6	0.0004
	<i>Butter</i>	$\frac{3}{4}$ lb.	0.35	9.0	0.09	69.2	0.0078
	<i>Salt</i>	To season					
<i>Totals</i>		$\frac{3}{4}$ c.			11.45	210.5	0.0381
<i>Milk sherbet</i>	<i>Milk</i>	$\frac{1}{2}$ c.	4.30	121.9	4.88	84.3	0.0113
	<i>Sugar</i>	3 lb.	1.50	42.6	—	180.4	0.0056
	<i>Lemon juice</i>	1 lb.	0.50	14.2	—	6.0	0.0080
<i>Totals</i>		$\frac{3}{4}$ c.			4.88	270.7	0.0249
<i>Apple sauce</i>	<i>Apple</i>	1 small	3.00	85.0	0.25	40.2	0.0200
	<i>Sugar</i>	$1\frac{1}{2}$ lb.	0.75	21.3	—	85.2	0.0027
	<i>Water</i>	2 lb.	1.00	28.4	—	—	—
<i>Totals</i>		$\frac{1}{2}$ c.			0.25	125.4	0.0227
<i>Cornstarch blanc mange</i>	<i>Milk</i>	$\frac{2}{3}$ c.	5.60	159.2	5.24	109.8	0.0148
	<i>Cornstarch</i>	2 lb.	0.65	18.5	—	66.6	0.0040
	<i>Sugar</i>	$\frac{1}{2}$ lb.	0.25	7.1	—	28.4	0.0009
	<i>Vanilla</i>	$\frac{1}{4}$ tsp.					0.0025
	<i>Salt</i>	speck					
<i>Totals</i>					5.24	204.8	0.0222

* As purchased.

CHIEF SOURCES OF VITAMINES IN THE DIETARY.

A VITAMINE
(FAT-SOLUBLE)

B VITAMINE
(WATER-SOLUBLE)

C VITAMINE
(WATER-SOLUBLE)

Milk

Milk

Eggs

Eggs

Potatoes

Potatoes

Apples

Apples

Tomatoes

Tomatoes

Tomatoes

Butter

Lemon juice

Lemon juice

Cantaloupe

DIETARY SHEET NO. VI.

ASH CONSTITUENTS.

Materials	Measure	Weight** Gms. E. P.	Calories	Ca Gms.	P Gms.	Fe Gms.
<i>Bread, Graham</i> *	$\frac{1}{3}$ loaf	113.4	295	***	***	0.0028
<i>Cantaloupe</i>	$\frac{1}{3}$ melon	84.0	34	***	***	0.0003
<i>Egg</i>	1	48.0	71	***	***	0.0014
<i>Halibut</i>		38.4	38	***	***	0.0006
<i>Lemon juice</i>	1 tbsk.	14.2	6	***	***	0.0001
<i>Apple</i>	1	63.6	40	***	***	0.0002
<i>Farina</i>		27.6	100	***	***	0.0002
<i>Potato</i>	1	91.5	76	***	***	0.0012
<i>Tomato</i>	1	56.7	13	***	***	0.0002
<i>Milk</i>	1 qt.	<u>975.0</u>	673	1.170	0.907	0.0023
TOTALS				1.170***	0.907***	0.0093
STANDARD				0.460	0.380	0.0100

* With white bread this dietary is inadequate in iron.

** Either this column or the calorie column may be used, referring to Tables XXVI and XXVII respectively.

*** Since the milk alone furnishes sufficient calcium and phosphorus the calculation of these elements in the other foods is omitted.

PROBLEM X.

TO SCORE A DIETARY.

In the laboratory it is frequently desirable to set out and compare two or more dietaries at the same time, and inasmuch as there are many factors to be taken into consideration besides supplying a specified amount of fuel at a given price, such as the adaptation of the diet to the locality, season, idiosyncrasies of the individual, availability of the food materials as prepared for the table, some of these factors often being overemphasized at the expense of others more important, it is believed that a dietary score card will help to give a clearer idea of the relative importance of the points which must generally be taken into consideration.

A DIETARY SCORE CARD.

Name of person or group. Joe Glutz

Place..... Date.....

Price of dietary..... Annual income.....

.....

Total Score—100 Points.

	Possible Score	Points Deficit	Actual Score
FOOD VALUE	60 Points		
<i>Fuel Value</i>	30 Points		
Consider adaptation to weight, age, and amount of muscular activity of each individual.	30		
<i>Protein</i> (considered as the source of nitrogen)	10 Points		
Is it suitable in kind and amount with regard to age and weight?	10		
<i>Ash Constituents</i>	10 Points		
Are the following adequate?	10		
Phosphorus			
Iron			
Calcium			
<i>Vitamins</i>	10 Points		
Are the following adequately represented?	10		
A. (Fat-Soluble, Antixerophthalmic).			
B. (Water-Soluble, Antineuritic).			
C. (Water-Soluble, Antiscorbutic).			
FOOD SELECTION	22 Points		
<i>Adaptation to Individual</i>	10 Points		
Digestibility—ease, rapidity, etc.			
Variety—in food materials, form, color, etc.			
Quality of food materials—sanitary conditions, etc.			
Bulk			
<i>Adaptation to Income</i>	12 Points		
Is return on investment good?			
Is expenditure proportioned properly to total income?			
Is undue amount spent for flavor, form, color?			
FOOD PREPARATION AND SERVICE ...	18 Points		
<i>Cookery</i>	12 Points		
Does it increase or decrease digestibility?			
Is there a waste of materials?			
(through under or over-cooking?)			
Is there a waste of time and of energy?			
Are flavor, form, and color preserved?			
<i>Menu</i>	3 Points		
Are combinations good physiologically and esthetically?			
Are sequences of dishes good, considering distribution of nutrients, form, color, and flavor?			
<i>Service</i>	3 Points		
Is it regular? neat? orderly?			

In judging the menus, the following general rules for the making of a menu should be borne in mind:

1. Conceive of the whole day as the unit, rather than the individual meal.

2. Endeavor to distribute the protein, fat and carbohydrate through the day, so that no meal will have a striking preponderance of one kind of foodstuff.

For example, meat served with macaroni and cheese concentrates the protein in one meal, potatoes with rice concentrate the starch, and fried potatoes and pie concentrate the fat.

3. With the exception of a few such staples as bread, butter and milk, try to avoid serving any food in the same form twice in the same day and serve it preferably only once in any form.

4. Try to avoid serving any food which gives character to a dish twice in the same meal, even in different forms. Do not, for instance, select tomato soup and tomato salad for the same meal.

5. At each meal, seek contrasts between successive courses, a bland course being followed by a more highly flavored course, and vice versa, to give a pleasing rhythm.

6. In each course endeavor to have harmonious combinations, as to flavor, color, form and texture.

7. As the number of courses increases, decrease the number of dishes and size of the servings in each.

Distribution of credits to the sub-topics has been left to the judgment of the person using the score card.

PROBLEM XI.

TO ABBREVIATE DIETARY CALCULATIONS WHEN LARGE QUANTITIES OF FOOD ARE INVOLVED.*

When dietary calculations are to be made on large quantities of food, as for example in an institution, the food consumed running into hundreds or thousands of pounds, it is possible to apply some "short cuts" which materially lessen the labor involved, without introducing any great amount of error. The scheme proposed here is one of the most accurate of its kind, and has the advantage of so grouping foods for calculation of total calories, protein and fat calories (carbohydrate calories being easily determined by taking the difference between total calories and the sum of the protein and fat calories) that one can subsequently analyze the dietary quite readily as to its content of milk, of fruits and vegetables, of meats, of cereals, of fats, or other items, to see whether these are so proportioned as to insure a liberal supply of ash constituents and vitamins, palatability without excessive cost, ease of digestion, laxative properties, etc.

In this scheme all the food materials are listed by groups according to certain marked similarities in chemical constitution and these groups are gathered into seven classes, the resemblance in distribution of protein, fat, and carbohydrate being strong within each class. The seven classes are as follows:

- Class I. Cereals and cereal products.
- Class II. Dried legumes and shelled nuts.
- Class III. Vegetables and fruits.
- Class IV. Sugars, syrups, jams, candies, starches (foods yielding carbohydrates almost exclusively).
- Class V. Fats and oils (including separator cream and very fat meats).
- Class VI. Milk (all kinds except skimmed), gravity cream, ice cream, chocolate, cocoa (foods with little carbohydrate but rich in both fat and protein).
- Class VII. Meats, eggs, cheese, skim milk (all animal foods not listed in Classes V or VI).

Within each class, some staple food is taken as the "standard" or "type." Thus for Class I, Cereals and Cereal Products, wheat is designated as the type. Wheat and wheat products have fuel values per pound differing only a little from each other. These have been averaged (weighting the average to take account of those occurring with greatest frequency, as wheat flour for example) and the averages are called the "type factors" for Class I. To use these, one adds together the original weights in pounds of

* Adapted from "Abridged Dietary Calculations for Rations in Quantity," A. R. Rose, *The Modern Hospital*, Volume 14, Number 6, (1920). A still more abbreviated method may be found in the original paper.

all the wheat products which have been used in the dietary, and multiplies this total weight once for all by the "type class factors," viz., for total calories, 1620; for protein calories, 210; for fat calories, 40.

Oatmeal has a slightly higher fuel value per pound than the wheat group, and ordinarily one would get the total calories per pound by multiplying the total number of pounds by 1800. But the labor will be lessened by altering the original weight of the oatmeal so that when this "adjusted" weight is multiplied by the same factor as is used for the wheat group the total calories yielded will be correct. This may be accomplished by multiplying the original weight of oatmeal by 1.1, adding its weight to the wheat group, and getting total calories for both in one operation. In other words, the weights of different kinds of food within a class are so adjusted either singly or in groups that they may be added together and one multiplication by the "type class factor" determine the total calories for the entire class.

Similar adjustments are made to enable one to use a single factor for determining the protein calories of a class. Thus in the case of oatmeal the percentage of protein is considerably higher than the percentage average for the wheat group. But by increasing the weight 40 per cent the same factor can be used for both wheat and oatmeal. In like manner a weight-adjusting-factor can be applied to the determination of the fat calories. To carry out the method in detail a set of such weight-adjusting-factors must be at hand, and one which is the result of much careful study of the whole situation is given below.

WEIGHT-ADJUSTING FACTORS.

To Permit the Use of "Type Class Factors" for the Calculation of the Total Calories, Protein Calories, and Fat Calories for a Specified "Class" of Food Materials.

CLASS	GROUP	TOTAL CALORIES	PROTEIN CALORIES	FAT CALORIES
I. Cereals and Cereal Products.				
	1. Wheat and wheat products.....	1.0	1.0	1.0
	2. Rice and rye.....	1.0	0.7	0.3
	3. Corn, meal and flour, corn flakes, post toasties, and similar ready-to-serve patented products, hominy, barley and buckwheat.....	1.0	0.7	1.4
	4. Oatmeal.....	1.1	1.4	7.0
	5. Bread.....	0.7	0.8	1.5
	6. Bakery products:			
	a. Crackers, toasted breads.....	1.1	0.9	8.0
	b. Home-made cookies and fried cakes.....	2.0	0.6	20.0
	c. Cakes and bakery cookies.....	1.0	0.6	11.0
II. Dry Legumes and Shelled Nuts.				
	7. a. Beans, peas and lentils.....	1.0	1.0 ¹	1.0 ²
	b. Baked beans.....	0.33	0.33	1.33
	8. Shelled nuts ³	1.7	0.9	30.0
III. Vegetables and Fruits.				
	9. a. White potatoes.....	1.0	1.0	...
	b. Sweet potatoes.....	1.5	1.0	...
	10. Roots.....	0.5	0.6	...
	11. Stem and leaf types, incl. onion and mushroom	0.4	0.6	...
	12. Green vegetables in pod and seed ⁴	0.8	1.5	...
	13. Fruit served as vegetable (e. g., squash).....	0.3	0.6	...
	14. Sweet fruits:			
	a. Fresh.....	0.8	0.5	...
	b. Canned.....	1.3	0.5	...
	c. Dried.....	4.4	2.2	...
IV. Sugars, Syrups, Starches, etc.				
	15. Sugar, candy, starch, etc.....	1.0
	16. Syrups, jellies, jams, preserves, etc.....	0.75
V. Fats and Oils.				
	17. Lard, suet, vegetable oils, butter, very fat bacon and pork.....	1.0	...	1.0
	18. a. Less fat bacon and pork.....	0.7	...	0.7
	b. Separator cream and salad dressings, etc.....	0.5	...	0.5
VI. Foods Rich in Fat and Protein—little Carbohydrate.				
	19. Milk—fresh, whole.....	1.0	1.0	1.0
	20. Milk—evaporated.....	2.0	2.0	2.0
	21. Milk—desiccated; cocoa, and chocolate.....	7.5	6.5	7.5

¹ For large amounts of kidney beans use 1.8 for protein.

² For soy beans use 6.0 for fat.

³ Nuts are almost negligible in ordinary diets; usually deducting half the "as purchased" weight for shell will be sufficiently accurate. For chestnuts use the factors 1.1, 0.4, 4.0, in place of those given in the table if they are stored; if fresh, only half these factors.

⁴ Including canned goods; e. g., peas, corn, etc.

CLASS	GROUP	TOTAL CALORIES	PROTEIN CALORIES	FAT CALORIES
22.	a. Condensed milk.....	2.3	3.0	2.4
	b. Condensed milk—sweetened.....	4.7	2.6	2.1
	c. Gravity cream.....	2.7	0.7	4.5
	d. Ice cream.....	1.6	1.0	0.5
VII. Animal Products Exclusive of Whole Milk and Fats.				
23.	Beef, veal, liver, pigs' feet, tripe, etc.....	1.0	1.0	1.0
24.	Ham, pork, lean salt pork, pork-beef sausage..	2.2	1.3	2.8
25.	Mutton, lamb, corn beef, beef sausage.....	2.0	1.3	2.2
26.	Sausages of fatter types than those above, fat pork and ham, bacon too lean for Class V, deviled ham, head cheese.....	3.0	1.3	4.0
27.	Fowl ^b	1.0	1.0	1.0
28.	Fresh fish, entrails removed.....	0.5	0.7	0.3
29.	Preserved fish.....	1.0	1.4	1.1
30.	Shell fish.....	0.3	0.3	0.0
31.	Eggs ⁶	1.0	0.6	1.0
32.	Cheese.....	3.0	1.7	3.0
33a.	Milk—skimmed.....	0.3	0.25	0.0
	b. Milk—skimmed—desiccated.....	2.6	2.0	0.3

^a If broilers, use only half the value of these factors.

^b If desiccated, use eight times these factors.

With the above list as a guide, the various food materials composing the dietary are set down in their respective classes and groups, the weight of each being stated in pounds, and all the foods of a group being added together. Then the weight-adjusting factors are applied to these totals. For example, we have in our list 833.5 pounds of wheat flour and 91.7 pounds of cream of wheat; both of these, being cereal products, belong to Class I; being wheat products they belong to Group I within the class and, since wheat is the "standard" from which all the weight-adjusting-factors are derived, the weight-adjusting-factors for this group are all unity. If, furthermore, we have 111.2 pounds of oatmeal, this also belongs to Class I, but to Group 4, and the adjustments are made thus:

Food Material Original Weight		Adjusted Weights for Calculating		
	Pounds	Total Calories	Protein Calories	Fat Calories
Oatmeal	111.2	$111.2 \times 1.1 =$ 122.32	$111.2 \times 1.4 =$ 155.68	$111.2 \times 7.0 =$ 778.4

When all "group" adjustments are made, the sum of the weights in each class, now adjusted for "total calories," are added together. This sum, multiplied by the proper "type class factor," (see table

below) gives the total calories for the class. Protein and fat calories are calculated in similar fashion.

TYPE CLASS FACTORS.

FOR CALCULATING FUEL VALUES FROM ADJUSTED WEIGHTS.

CLASS	GROUP	FOR TOTAL CALORIES	FOR PROTEIN CALORIES	FOR FAT CALORIES
I.	Cereals and cereal products. . . .	1620	210	40
II.	Dried legumes and shelled nuts.	1580	400	70
III.	Vegetables and fruits.	300	30	—
IV.	Sugars, syrups, etc.	1800	—	—
V.	Fats and oils.	3500	—	3500
VI.	Foods rich in fat and protein . .	315	60	160
VII.	Animal foods not in Classes V or VI.	600	300	350

When the calories have been determined for each of the seven classes in this way, their respective sums will give the total calories, protein calories, and fat calories of the whole ration. The calculations at this point will appear as follows:

EXAMPLE OF ADJUSTED WEIGHTS, TYPE CLASS FACTORS, AND CALORIES FOR EACH CLASS OF FOOD MATERIALS.

(Taken from an actual dietary.)

FOR TOTAL CALORIES.

CLASS	ADJUSTED WEIGHT	TYPE FACTOR	CALORIES
I	1230	1620	2,092,600
II	87	1580	137,460
III	2062	300	618,600
IV	244	1800	439,200
V	107	3500	374,500
VI	792	315	249,480
VII	1953	600	1,171,800
Total			5,083,640

FOR PROTEIN CALORIES.

CLASS	ADJUSTED WEIGHT	TYPE FACTOR	CALORIES
I	1233	210	258,930
II	87	400	34,800
III	1985	30	58,550
VI	736	60	44,160
VII	1747	300	524,100
Total			920,540

TYPE CLASS FACTORS—Continued.

FOR FAT CALORIES.

CLASS	ADJUSTED WEIGHT	TYPE FACTOR	CALORIES
I	2058	40	82,320
II	87	70	6,090
V	107	3500	374,500
VI	740	160	120,400
VII	1848	350	647,700
Total			1,231,010

A good idea of the labor saving in the use of the abbreviated method as compared with the usual one may be made by a survey of the figures for a single class of food materials (Class I), taken from an actual dietary. It is estimated that the accuracy is nearly as great in the second method as the first, unless large quantities of very unusual foods occur. These might best be calculated separately and added to their respective classes.

A COMPARISON OF THE LABOR INVOLVED IN CALCULATING DIETARIES BY THE USUAL METHOD AND AN ABBREVIATED METHOD.

A. USUAL METHOD OF CALCULATING FUEL VALUES							
Food Materials by Groups	Food Weight Pounds	Cal. per lb.	Total Calories	Cal. per lb.	Protein Calories	Cal. per lb.	Fat Calories
1 Wheat flour.....	1633	1620	2617700	203	331500	41	66953
Cream of wheat.....	229	1641	375870	200	45800	48	10992
Puffed wheat.....	4	1656	6624	220	880	44	176
Shredded wheat.....	102	1628	166056	220	22440	74	7548
Macaroni.....	122	1626	198372	227	27694	41	5002
Total pounds in group 1.	2090						
2 Rice.....	833	1580	1324470	146	121615	13	10829
3 Corn meal.....	283	1630	461290	167	47261	78	22074
Corn flakes.....	89	1631	145159	101	8989	54	4806
Hominy.....	9	1609	14474	151	1359	25	225
Post toasties.....	124	1637	202988	92	11409	81	10044
Grape nuts.....	8	1765	14120	248	1984	205	1640
Total pounds in group 3.	513						
4 Oatmeal.....	321	1803	578763	303	97363	298	95658
5 Bread.....	4353	1184	1151395	170	740010	53	230709
6a Crackers.....	71	1863	132202	187	13277	358	25418
6b Cookies.....	12	1527	18324	128	1536	395	4740
Calories in Class I.....			11409782		1473016		496726

B. ABBREVIATED METHOD.							
Group *	Weight Pounds	Adjusted Weights for Calculating					
		Total Calories		Protein Calories		Fat Calories	
		W. A. F.†	Pounds	W. A. F.†	Pounds	W. A. F.†	Pounds
1	2090	1.0	2090	1.0	2090	1.0	2090
2	833	1.0	833	0.7‡	583	0.3	250
3	513	1.0	513	0.7‡	359	1.5‡	770
4	321	1.1‡	353	1.4	449	7.5	2397
5	4353	0.7‡	3047	0.8	3482	1.5‡	6530
6a	71	1.1‡	80	0.9	62	8.0	568
6b	12	1.2	14	0.6	7	20.0	240
Sum of adjusted weights.....			6930	7024		12845	
Type factors for Class I.....			1620	210		40	
Calories in Class I.....			11226600	1475040		513800	

* Same foods as in Groups above.

† Weight-adjusting factor.

‡ In practice the weights of items with repeating correctional factors are added and a single multiplication made.

THE DISTRIBUTION OF CALORIES IN THE DIETARY.

When the fuel values of the dietary have been calculated in this way it is a simple matter to study the distribution of the food through the seven classes into which it has been divided by determining the percentage of the total calories contributed by each class. The calories derived from cereals (Class I) may range from 25 to 50 per cent of the total calories, but it is doubtful if a diet having more than 45 per cent of its total calories derived from cereals will be adequate in mineral constituents and vitamins and sufficiently palatable. Again, it would seem desirable to have not less than 8 per cent of the total calories derived from milk, and not less than 15 per cent from vegetables and fruits. It is difficult to make more than 2 or 3 per cent of dried legumes acceptable; ordinarily nuts form so small an item in an institutional ration as to be practically negligible. In Class IV (sugars, jams, starches, etc.), the sweet foods are apt to exceed greatly the starches and it seems generally desirable that the calories of this group should not exceed 10 per cent of the total calories, as high figures here tend to low values for mineral constituents and vitamins. Excessively high fat is not very common in dietaries for large groups,

but since food materials are calculated on the "As Purchased" basis, due regard must be had for the actual consumption of fat as compared with that purchased. Diets too high in fat will be difficult to digest, and those too low tend to be low in total fuel value and to lack palatability. It must also be borne in mind that some of the fat in the dietary occurs in the milk and meats, accounted for in other groups. It would seem desirable that the fat represented in this group should fall between the limits of 5 and 10 per cent. Meats and other high protein foods, relatively less in need of emphasis than several of the other groups, may fluctuate within rather wide limits, depending in part on the money left after such foods as milk and vegetables are provided for, and in part on the proportion of protein derived from the rest of the dietary. In general, it would seem wise not to have the protein calories as a whole less than 10 or more than 15 per cent of the total calories.

PART III.

REFERENCE TABLES.

TABLE XVI.

APPROXIMATE AMOUNT OF REFUSE IN COMMON FOOD MATERIALS
AS PURCHASED.*

	PER CENT.		PER CENT.
BEEF.		Peaches.....	18
Brisket, medium fat.....	23	Pears.....	10
Corned.....	8	Plums.....	5
Chuck, lean.....	20	Prunes, dried.....	15
Flank, lean.....	1	Raisins, dried.....	10
Flank, medium fat.....	10	Strawberries.....	5
Heart.....	6	Watermelons.....	60
Kidney.....	20	LAMB.	
Liver.....	7	Breast.....	19
Loin, lean.....	13	Chops (broiled).....	14
Loin, medium fat.....	13	Leg, hind, medium fat.....	17
Neck, lean.....	30	Loin.....	15
Neck, medium fat.....	28	Neck.....	18
Plate, medium fat.....	17	Shoulder.....	20
Porterhouse steak.....	13	MUTTON.	
Ribs, medium fat.....	21	Chuck, medium fat.....	21
Round, medium fat.....	7	Flank, medium fat.....	10
Rump, lean.....	14	Leg, medium fat.....	18
Rump, medium fat.....	21	Loin, medium fat.....	16
Shank, fore, medium fat.....	37	Neck, medium fat.....	27
Shank, hind, medium fat.....	54	Shoulder, medium fat.....	22
Sirloin steak.....	13	NUTS.	
Top sirloin.....	3	Almonds.....	45
Tongue.....	27	Beechnuts.....	40
EGGS.		Brazil nuts.....	50
Hens'.....	11	Butternuts.....	86
FISH.		Chestnuts, fresh.....	16
Bass, black, whole.....	55	Chestnuts, dried.....	24
Bass, striped, whole.....	55	Coconuts.....	48
Blackfish, whole.....	60	Filberts.....	52
FRUITS.		Hickory nuts.....	62
Apples.....	25	Peanuts.....	25
Apricots.....	6	Pecans.....	46
Bananas.....	35	Walnuts, black.....	74
Cherries.....	5	Walnuts, California.....	73
Dates, dried.....	10	PORK.	
Grapes.....	25	Bacon, smoked, medium fat.....	8
Lemons.....	30	Feet, fresh.....	74
Muskmelons.....	50	Feet, pickled.....	36
Nectarines.....	6	Ham, fresh, lean.....	1
Oranges.....	27	Ham, fresh, medium fat.....	11

* The figures are taken to the nearest whole number from Bull. 28, Office of Experiment Stations, U. S. Dept. Agriculture.

	PER CENT.		PER CENT.
Ham, smoked, lean.....	11	Shank, fore.....	40
Ham, smoked, medium fat.....	14	Shank, hind, medium fat	62
Head cheese.....	12	Shoulder, lean.....	18
Loin chops, medium fat	20	Shoulder, medium fat.....	23
Shoulder, fresh.....	12		
Shoulder, smoked.....	18	VEGETABLES.	
Side (not including lard and kidney).....	12	Beans, butter, green.....	50
POULTRY AND GAME.		Beans, lima, fresh.....	55
Chicken Broilers.....	42	Beans, string.....	7
Chicken, dressed.....	18	Beets.....	20
Fowl.....	26	Cabbage.....	15
Goose, young.....	18	Carrots.....	20
Turkey.....	23	Celery.....	20
		Corn, green.....	61
		Cucumbers.....	15
SAUSAGE.		Lettuce.....	15
Bologna.....	3	Okra.....	12
Summer.....	7	Onions.....	10
		Parsnips.....	20
VEAL.		Peas, green.....	45
Breast, medium fat.....	20	Potatoes.....	20
Chuck, medium fat.....	19	Pumpkins.....	50
Leg, medium fat.....	14	Radishes.....	30
Loin, lean.....	22	Rhubarb.....	40
Loin, medium fat.....	16	Rutabagas.....	30
Neck.....	32	Squash.....	50
Rib, medium fat.....	25	Turnips.....	30
Rump.....	30		

TABLE XVII.

MEASURES OF WEIGHT, METRIC SYSTEM.

10 milligrams (mg.)	= 1 centigram (cg.)
10 centigrams.	= 1 decigram (dg.)
10 decigrams	= 1 gram (g.)
10 grams	= 1 dekagram (Dg.)
10 dekagrams	= 1 hektogram (Hg.)
10 hektograms	= 1 kilogram (Kg.)

TABLE XVIII.

ENGLISH EQUIVALENTS FOR METRIC WEIGHTS AND MEASURES

1 meter	= 39.37	inch.
1 centimeter	= 0.3937	inch.
1 inch	= 2.54	centimeters.
1 liter	= 1.0567	quarts.
1 gram	= 0.0353	ounces.
1 kilogram	= 2.2045	pounds.
1 ounce	= 28.35	grams.
1 pound	= 453.6	grams.
1 cup of fluid	= 236.0	cubic centimeters.
1 tablespoon of fluid	= 15.0	cubic centimeters.
1 teaspoon of fluid	= 5.0	cubic centimeters.

TABLE XIX.

WEIGHTS CORRESPONDING TO COMMON MEASURES OF FOOD MATERIALS.*

Material	Weight in Ounces	
	1 Cup	1 Tablespoon
Almonds, chopped.....	3	
shelled.....	4	
Apples, dried.....	3	
Apricots, dried.....		
Baking powder.....		$\frac{3}{8}$
Barley, flour.....	8	$\frac{3}{5}$
pearl.....	$7\frac{1}{2}$	$\frac{1}{2}$
Beans, navy, dried.....	7	
lima, dried.....	$5\frac{1}{2}$	
Bran.....	$2\frac{1}{2}$	
Bread crumbs, oven dried.....	$3\frac{1}{2}$	
soft.....	2	
stale.....	3	
Butter.....	8	$\frac{1}{2}$
Buttermilk.....	$8\frac{1}{2}$	
Celery, cut in $\frac{1}{4}$ inch pieces.....	$4\frac{1}{2}$	
Cheese, American, grated, dry.....	2	$\frac{1}{8}$
fresh.....	4	$\frac{1}{4}$
Chocolate, unsweetened, grated.....		$\frac{1}{6}$
Citron, chopped.....	$2\frac{4}{5}$	
Cocoa.....	$4\frac{1}{2}$	$\frac{1}{4}$
Coconut, shredded.....	$2\frac{4}{5}$	
Coffee.....	4	$\frac{1}{4}$
Corn, canned.....	9	
fresh.....	7	
Cornmeal.....	5	$\frac{1}{3}$

* Adapted from Rose's Feeding the Family.

TABLE XIX—Continued.

Material	Weight in Ounces	
	1 Cup	1 Tablespoon
Cornstarch	4½	⅓
Cottolene	6⅓	⅔
Cracker crumbs	4¼	¼
Cranberries, fresh	3½	
Cream, thick	7¾	⅔
thin	8	½
Crisco	6⅓	⅔
Currants, dried	5½	
Dates, stoned	6⅓	
unstoned	5¾	
Farina	6	⅓
Figs, chopped	5⅔	
Flour, buckwheat	5½	⅔
graham	5	⅓
rice	8½	½
rye	5	⅓
wheat (unsifted)	4½	⅓
wheat (sifted)	4	¼
Gelatin, granulated		⅓
Hickory nuts, chopped	6	
Hominy grits, uncooked	5½	
cooked	9	
Lard	8	½
Lemon juice	8	½
Macaroni, cooked (1 inch pieces)	5⅓	
uncooked (10 sticks, 9 inches long)	3½	
Milk, fresh, skim	8½	⅗
whole	8½	⅗
condensed, sweetened	11	⅔
condensed, unsweetened	8	⅔
dried	3⅔	⅓
Molasses, cane	12	⅔
Oatmeal	5½	
Oats, rolled	2½	
Oleomargarine	7	½
Olive oil		⅔
Orange juice	8	½
Peanuts, chopped	3⅗	
shelled	4⅓	
Peas, canned, drained	6	
dried	7½	½
Pecans, shelled	5½	
Pineapple, canned, grated	8½	
Pumpkin, cooked	6½	
Raisins	5	
Rhubarb, fresh, 1 inch pieces	4	
Rice, uncooked	7	½
steamed	5⅓	
Salt		½
Soda		½
Spinach, cooked and chopped	8½	
Squash, cooked (Hubbard)	7¾	
Suet	3½	

TABLE XIX—Continued.

Material	Weight in Ounces	
	1 Cup	1 Tablespoon
Sugar, brown.....	5 $\frac{1}{8}$	$\frac{1}{3}$
granulated.....	7 $\frac{2}{5}$	$\frac{1}{2}$
powdered.....	6	$\frac{1}{2}$
Tapioca.....	6 $\frac{1}{2}$	$\frac{1}{2}$
Tea.....	2 $\frac{1}{2}$	$\frac{1}{6}$
Tomatoes, canned.....	9	
Turnips, $\frac{1}{2}$ inch cubes.....	4 $\frac{3}{4}$	
Walnuts, English, chopped.....	3	
Wheat, flaked.....	3	

TABLE XX.

WEIGHT PER BUSHEL OF SOME COMMON FOOD MATERIALS.*

Food	Pounds per Bushel	Food	Pounds per Bushel
Apples.....	44-50	Peaches.....	48-50
Beans.....	60	Peanuts.....	20-25
Beets.....	50-60	Pears.....	45-58
Carrots.....	50	Peas (dried).....	60
Cranberries.....	32-40	Potatoes (white).....	60
Cucumbers.....	48-50	Potatoes (sweet).....	50-56
Onions.....	50-57	Tomatoes.....	50-60
Parsnips.....	42-50	Turnips.....	50-60

* U. S. Bureau of Standards, Washington, D. C.

TABLE XXI.

CONVERSION TABLES—OUNCES AND POUNDS TO GRAMS.

A. OUNCES TO GRAMS.

Ounces	Grams	Ounces	Grams
1/16	1.77	2	56.70
1/15	1.89	3	85.05
1/14	2.02	4	113.40
1/13	2.19	5	141.75
1/12	2.36	6	170.10
1/11	2.58	7	198.45
1/10	2.84	8	226.80
1/9	3.15	9	255.15
1/8	3.54	10	283.50
1/7	4.05	11	311.84
1/6	4.73	12	340.20
1/5	5.67	13	368.54
1/4	7.09	14	396.90
1/3	9.45	15	425.25
1/2	14.17	16	453.60
1	28.35		

B. POUNDS TO GRAMS.

Pounds.	Grams.
1	453.6
2	907
2.2	1000
3	1361
4	1814
5	2267
6	2721
7	3175
8	3629
9	4082
10	4536

TABLE XXII.
CONVERSION TABLE—GRAMS TO OUNCES.

Grams	Ounces	Grams	Ounces
1	0.035	56	1.975
2	0.071	57	2.010
3	0.106	58	2.046
4	0.141	59	2.081
5	0.176	60	2.116
6	0.212	61	2.151
7	0.247	62	2.187
8	0.283	63	2.222
9	0.317	64	2.257
10	0.353	65	2.293
11	0.398	66	2.328
12	0.423	67	2.363
13	0.458	68	2.398
14	0.494	69	2.434
15	0.529	70	2.467
16	0.564	71	2.504
17	0.599	72	2.539
18	0.635	73	2.575
19	0.670	74	2.610
20	0.705	75	2.645
21	0.741	76	2.681
22	0.776	77	2.716
23	0.811	78	2.751
24	0.846	79	2.786
25	0.882	80	2.822
26	0.917	81	2.857
27	0.953	82	2.892
28	0.998	83	2.927
29	1.023	84	2.963
30	1.058	85	2.998
31	1.093	86	3.033
32	1.128	87	3.068
33	1.164	88	3.104
34	1.199	89	3.139
35	1.234	90	3.174
36	1.269	91	3.210
37	1.305	92	3.245
38	1.340	93	3.280
39	1.376	94	3.315
40	1.411	95	3.351
41	1.446	96	3.386
42	1.481	97	3.421
43	1.517	98	3.457
44	1.552	99	3.492
45	1.587	100	3.527
46	1.622	113	4
47	1.658	200	7
48	1.693	227	8
49	1.728	250	8.8
50	1.764	300	10.5
51	1.799	400	14
52	1.834	453.6	16
53	1.869	500	17.6
54	1.905	907	32
55	1.940	1000	35.2

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.*

Food Material	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydra- Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Bass, striped, whole, A. P.	1	0.088	0.022	0.55	
	1	2.49	0.62	15.6	
	1	39.92	9.98	249	
	1	6.41	181.8	16.00	4.00	100
Bass, striped, whole, E. P.	1	0.186	0.028	1.00	
	1	5.27	0.79	28.2	
	1	84.38	12.70	452	
	1	3.54	100.4	18.68	2.81	100
Beans, baked, canned	1	0.069	0.025	0.196	1.29	
	1	1.96	0.71	5.56	36.5	
	1	31.30	11.34	88.90	583	
	1	2.74	77.8	5.37	1.95	15.25	100
Beans, kidney, red, canned.	1	0.070	0.002	0.185	1.04	
	1	1.98	0.06	5.24	29.4	
	1	31.68	0.91	83.84	470.08	
	1	3.39	96.1	6.73	0.19	17.78	100
Beans, string, canned	1	0.011	0.001	0.038	0.21	
	1	0.31	0.00	1.08	5.83	
	1	4.98	0.45	17.23	93	
	1	17.21	487.8	5.37	0.48	18.53	100
Beef, corned, A. P.	1	0.143	0.238	2.71	
	1	4.05	6.75	76.0	
	1	64.86	107.96	1231	
	1	1.30	36.8	5.27	8.77	100
Beef, corned, E. P.	1	0.156	0.262	2.90	
	1	4.42	7.43	84.5	
	1	70.76	118.84	1353	
	1	1.18	33.5	5.23	8.79	100
Beef, flank, medium fat, A. P.	1	0.170	0.190	2.39	
	1	4.82	5.39	67.8	
	1	77.11	86.18	1084	
	1	1.47	41.8	7.11	7.95	100
Beef juice	1	0.049	0.006	0.25	
	1	1.39	0.17	7.0	
	1	22.24	2.72	113	
	1	14.11	400.0	19.60	2.40	100
Beef, kidney, A. P.	1	0.137	0.019	0.72	
	1	3.88	0.54	20.4	
	1	62.14	3.62	326	
	1	4.91	139.1	19.06	2.64	100

* Calculated principally from Bulletin 28, Office of Experiment Stations, U. S. Department of Agriculture. For other foods see Tables XVI, XXIV, and XXV.

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.					
Beef, kidney, E. P.				1	0.166	0.048	0.004	1.11
				1	4.71	1.36	0.11	31.5
	1	1			75.30	21.77	1.81	504
	1	3.17	89.9	14.92	4.31	0.36	100	
Beef, liver, A. P.				1	0.202	0.031	0.025	1.19
				1	5.73	0.88	0.71	33.7
	1	1			91.62	14.06	11.34	538
	1	2.97	84.2	17.00	2.61	2.11	100	
Beef, liver, E. P.				1	0.204	0.045	0.017	1.29
				1	5.78	1.28	0.48	36.5
	1	1			92.53	20.41	7.71	584
	1	2.73	77.6	15.83	3.49	1.31	100	
Beef, loin, lean, A. P.				1	0.171	0.111		1.68
				1	4.85	3.15		47.7
	1	1			77.57	50.35		763
	1	2.09	59.4	10.16	6.59		100	
Beef, loin, lean, E. P.				1	0.197	0.127		1.93
				1	5.58	3.60		54.7
	1	1			89.36	57.61		876
	1	1.83	51.8	10.18	6.57		100	
Beef, loin, medium fat, A. P.				1	0.161	0.175		2.22
				1	4.56	4.96		62.9
	1	1			73.03	79.38		1007
	1	1.59	45.1	7.26	7.89		100	
Beef, loin, medium fat, E. P.				1	0.185	0.202		2.56
				1	5.24	5.73		72.5
	1	1			83.71	91.62		1160
	1	1.38	39.1	7.23	7.90		100	
Beef, lungs, A. P.				1	0.164	0.032		0.94
				1	4.65	0.91		26.8
	1	1			74.39	14.51		428
	1	3.74	106	17.37	3.39		100	
Beef marrow				1	0.022	0.928		8.44
				1	0.62	26.31		239.3
	1	1			9.92	420.94		3828
	1	0.42	11.8	0.26	11.00		100	
Beef, navel, lean, A. P.				1	0.298	0.006		1.25
				1	8.45	0.17		35.3
	1	1			135.17	2.72		565
	1	2.83	80.3	23.92	0.48		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, navel, lean, E. P.				1	0.307	0.006	1.28		
			1		8.70	0.17	36.4		
	1	1			139.50	2.72	582		
			2.75	78.0	23.95	0.47	100		
Beef, neck, lean, A. P.				1	0.151	0.059	1.14		
			1		4.28	1.67	32.2		
	1	1			68.50	26.76	515		
			3.11	88.1	13.30	5.20	100		
Beef, neck, lean, E. P.				1	0.214	0.084	1.61		
			1		6.07	2.38	45.7		
	1	1			97.08	38.10	731		
			2.19	62.0	13.27	5.21	100		
Beef, neck, medium fat, A. P.				1	0.145	0.119	1.65		
			1		4.11	3.37	46.8		
	1	1			65.76	53.98	749		
			2.14	60.6	8.78	7.21	100		
Beef, neck, medium fat, E. P.				1	0.201	0.165	2.29		
			1		5.70	4.68	64.9		
	1	1			91.18	74.84	1038		
			1.54	43.7	8.78	7.21	100		
Beef, plate, lean, A. P.				1	0.130	0.155	1.92		
			1		3.69	4.39	54.3		
	1	1			58.98	70.30	869		
			1.84	52.2	6.79	8.09	100		
Beef, plate, lean, E. P.				1	0.156	0.188	2.32		
			1		4.42	5.33	65.7		
	1	1			70.73	85.28	1051		
			1.52	43.2	6.74	8.12	100		
Beef, plate, medium fat, A. P.				1	0.138	0.244	2.75		
			1		3.91	6.92	77.9		
	1	1			62.60	110.69	1247		
			1.28	36.4	5.02	8.88	100		
Beef, plate, medium fat, E. P.				1	0.165	0.291	3.28		
			1		4.68	8.25	92.9		
	1	1			74.84	132.00	1487		
			1.08	30.5	5.03	8.87	100		
Beef, porter- house steak, A. P.				1	0.191	0.179	2.38		
			1		5.41	5.07	67.3		
	1	1			86.64	81.19	1077		
			1.48	42.1	8.04	7.54	100		

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.					
Beef, porter- house steak, E. P.				1	0.219	0.204	2.71	
			1		6.21	5.78	77.1	
	1	1			99.34	92.53	1230	
	1	1.30	36.9		8.07	7.52	100	
Beef, rib roll, lean, A. P.				1	0.202	0.105	1.75	
			1		5.73	2.98	49.7	
	1	1			91.62	47.63	795	
	1	2.01	57.0		11.52	5.99	100	
Beef, rib roll, medium fat, A. P.				1	0.193	0.167	2.28	
			1		5.47	4.74	64.5	
	1	1			87.54	75.75	1032	
	1	1.55	44.0		8.48	7.34	100	
Beef, ribs, lean, A. P.				1	0.152	0.093	1.45	
			1		4.31	2.64	40.97	
	1	1			68.95	42.18	655	
	1	2.44	69.2		10.52	6.43	100	
Beef, ribs, lean, E. P.				1	0.196	0.120	1.86	
			1		5.56	3.40	52.8	
	1	1			88.90	54.42	845	
	1	1.89	53.6		10.51	6.44	100	
Beef, ribs, medium fat, A. P.				1	0.139	0.212	2.46	
			1		3.94	6.01	69.9	
	1	1			63.03	96.16	1118	
	1	1.43	40.6		5.64	8.60	100	
Beef, ribs, medium fat, E. P.				1	0.175	0.266	3.09	
			1		4.96	7.54	87.7	
	1	1			79.38	120.66	1403	
	1	1.14	32.3		5.66	8.59	100	
Beef, round, lean, A. P.				1	0.195	0.073	1.44	
			1		5.53	2.07	40.7	
	1	1			88.45	33.11	652	
	1	2.45	69.6		13.57	5.08	100	
Beef, round, lean, E. P.				1	0.213	0.079	1.56	
			1		6.04	2.24	44.3	
	1	1			96.62	35.84	709	
	1	2.26	64.0		13.63	5.05	100	
Beef, round, medium fat, A. P.				1	0.190	0.128	1.91	
			1		5.39	3.63	54.2	
	1	1			86.18	58.06	867	
	1	1.85	52.3		9.94	6.70	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	R. U.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, round, medium fat, E. P.				1	0.203	0.136	2.04		
			1		5.76	3.86	57.7		
	1	1	1.73	49.1	92.07	61.69	923		
Beef, rump, lean, A. P.				1	0.191	0.110	1.75		
			1		5.42	3.12	49.7		
	1	1	2.01	57.0	86.64	49.90	796		
Beef, rump, lean, E. P.				1	0.209	0.137	2.07		
			1		5.93	3.88	58.7		
	1	1	1.70	48.3	94.80	62.14	938		
Beef, rump, medium fat, A. P.				1	0.138	0.202	2.37		
			1		3.91	5.73	67.2		
	1	1	1.49	42.2	62.60	91.62	1075		
Beef, rump, medium fat, E. P.				1	0.174	0.255	2.99		
			1		4.93	7.23	54.8		
	1	1	1.18	33.4	78.92	115.68	1357		
Beef, shank, hind, me- dium fat, A. P.				1	0.096	0.053	0.86		
			1		2.72	1.50	24.4		
	1	1	4.09	116.1	43.55	24.04	391		
Beef, shank, hind, me- dium fat, E. P.				1	0.209	0.115	1.87		
			1		5.92	3.26	53.0		
	1	1	1.88	53.4	94.80	52.16	849		
Beef, shoulder and clod, lean, A. P.				1	0.164	0.044	1.05		
			1		4.65	1.25	29.8		
	1	1	3.35	95.0	74.38	19.96	477		
Beef, shoulder and clod, lean, E. P.				1	0.204	0.054	1.30		
			1		5.78	1.53	36.9		
	1	1	2.71	76.8	92.52	24.49	591		
Beef, shoulder and clod, medium fat, A. P.				1	0.164	0.098	1.55		
			1		4.65	2.78	43.9		
	1	1	2.28	64.6	74.38	44.45	702		
				1	10.59	6.33	100		

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, shoulder and clod, medium fat, E. P.				1	0.196	0.113	1.80		
			1		5.55	3.20	51.1		
	1				88.90	51.26	817		
	1		1.96	55.5	10.88	6.27	100		
Beef, sirloin steak, A. P.				1	0.165	0.161	2.11		
			1		4.68	4.56	59.8		
	1				74.84	73.03	957		
	1		1.67	47.4	7.82	7.63	100		
Beef, sirloin steak, E. P.				1	0.189	0.185	2.42		
			1		5.36	5.24	68.6		
	1				85.73	83.91	1098		
	1		1.46	41.3	7.87	7.64	100		
Beef, sweet- breads, A. P.				1	0.168	0.121	1.76		
			1		4.76	3.43	49.9		
	1				76.20	54.90	799		
	1		2.00	56.8	9.54	6.87	100		
Beef, tender- loin				1	0.162	0.244	2.84		
			1		4.59	6.92	80.6		
	1				73.48	110.69	1290		
	1		1.24	35.2	5.69	8.58	100		
Beef, tongue, fresh, A. P.				1	0.141	0.067	1.17		
			1		4.00	1.90	33.1		
	1				64.02	30.39	529		
	1		3.02	85.7	12.08	5.74	100		
Beef, tongue, fresh, E. P.				1	0.189	0.092	1.58		
			1		5.36	2.61	44.9		
	1				85.73	41.73	718		
	1		2.23	63.1	11.93	5.88	100		
Beef, tongue, pickled, A. P.				1	0.119	0.192	2.20		
			1		3.37	5.44	62.5		
	1				53.98	87.09	1000		
	1		1.60	45.4	5.40	8.71	100		
Beef, tongue, pickled, E. P.				1	0.128	0.205	2.36		
			1		3.63	5.81	66.8		
	1				58.06	92.98	1069		
	1		1.49	42.4	5.43	8.70	100		
Beef, top sirloin, A. P.				1	0.133	0.423	4.34		
			1		3.77	11.99	122.9		
	1				60.33	191.88	1968		
	1		0.81	23.1	3.06	9.75	100		

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	lb. oz.	Weight		Protein, Grams	Fat, Grams	Varbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.					
Beef, top sirloin, E. P.			1	0.138	0.437		4.49	
			1	3.91	12.39		127.1	
	1		0.79	22.3	3.08	198.21	2034	100
Blackberries, canned, A. P.			1	0.008	0.021	0.564	2.48	
			1	0.23	0.60	15.98	70.2	
	1		1.43	40.4	0.32	0.85	255.83	1124
Blueberries, canned, A. P.			1	0.006	0.006	0.128	0.59	
			1	0.17	0.17	3.63	16.7	
	1		5.98	169.5	1.02	1.02	58.08	268
Bluefish, fresh, entrails removed, A. P.			1	0.100	0.006		0.45	
			1	2.84	0.17		12.9	
	1		7.77	220.4	22.04	1.32	206	100
Bluefish, fresh, entrails removed, E. P.			1	0.194	0.012		0.88	
			1	5.49	0.34		25.1	
	1		3.99	113.1	21.95	1.36	401	100
Bouillon			1	0.022	0.001	0.002	0.11	
			1	0.62	0.03	0.06	2.98	
	1		33.6	952.0	20.95	0.95	1.90	100
Brazil nuts, A. P.			1	0.086	0.337	0.035	3.52	
			1	2.43	9.55	0.99	99.7	
	1		1.01	28.4	39.01	152.86	15.88	1595
Brazil nuts, E. P.			1	0.170	0.668	0.070	6.97	
			1	4.81	18.93	1.98	197.6	
	1		0.51	14.3	77.11	303.10	31.75	3162
Bread, brown			1	0.054	0.018	0.471	2.26	
			1	1.53	0.51	13.35	64.1	
	1		1.56	44.2	2.39	0.79	213.60	1026
Bread, corn			1	0.079	0.047	0.463	2.59	
			1	2.24	1.33	13.13	73.5	
	1		1.36	38.6	35.83	21.32	210.00	1175
			1	3.05	1.81	17.87	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	S. I.	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Bread, gluten				1	0.093	0.014	0.498	2.49	
			1		2.64	0.40	14.12	70.6	
		1			42.18	6.35	225.90	1130	
		1	1.42	40.2	3.74	0.56	20.09	100	
Bread, graham				1	0.089	0.018	0.521	2.60	
			1		2.52	0.51	14.77	73.8	
		1			40.37	8.16	236.40	1180	
	1	1.35	38.4	3.42	0.69	20.03	100		
Bread, rye				1	0.090	0.006	0.532	2.54	
			1		2.55	0.17	15.08	72.1	
		1			40.82	2.72	241.30	1153	
	1	1.39	39.3	3.54	0.24	20.93	100		
Bread, rye and wheat				1	0.119	0.003	0.515	2.56	
			1		3.37	0.09	14.60	72.7	
		1			53.98	1.36	233.60	1163	
	1	1.38	39.0	4.64	0.12	20.09	100		
Bread, white, home made				1	0.091	0.016	0.533	2.64	
			1		2.58	0.45	15.11	74.8	
		1			41.27	7.26	241.75	1198	
	1	1.34	37.9	3.45	0.61	20.19	100		
Bread, white, cream				1	0.098	0.009	0.550	2.67	
			1		2.78	0.26	15.59	75.8	
		1			44.45	4.08	249.50	1212	
	1	1.32	37.4	3.67	0.34	20.58	100		
Bread, white, milk				1	0.096	0.014	0.511	2.55	
			1		2.72	0.40	14.49	72.4	
		1			43.55	6.35	231.75	1158	
	1	1.38	39.2	3.76	0.55	20.01	100		
Bread, white, Vienna				1	0.094	0.012	0.541	2.65	
			1		2.67	0.34	15.34	75.1	
		1			42.64	5.44	245.39	1201	
	1	1.33	37.9	3.55	0.45	20.43	100		
Bread, whole wheat				1	0.097	0.009	0.497	2.46	
			1		2.75	0.26	14.09	69.7	
		1			44.00	4.08	225.44	1115	
	1	1.44	40.7	3.95	0.37	20.23	100		
Buckwheat, flour				1	0.064	0.012	0.779	3.48	
			1		1.81	0.34	22.08	98.7	
		1			29.03	5.48	353.40	1577	
	1	1.01	28.7	1.84	0.34	22.39	100		

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	c. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Buckwheat, farina and groats				1	0.041	0.004	0.841	3.56	
			1		1.17	0.11	23.84	101.0	
		1			18.59	1.81	381.48	1617	
		1	0.99	28.1	1.15	0.11	23.60	100	
Butterfish, whole, A. P.				1	0.103	0.063		0.98	
			1		2.92	1.79		27.8	
		1			46.74	28.58		444	
		1	3.61	102.2	10.52	6.43		100	
Butterfish, whole, E. P.				1	0.180	0.110		1.71	
			1		5.10	3.12		48.5	
		1			81.64	49.90		776	
		1	2.06	58.5	10.53	6.43		100	
Butter milk,				1	0.030	0.005	0.048	0.36	
			1		0.85	0.14	1.36	10.1	
		1			12.31	2.27	21.82	162	
		1	9.86	279.6	8.59	1.40	13.42	100	
Butternuts, A. P.				1	0.038	0.083	0.005	0.92	
			1		1.08	2.35	0.14	26.1	
		1			17.24	27.65	2.27	417	
		1	3.84	108.8	4.14	9.03	0.54	100	
Butternuts, E. P.				1	0.279	0.612	0.035	6.76	
			1		7.91	17.35	0.99	191.8	
		1			126.55	277.60	15.86	3068	
		1	0.52	14.8	4.13	9.05	0.52	100	
Calf's-foot jelly, A. P.				1	0.043		0.174	0.87	
			1		1.22		4.93	24.6	
		1			19.50		78.92	394	
		1	4.06	115.2	4.95		20.05	100	
Catfish, A. P.				1	0.116	0.166		1.96	
			1		3.29	4.71		55.5	
		1			52.62	75.30		888	
		1	1.80	51.1	5.92	8.48		100	
Catfish, E. P.				1	0.144	0.206		2.43	
			1		4.08	5.84		68.9	
		1			65.32	93.44		1102	
		1	1.45	41.2	5.93	8.48		100	
Cereal coffee (infusion)				1	0.002		0.014	0.06	
			1		0.06		0.40	1.8	
		1			0.91		6.35	29	
		1	55.06	1561.0	3.13		21.88	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.					
Cerealine			1	0.096	0.011	0.783	3.62	
			1	2.72	0.31	22.20	102.5	
	1			43.55	4.99	35.52	1640	
Cheese, cheddar			1	0.277	0.368	0.041	4.58	
			1	7.85	10.43	1.16	130.0	
	1			125.64	166.90	18.60	2079	
Cheese, cottage, A. P.			1	0.209	0.010	0.043	1.10	
			1	5.92	0.28	1.21	31.1	
	1			94.80	4.54	19.51	498	
Cheese, Fromage de Brie, A. P.			1	0.159	0.210	0.014	2.58	
			1	4.51	5.95	0.40	73.2	
	1			72.12	95.25	6.35	1171	
Cheese, full cream, A. P.			1	0.259	0.337	0.024	4.17	
			1	7.34	9.55	0.68	118.0	
	1			117.48	152.84	10.88	1888	
Cheese, pineapple, A. P.			1	0.299	0.389	0.026	4.80	
			1	8.48	11.04	0.74	136.1	
	1			135.60	176.44	11.79	2178	
Cheese, Roquefort, A. P.			1	0.226	0.295	0.018	3.63	
			1	6.41	8.36	0.51	102.9	
	1			102.50	133.80	8.16	1647	
Cheese, Swiss, A. P.			1	0.276	0.349	0.013	4.30	
			1	7.82	9.89	0.37	121.8	
	1			125.18	158.30	5.90	1949	
Cherries, candied			1	0.005	0.002	0.862	3.48	
			1	0.14	0.04	24.43	98.6	
	1			2.22	0.68	390.80	1578	
Cherries, canned			1	0.011	0.001	0.211	0.90	
			1	0.31	0.03	5.98	25.4	
	1			4.99	0.45	95.62	407	
		1	3.93	111.5	1.23	0.11	23.52	100

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	Pounds	Weight			Protein, Grams	Fat, Grams	Carbohydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Chestnuts, dried, A. P.				1	0.081	0.053	0.564	3.06	
				1	2.30	1.50	15.99	83.6	
	1	1			36.74	24.04	255.81	1386	
Chestnuts, dried, E. P.				1	0.107	0.070	0.742	4.03	
				1	3.03	1.98	21.04	114.2	
	1	1			48.54	31.75	336.58	1828	
Chestnuts, fresh, A. P.				1	0.052	0.045	0.354	2.03	
				1	1.47	1.27	10.04	57.5	
	1	1			23.58	20.41	160.57	920	
Chestnuts, fresh, E. P.				1	0.062	0.054	0.421	2.42	
				1	1.76	1.53	11.94	68.6	
	1	1			28.12	24.49	190.96	1097	
Chickens, broilers, A. P.				1	0.128	0.014		0.64	
				1	3.63	0.40		18.1	
	1	1			58.06	6.35		289	
Chickens, broilers, E. P.				1	0.215	0.025		1.09	
				1	6.10	0.71		30.8	
	1	1			97.60	11.36		492.3	
Chicken gizzard, A. P.				1	0.247	0.014		1.11	
				1	7.00	0.39		31.6	
	1	1			112.00	6.35		505	
Chicken heart, A. P.				1	0.207	0.055		1.32	
				1	5.87	1.56		37.5	
	1	1			93.88	24.95		600	
Chicken liver, A. P.				1	0.224	0.042	0.024	1.37	
				1	6.35	1.19	0.68	38.8	
	1	1			101.60	19.05	10.88	621	
Citron, dried, A. P.				1	0.005	0.015	0.781	3.28	
				1	0.14	0.42	22.14	93.0	
	1	1			2.27	6.80	354.30	1487	
			1	0.15	0.46	23.82	100		

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS. — *Continued.*

Food Material	P. z.	Weight			Protein, Grams	Fat Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Clams, long, in shell, A. P.				1	0.050	0.006	0.011	0.30	
				1	1.42	0.17	0.31	8.4	
		1			22.68	2.72	4.99	136	
		1	11.87	335.6	16.78	2.01	3.69	100	
Clams, long, in shell, E. P.				1	0.086	0.010	0.020	0.51	
				1	2.44	0.28	0.57	14.6	
		1			39.01	4.53	9.07	231	
		1	6.86	194.6	16.74	1.95	3.89	100	
Clams, round, in shell, E. P.				1	0.065	0.004	0.042	0.46	
				1	1.84	0.11	1.19	13.1	
		1			29.48	1.81	19.05	210	
		1	7.61	215.5	14.01	0.86	9.05	100	
Cocoanut, prepared, A. P.				1	0.063	0.574	0.315	6.68	
				1	1.79	16.27	8.93	189.3	
		1			28.58	260.35	142.88	3028	
		1	0.53	15.0	0.94	8.59	4.69	100	
Cocoanuts, A. P.				1	0.029	0.259	0.143	3.02	
				1	0.82	7.34	4.05	85.6	
		1			13.15	117.48	64.86	1369	
		1	1.17	33.1	0.96	8.58	4.74	100	
Cocoanuts, E. P.				1	0.057	0.506	0.279	5.90	
				1	1.62	14.34	7.91	167.2	
		1			25.85	229.50	126.55	2675	
		1	0.60	16.9	0.97	8.58	4.73	100	
Cod, dressed, A. P.				1	0.111	0.002		0.46	
				1	3.15	0.06		13.1	
		1			50.35	0.91		210	
		1	7.63	216.4	24.02	0.42		100	
Cod, salt, A. P.				1	0.190	0.004		0.80	
				1	5.39	0.11		22.6	
		1			86.18	1.81		361	
		1	4.43	125.6	23.87	0.50		100	
Cod, salt, E. P.				1	0.254	0.003		1.04	
				1	7.20	0.09		29.6	
		1			115.20	1.36		473	
		1	3.38	95.8	24.33	0.29		100	
Cod, steak, A. P.				1	0.170	0.005		0.73	
				1	4.80	0.14		20.6	
		1			77.11	2.27		329	
		1	4.86	137.9	23.44	0.69		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Consommé, canned				1	0.025		0.004	0.12	
				1	0.71		0.11	3.3	
	1				11.34		1.81	53	
	1		30.4	862.1	21.55		3.45	100	
Corn flour				1	0.071	0.013	0.784	3.54	
				1	2.01	0.37	22.23	100.3	
	1				32.25	5.89	355.62	1604	
	1		0.99	28.3	2.01	0.37	22.17	100	
Cottolene				1		1.000		9.00	
				1		28.35		255.2	
	1					453.60		4082	
	1		0.39	11.1		11.11		100	
Cracker- meal, A. P.				1	0.109	0.060	0.729	3.89	
				1	3.09	1.70	20.67	110.3	
	1				49.44	27.23	330.67	1765	
	1		0.91	25.7	2.80	1.54	18.73	100	
Crackers, Boston, A. P.				1	0.110	0.085	0.711	4.05	
				1	3.12	2.41	20.16	114.8	
	1				49.90	38.56	322.50	1837	
	1		0.87	24.7	2.72	2.10	19.04	100	
Crackers, butter, A. P.				1	0.096	0.101	0.716	4.16	
				1	2.72	2.86	20.30	117.8	
	1				43.54	45.81	324.77	1885	
	1		0.85	24.1	2.31	2.43	17.23	100	
Crackers, cream, A. P.				1	0.097	0.121	0.697	4.27	
				1	2.75	3.43	19.76	120.9	
	1				44.00	54.88	316.18	1935	
	1		0.83	23.5	2.28	2.84	16.34	100	
Crackers, water, A. P.				1	0.117	0.050	0.757	3.95	
				1	3.32	1.41	21.46	111.9	
	1				53.07	22.68	343.37	1790	
	1		0.89	25.3	2.96	1.26	19.18	100	
Cream, common, (18.5%)				1	0.025	0.185	0.045	1.95	
				1	0.71	5.24	1.27	55.0	
	1				11.34	83.85	20.41	881	
	1		1.81	51.4	1.28	9.50	2.31	100	
Cucumber pickles, A. P.				1	0.005	0.003	0.027	0.16	
				1	0.14	0.09	0.77	4.4	
	1				2.27	1.36	12.25	70	
	1		22.76	645.2	3.23	1.94	17.42	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		oz.	gms.					
Doughnuts, A. P.			1	0.067	0.210	0.531	4.28	
		1		1.89	5.95	15.05	129.4	
	1			30.39	95.25	240.83	1942	
	1	0.82	23.4	1.56	4.91	12.40	100	
Eels, dressed, A. P.			1	0.148	0.072		1.24	
		1		4.18	2.04		35.2	
	1			67.13	32.66		562	
	1	2.85	80.6	11.04	5.81		100	
Eels, dressed, E. P.			1	0.186	0.091		1.56	
		1		5.27	2.58		44.3	
	1			84.36	41.27		709	
	1	2.26	64.0	11.90	5.82		100	
Egg plant, E. P.			1	0.012	0.003	0.051	0.28	
		1		0.34	0.09	1.44	7.9	
	1			5.44	1.36	23.11	127	
	1	12.64	358.4	4.30	1.08	18.28	100	
Fig bars or biscuits, A. P.			1	0.046	0.066	0.698	3.57	
		1		1.30	1.87	19.79	101.2	
	1			20.86	29.92	316.61	1619	
	1	0.99	28.0	1.29	1.85	19.55	100	
Filberts, A. P.			1	0.075	0.313	0.062	3.37	
		1		2.13	8.87	1.76	95.4	
	1			34.04	141.98	28.12	1526	
	1	1.05	29.7	2.23	9.30	1.84	100	
Filberts, E. P.			1	0.156	0.653	0.130	7.02	
		1		4.42	18.51	3.69	199.1	
	1			70.76	296.20	58.97	3185	
	1	0.50	14.2	2.22	9.30	1.85	100	
Flounder, entrails removed, A. P.			1	0.064	0.003		0.28	
		1		1.81	0.09		8.0	
	1			29.03	1.36		128	
	1	12.45	353.4	22.61	1.06		100	
Fowl, A. P.			1	0.137	0.123		1.66	
		1		3.88	3.49		46.9	
	1			62.14	55.79		751	
	1	2.13	60.4	8.27	7.43		100	
Fowl, E. P.			1	0.193	0.163		2.24	
		1		5.47	4.60		63.5	
	1			87.54	73.94		1016	
	1	1.58	44.7	8.62	7.28		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	Pt. oz.	Weight			Protein. Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Frog's legs, A. P.				1	0.105	0.001		0.43	
			1		2.98	0.03		12.2	
		1			47.63	0.45		195	
	1	8.12	233.1		24.48	0.23		100	
Frog's legs, E. P.				1	0.155	0.002		0.64	
			1		4.39	0.06		18.1	
		1			70.30	0.91		289	
	1	5.53	156.7		24.30	0.31		100	
Ginger, crystallized				1	0.003	0.002	0.861	3.48	
			1		0.10	0.05	24.42	98.5	
		1			1.54	0.82	390.60	1576	
	1	1.02	28.8		0.10	0.05	24.78	100	
Gingersnaps				1	0.065	0.086	0.760	4.07	
			1		1.84	2.44	21.55	115.5	
		1			29.48	39.00	344.65	1848	
	1	0.86	24.5		1.60	2.11	18.60	100	
Gluten flour				1	0.142	0.018	0.711	3.57	
			1		4.03	0.51	20.16	101.3	
		1			64.41	8.16	322.50	1621	
	1	0.99	28.0		3.97	0.50	19.90	100	
Goose, young, A. P.				1	0.134	0.298		3.22	
			1		3.80	8.45		91.2	
		1			60.78	135.18		1460	
	1	1.10	31.1		4.16	9.26		100	
Goose, young, E. P.				1	0.163	0.362		3.91	
			1		4.62	10.26		110.8	
		1			73.93	164.20		1774	
	1	0.90	25.6		4.17	9.26		100	
Greens, dandelion, A. P.				1	0.024	0.010	0.106	0.61	
			1		0.68	0.28	3.00	17.3	
		1			10.88	4.54	48.08	277	
	1	5.78	163.9		3.93	1.64	17.38	100	
Grape juice				1			0.250	1.00	
			1				7.09	28.4	
		1					113.40		
	1	3.53	100			25.00	100		
Haddock, entrails removed, A. P.				1	0.084	0.002		0.35	
			1		2.37	0.06		10.0	
		1			38.10	0.91		161	
	1	9.96	282.5		23.73	0.57		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	c oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Ham, fresh, medium fat, A. P.				1	0.135	0.259		2.87	
			1		3.83	7.34		81.4	
	1	1	1.23	34.8	60.33	117.48		1302	
					4.70	9.02		100	
Ham, fresh, medium fat, E. P.				1	0.153	0.289		3.21	
			1		4.34	8.19		91.1	
	1	1	1.10	31.1	69.40	131.10		1457	
					4.76	9.00		100	
Ham, smoked, lean, A. P.				1	0.175	0.185		2.37	
			1		4.96	5.26		67.05	
	1	1	1.49	42.3	79.38	83.92		1073	
					7.40	7.82		100	
Ham, smoked, lean, E. P.				1	0.198	0.208		2.66	
			1		5.61	5.90		75.5	
	1	1	1.32	37.5	89.82	94.35		1207	
					7.43	7.81		100	
Ham, smoked, medium fat, A. P.				1	0.142	0.334		3.57	
			1		4.03	9.47		101.3	
	1	1	0.98	28.0	64.41	151.50		1621	
					3.97	9.35		100	
Ham, smoked, medium fat, E. P.				1	0.163	0.388		4.14	
			1		4.62	11.00		117.5	
	1	1	0.85	24.1	73.94	175.80		1880	
					3.93	9.36		100	
Head cheese, A. P.				1	0.189	0.240		2.92	
			1		5.36	6.84		82.7	
	1	1	1.21	34.3	85.73	108.87		1323	
					6.48	8.23		100	
Head cheese, E. P.				1	0.195	0.338		3.82	
			1		5.53	9.58		108.3	
	1	1	0.92	26.2	88.45	153.30		1734	
					5.10	8.84		100	
Herring, smoked, A. P.				1	0.205	0.088		1.61	
			1		5.81	2.49		45.7	
	1	1	2.19	62.0	92.98	39.95		731	
					12.72	5.46		100	
Herring, smoked, E. P.				1	0.369	0.158		2.90	
			1		10.46	4.48		82.2	
	1	1	1.22	34.5	167.37	71.67		1315	
					12.73	5.45		100	

TABLE XXIII.

779

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	qt oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Herring, whole, A. P.				1	0.112	0.039		0.80	
			1		3.18	1.11		22.6	
	1	1	4.29	125.1	50.80	17.69		362	
					14.02	4.88		100	
Herring, whole, E. P.				1	0.195	0.071		1.42	
			1		5.53	2.01		40.2	
	1	1	2.49	70.5	88.45	32.20		644	
					13.74	5.00		100	
Hickory nuts, A. P.				1	0.058	0.255	0.043	2.70	
			1		1.64	7.23	1.25	76.5	
	1	1	1.31	37.1	26.31	115.67	19.51	1224	
					2.15	9.44	1.59	100	
Hickory nuts, E. P.				1	0.154	0.674	0.114	7.14	
			1		4.36	19.11	3.23	202.4	
	1	1	0.49	14.0	69.86	305.72	51.70	3238	
					2.16	9.44	1.59	100	
Honey, A. P.				1	0.004		0.812	3.26	
			1		0.11		23.02	92.5	
	1	1	1.08	30.6	1.81		368.30	1480	
					0.12		24.88	100	
Koumiss, A. P.				1	0.028	0.021	0.054	0.52	
			1		0.79	0.60	1.53	14.7	
	1	1	6.82	193.4	12.70	9.53	24.49	235	
					5.42	4.06	10.44	100	
Lamb, breast, A. P.				1	0.154	0.191		2.34	
			1		4.37	5.41		66.6	
	1	1	1.51	42.8	69.85	86.63		1057	
					6.59	8.18		100	
Lamb, breast, E. P.				1	0.191	0.236		2.89	
			1		5.41	6.69		81.8	
	1	1	1.22	34.6	86.63	107.04		1310	
					6.61	8.17		100	
Lamb, leg, hind, medium fat, A. P.				1	0.159	0.136		1.86	
			1		4.51	3.86		52.7	
	1	1	1.90	53.8	72.12	61.69		844	
					8.55	7.31		100	
Lamb, leg, hind, medium fat, E. P.				1	0.192	0.165		2.25	
			1		5.44	4.68		63.9	
	1	1	1.57	44.4	87.08	74.84		1022	
					8.52	7.32		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Lobster, whole, A. P.				1	0.059	0.007	0.002	0.31	
			1		1.67	0.20	0.06	8.70	
		1			26.76	3.18	0.91	139	
	1		11.48	325.7	19.22	2.29	0.65	100	
Lobster, whole, E. P.				1	0.164	0.018	0.004	0.83	
			1		4.65	0.51	0.11	23.6	
		1			74.38	8.16	1.81	378	
	1		4.23	119.9	19.66	2.16	0.48	100	
Macaroons, A. P.				1	0.065	0.152	0.652	4.24	
			1		1.84	4.31	18.48	120.1	
		1			29.48	68.95	295.75	1921	
	1		0.83	23.6	1.54	3.59	15.39	100	
Mackerel, fresh, whole, A. P.				1	0.102	0.042		0.79	
			1		2.89	1.19		22.3	
		1			46.27	19.05		357	
	1		4.49	127.2	12.98	5.34		100	
Mackerel, fresh, whole, E. P.				1	0.187	0.071		1.39	
			1		5.30	2.01		39.3	
		1			84.82	32.20		629	
	1		2.54	72.1	13.48	5.12		100	
Mackerel, fresh, entrails re- moved, A.P.				1	0.116	0.035		0.78	
			1		3.29	0.99		22.1	
		1			52.62	15.87		353	
	1		4.51	128.4	14.89	4.49		100	
Mackerel, salt, canned, A. P.				1	0.196	0.087		1.57	
			1		5.56	2.47		44.4	
		1			88.89	39.47		711	
	1		2.25	63.8	12.51	5.55		100	
Mackerel, salt, dressed, A. P.				1	0.139	0.212		2.46	
			1		3.94	6.01		69.9	
		1			63.05	96.16		1118	
	1		1.43	40.6	5.64	8.60		100	
Mackerel, salt, dressed, E. P.				1	0.173	0.264		3.07	
			1		4.91	7.48		87.0	
		1			78.47	119.74		1392	
	1		1.15	32.6	5.64	8.61		100	
Mushrooms, A. P.				1	0.035	0.004	0.068	0.45	
			1		0.99	0.11	1.93	12.7	
		1			15.88	1.81	30.85	203	
	1		7.86	223.2	7.81	0.89	15.18	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Mutton, chuck, A. P.				1	0.117	0.300		3.17	
			1		3.32	8.50		89.8	
	1		1.11	31.6	53.07	136.08		1437	
Mutton, chuck, E. P.				1	0.146	0.368		3.90	
			1		4.14	10.43		110.4	
	1		0.91	25.7	66.22	166.80		1767	
Mutton, flank, medium fat, A. P.				1	0.138	0.369		3.87	
			1		3.91	10.46		109.8	
	1		0.91	25.8	62.60	167.38		1757	
Mutton, flank, medium fat, E. P.				1	0.152	0.383		4.06	
			1		4.31	10.86		115.0	
	1		0.87	24.7	68.94	173.70		1839	
Mutton, leg, hind, lean, A. P.				1	0.165	0.103		1.59	
			1		4.68	2.92		45.0	
	1		2.22	63.0	74.84	46.72		720	
Mutton, leg, hind, lean, E. P.				1	0.198	0.124		1.91	
			1		5.62	3.52		54.1	
	1		1.85	52.4	89.82	56.24		865	
Mutton, leg, hind, medium fat, A. P.				1	0.151	0.147		1.93	
			1		4.28	4.17		54.6	
	1		1.83	51.9	68.50	66.68		874	
Mutton, leg, hind, medium fat, E. P.				1	0.185	0.180		2.36	
			1		5.24	5.10		66.9	
	1		1.50	42.4	83.91	81.64		1070	
Mutton, loin, free fat removed				1	0.237	0.185		2.61	
			1		6.72	5.25		74.1	
	1		1.35	38.3	107.50	84.12		1185	
Mutton, loin, medium fat, A. P.				1	0.135	0.283		3.09	
			1		3.83	8.02		87.5	
	1		1.14	32.4	61.24	128.36		1400	
				1	4.37	9.17		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	Pounds	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Mutton, loin, medium fat, E. P.				1	0.160	0.331		3.62	
				1	4.55	9.38		102.6	
	1	1			72.58	150.14		1642	
	1	0.97	27.6		4.42	9.15		100	
Mutton, neck, medium fat, A. P.				1	0.123	0.179		2.10	
				1	3.49	5.07		59.6	
	1	1			55.80	81.20		954	
	1	1.68	47.6		5.85	8.51		100	
Mutton, neck, medium fat, E. P.				1	0.169	0.246		2.89	
				1	4.79	6.97		81.9	
	1	1			76.66	111.58		1311	
	1	1.22	34.6		5.85	8.51		100	
Mutton, shoulder, medium fat, A. P.				1	0.137	0.155		1.94	
				1	3.88	4.39		55.1	
	1	1			62.14	70.31		881	
	1	1.82	51.5		7.05	7.96		100	
Mutton, shoulder, medium fat, E. P.				1	0.177	0.199		2.50	
				1	5.02	5.64		70.8	
	1	1			80.28	90.26		1133	
	1	1.41	40.0		7.08	7.96		100	
Nectarines, A. P.				1	0.006		0.148	0.62	
				1	0.17		4.20	17.5	
	1	1			2.72		67.12	279	
	1	5.71	162.3		0.97		24.02	100	
Nectarines, E. P.				1	0.006		0.159	0.66	
				1	0.17		4.51	18.7	
	1	1			2.72		72.12	299	
	1	5.34	151.5		0.91		24.09	100	
Oatmeal				1	0.161	0.072	0.675	3.99	
				1	4.56	2.04	19.13	113.2	
	1	1			73.02	32.65	306.18	1810	
	1	0.88	25.1		4.03	1.80	16.90	100	
Okra, A. P.				1	0.014	0.002	0.065	0.33	
				1	0.40	0.06	1.84	9.5	
	1	1			6.35	0.91	29.48	152	
	1	10.54	299.4		4.19	0.60	19.46	100	
Oleomarga- rine, A. P.				1	0.012	0.830		7.52	
				1	0.34	23.53		213.1	
	1	1			5.44	376.50		3410	
	1	0.47	13.3		0.16	11.04		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Olives, ripe, A. P.				1	0.014	0.210	0.035	2.09	
			1		0.40	5.95	0.99	59.1	
	1	1			6.35	95.25	15.88	946	
	1	1.69	47.9		0.67	10.02	1.68	100	
Olives, ripe, E. P.				1	0.017	0.250	0.043	2.49	
			1		0.48	7.09	1.22	70.6	
	1	1			7.71	113.40	19.50	1129	
	1	1.42	40.2		0.68	10.04	1.73	100	
Orange juice				1			0.108	0.43	
			1				3.06	12.25	
	1	1					48.98	196	
	1	8.17	231.5				25.00	100	
Oysters, canned, A. P.				1	0.088	0.024	0.039	0.72	
			1		2.50	0.68	1.11	20.5	
	1	1			39.92	10.89	15.38	328	
	1	4.87	138.1		12.16	3.32	5.39	100	
Pecans, unpolished, A. P.				1	0.051	0.379	0.082	3.94	
			1		1.45	10.74	2.32	111.8	
	1	1			23.13	171.90	37.19	1788	
	1	0.89	25.4		1.29	9.61	2.08	100	
Pecans, unpolished, E. P.				1	0.096	0.705	0.153	7.34	
			1		2.72	19.99	4.33	208.1	
	1	1			43.55	319.79	69.40	3330	
	1	0.48	13.6		1.31	9.62	2.08	100	
Perch, yellow dressed, A. P.				1	0.128	0.007		0.58	
			1		3.63	0.20		16.3	
	1	1			58.06	3.18		261	
	1	6.32	173.9		22.26	1.22		100	
Pickeral, pike, entrails removed, A. P.				1	0.107	0.003		0.46	
			1		3.03	0.09		12.9	
	1	1			48.54	1.36		206	
	1	7.75	219.8		23.52	0.66		100	
Pigs' feet, pickled, A. P.				1	0.102	0.093		1.25	
			1		2.90	2.64		35.3	
	1	1			46.27	42.18		565	
	1	2.83	80.3		8.20	7.50		100	
Pigs' feet, pickled, E. P.				1	0.163	0.148		1.98	
			1		4.60	4.20		56.2	
	1	1			73.94	67.13		900	
	1	1.78	50.9		8.20	7.50		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.					
Pineapple juice			1			0.165	0.66	
		1				4.68	18.7	
	1		5.34	151.5		74.84	299	
Pine nuts, pignolias, E. P.			1	0.339	0.494	0.069	6.08	
		1		9.61	14.00	1.96	172.3	
	1		0.58	16.5	5.58	8.13	1.14	100
Pistachios, shelled, E. P.			1	0.223	0.540	0.163	6.40	
		1		6.32	15.31	4.62	181.6	
	1		0.55	15.6	3.48	8.43	2.55	100
Pop corn			1	0.107	0.050	0.787	4.03	
		1		3.03	1.42	22.31	114.1	
	1		0.87	24.8	2.66	1.24	19.55	100
Porgy, whole, A. P.			1	0.074	0.021		0.49	
		1		2.10	0.60		13.8	
	1		7.27	206.2	15.26	4.33		100
Porgy, whole, E. P.			1	0.186	0.051		1.20	
		1		5.27	1.45		34.1	
	1		2.93	83.1	15.46	4.24		100
Pork, loin chops, lean, A. P.			1	0.155	0.145		1.93	
		1		4.39	4.11		54.6	
	1		1.83	51.9	8.05	7.53		100
Pork, loin chops, lean, E. P.			1	0.203	0.190		2.52	
		1		5.76	5.39		71.5	
	1		1.40	39.7	8.05	7.53		100
Pork, loin chops, medium fat, A. P.			1	0.134	0.242		2.71	
		1		3.80	6.86		76.9	
	1		1.30	36.9	4.94	8.92		100
Pork, loin chops, medium fat, E. P.			1	0.166	0.301		3.37	
		1		4.71	8.53		95.6	
	1		1.04	29.7	4.92	8.92		100

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	R oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Pork, salt, clear fat, A. P.				1	0.019	0.862		7.83	
			1		0.54	24.44		222.1	
		1			8.62	391.00		3555	
		1	0.45	12.8	0.24	11.00		100	
Pork, side not including lard and kidney, A.P.				1	0.080	0.490		4.73	
			1		2.27	13.89		134.1	
		1			36.28	222.25		2145	
		1	0.74	21.1	1.69	10.36		100	
Pork, side not including lard and kidney, E.P.				1	0.091	0.553		5.34	
			1		2.58	15.68		151.4	
		1			41.28	250.82		2423	
		1	0.66	18.7	1.70	10.34		100	
Pork, shoul- der smoked, medium fat, A. P.				1	0.130	0.266		2.91	
			1		3.69	7.54		82.6	
		1			58.98	120.66		1322	
		1	1.21	34.3	4.46	9.13		100	
Pork, shoul- der smoked, medium fat, E. P.				1	0.159	0.325		3.56	
			1		4.51	9.21		100.9	
		1			72.12	147.42		1615	
		1	0.99	28.1	4.47	9.13		100	
Pork, tender- loin, A. P.				1	0.189	0.130		1.93	
			1		5.36	3.69		54.6	
		1			85.74	58.97		874	
		1	1.83	51.9	9.81	6.75		100	
Pumpkins, A. P.				1	0.005	0.001	0.026	0.13	
			1		0.14	0.03	0.74	3.8	
		1			2.27	0.45	11.79	60	
		1	26.52	751.9	3.76	0.75	19.55	100	
Pumpkins, E. P.				1	0.010	0.001	0.052	0.26	
			1		0.28	0.03	1.47	7.3	
		1			4.54	0.45	23.59	117	
		1	13.72	389.1	3.89	0.39	20.23	100	
Raspberry juice				1			0.094	0.38	
			1				2.66	10.7	
		1					42.64	171	
		1	9.38	266			25.00	100	
Rice flour				1	0.086	0.061	0.680	3.61	
			1		2.43	1.72	19.28	102.4	
		1			39.01	27.67	308.45	1639	
		1	0.97	27.6	2.38	1.68	18.82	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Rolls, French				1	0.085	0.025	0.557	2.79	
			1		2.41	0.71	15.79	79.2	
	1		1.26	35.8	38.56	11.34	252.55	1267	
Rolls, Vienna				1	0.085	0.022	0.565	2.80	
			1		2.41	0.62	16.03	79.4	
	1		1.26	35.7	38.56	9.98	256.28	1269	
Rolls, water				1	0.090	0.030	0.542	2.80	
			1		2.55	0.85	15.37	79.3	
	1		1.26	35.7	40.82	13.61	245.82	1269	
Rutabagas, A. P.				1	0.009	0.001	0.060	0.29	
			1		0.26	0.03	1.70	8.1	
	1		12.37	350.9	4.08	0.45	27.22	129	
Rye flour				1	0.068	0.009	0.787	3.50	
			1		1.93	0.26	22.31	99.3	
	1		1.01	28.5	30.88	4.08	357.00	1588	
Salmon, whole, fresh, A. P.				1	0.153	0.089		1.41	
			1		4.34	2.52		40.1	
	1		2.50	70.8	69.40	40.37		641	
Salmon, whole, fresh, E. P.				1	0.220	0.128		2.03	
			1		6.24	3.63		57.6	
	1		1.75	49.2	99.80	58.06		922	
Sausage, bologna, A. P.				1	0.182	0.197		2.50	
			1		5.16	5.59		70.9	
	1		1.41	40.0	82.56	89.36		1134	
Sausage, bologna, E. P.				1	0.187	0.176	0.003	2.34	
			1		5.30	4.99	0.09	61.5	
	1		1.50	42.7	84.82	79.83	1.36	1063	
Sausage, frankfort, A. P.				1	0.196	0.186	0.011	2.50	
			1		5.56	5.27	0.31	70.9	
	1		1.12	40.0	88.90	84.37	4.99	1134	
				1	7.83	7.43	0.44	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		oz.	gms.					
Sausage meat, pork, A. P.			1	0.174	0.325		3.62	
		1		4.93	9.21		102.4	
	1	0.98	27.7	78.93	147.41		1642	
Sausage, pork, A. P.			1	0.130	0.440	0.011	4.52	
		1		3.69	12.47	0.31	128.3	
	1	0.78	22.1	58.97	199.60	4.99	2052	
Sausage, summer, A. P.			1	0.245	0.421		4.77	
		1		6.95	11.94		135.2	
	1	0.74	21.0	111.13	190.98		2163	
Sausage, summer, E. P.			1	0.260	0.445		5.05	
		1		7.37	12.62		143.0	
	1	0.70	19.8	117.93	201.86		2289	
Scallops, A. P.			1	0.148	0.001	0.034	0.74	
		1		4.20	0.03	0.96	20.9	
	1	4.79	135.7	67.13	0.45	15.42	334	
Shad, whole, fresh, A. P.			1	0.094	0.048		0.81	
		1		2.67	1.36		22.9	
	1	4.37	123.8	42.64	21.77		367	
Shad, whole, fresh, E. P.			1	0.188	0.095		1.61	
		1		5.33	2.69		45.6	
	1	2.19	62.2	85.12	43.04		728	
Shad roe, fresh, A. P.			1	0.209	0.038	0.026	1.28	
		1		5.93	1.08	0.74	36.3	
	1	2.75	78.0	94.72	17.12	11.79	581	
Shrimp, canned, A. P.			1	0.254	0.010	0.002	1.11	
		1		7.20	0.28	0.06	31.5	
	1	3.17	89.8	115.20	4.53	1.81	504	
Smelt, whole, A. P.			1	0.101	0.010		0.49	
		1		2.86	0.28		14.0	
	1	7.14	202.4	45.83	4.53		224	
	1		20.44	2.02		100		

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	c oz	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.					
Smelt, whole, E. P.			1	0.176	0.018		0.87	
		1		4.99	0.51		24.6	
	1		4.07	115.5	20.33	2.08	100	
Squash, fresh, E. P.			1	0.014	0.005	0.090	0.46	
		1		0.40	0.14	2.55	13.1	
	1		7.65	216.9	3.04	1.09	19.52	100
Strawberry juice			1			0.050	0.20	
		1				1.42	5.7	
	1		17.6	500		22.68	91	
Sturgeon, anterior sections, A. P.			1	0.151	0.016		0.75	
		1		4.28	0.45		21.2	
	1		4.72	133.7	20.19	2.14	100	
Sturgeon, anterior sections, E. P.			1	0.181	0.019		0.90	
		1		5.13	0.54		25.4	
	1		3.94	111.7	20.22	2.12	100	
Sugar, brown			1			0.950	3.80	
		1				26.93	107.7	
	1		0.93	26.3		430.92	1724	
Sugar, maple			1			0.828	3.31	
		1				23.47	93.8	
	1		1.07	30.2		375.58	1502	
Syrup, maple, A. P.			1			0.714	2.86	
		1				20.24	81.0	
	1		1.23	35.0		323.88	1295	
Terrapin, A. P.			1	0.052	0.009		0.29	
		1		1.47	0.26		8.2	
	1		12.20	346.0	17.99	3.11	100	
Terrapin, E. P.			1	0.212	0.035		1.16	
		1		6.01	0.99		33.0	
	1		3.03	86.0	18.23	3.01	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. of	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Tripe, A. P.				1	0.117	0.012	0.58		
			1		3.32	0.34	16.3		
	1		6.12	173.6	53.07	5.44	261		
Trout, salmon, or lake, fresh, A. P.	1				20.31	2.08	100		
				1	0.091	0.051	0.82		
			1		2.58	1.45	23.3		
Trout, salmon or lake, fresh, E. P.	1				41.28	23.13	373		
			4.29	121.5	11.06	6.20	100		
				1	0.178	0.103	1.64		
Turkey, A. P.			1		5.05	2.92	46.5		
			1		80.64	46.72	743		
	1		2.15	61.0	10.86	6.28	100		
Turkey, E. P.			1		0.161	0.184	2.30		
			1		4.56	5.22	65.2		
	1		1.53	43.5	73.03	83.46	1043		
Turkey, E. P.				1	7.00	8.00	100		
				1	0.211	0.229	2.91		
			1		5.98	6.49	82.4		
Turtle, green, whole, A. P.	1				95.71	103.88	1318		
			1.21	34.4	7.26	7.88	100		
				1	0.047	0.001	0.20		
Turtle, green, whole, E. P.			1		1.33	0.03	5.6		
			1		21.32	0.45	89		
	1		17.90	507.6	23.86	0.51	100		
Vanilla wafers				1	0.198	0.005	0.84		
			1		5.61	0.14	23.7		
	1		4.21	119.4	23.66	0.60	100		
Veal, breast, lean, A. P.				1	0.066	0.140	4.39		
			1		1.87	3.97	124.4		
	1		0.80	22.8	29.94	63.50	1990		
Veal, breast, lean, E. P.				1	1.50	3.19	100		
				1	0.157	0.062	1.19		
			1		4.45	1.76	33.6		
Veal, breast, lean, E. P.	1				71.05	28.14	538		
			2.97	84.3	13.24	5.23	100		
				1	0.212	0.080	1.57		
Veal, breast, lean, E. P.			1		6.01	2.27	44.5		
			1		96.16	36.29	711		
	1		2.25	63.8	13.52	5.10	100		

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.					
Veal, breast, medium fat, A. P.				1	0.156	0.110	1.61	
			1	4.42	3.12		45.8	
	1			70.76	49.90		732	
	1		2.19	62.0	9.67	6.82	100	
Veal, breast, medium fat, E. P.				1	0.194	0.138	2.02	
			1	5.50	3.91		57.2	
	1			88.00	62.59		915	
	1		1.75	49.6	9.61	6.84	100	
Veal, chuck, lean, A. P.				1	0.167	0.016	0.81	
			1	4.74	0.45		23.0	
	1			75.75	7.26		368	
	1		4.34	123.1	20.57	1.97	100	
Veal, chuck, lean, E. P.				1	0.206	0.019	1.00	
			1	5.84	0.54		28.2	
	1			93.44	8.62		451	
	1		3.54	100.5	20.70	1.90	100	
Veal, chuck, medium fat, E. P.				1	0.197	0.065	1.37	
			1	5.58	1.84		38.9	
	1			89.36	29.48		623	
	1		2.57	72.8	14.35	4.73	100	
Veal, chuck, medium fat, A. P.				1	0.160	0.052	1.11	
			1	4.54	1.47		31.4	
	1			72.58	23.59		503	
	1		3.18	90.3	14.44	4.69	100	
Veal, flank, medium fat, A. P.				1	0.205	0.104	1.76	
			1	5.81	2.94		49.8	
	1			92.96	47.04		797	
	1		2.01	56.9	11.65	5.92	100	
Veal, kidney, A. P.				1	0.169	0.064	1.25	
			1	4.79	1.81		35.5	
	1			76.64	28.96		568	
	1		2.82	79.9	13.50	5.11	100	
Veal, leg, lean, A. P.				1	0.194	0.037	1.11	
			1	5.50	1.05		31.4	
	1			88.00	16.83		503	
	1		3.18	90.2	17.49	3.34	100	
Veal, leg, lean, E. P.				1	0.213	0.041	1.22	
			1	6.04	1.16		34.6	
	1			96.64	18.56		554	
	1		2.89	81.9	17.45	3.36	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	p. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Veal, leg, medium fat, A. P.			1	0.155	0.079		1.33		
			1	4.39	2.24		37.7		
		1		70.24	35.84		603		
	1		2.65	75.1	11.64	5.93		100	
Veal, leg, medium fat, E. P.			1	0.202	0.090		1.62		
			1	5.73	2.55		45.9		
		1		91.68	40.80		734		
	1		2.18	61.8	12.48	5.56		100	
Veal, liver, A. P.			1	0.190	0.053		1.24		
			1	5.39	1.50		35.1		
		1		86.24	24.04		562		
	1		2.85	80.8	15.36	4.28		100	
Veal, loin, lean, A. P.			1	0.159	0.044		1.03		
			1	4.51	1.25		29.3		
		1		72.12	19.96		468		
	1		3.42	96.9	15.41	4.26		100	
Veal, loin, lean, E. P.			1	0.204	0.056		1.32		
			1	5.78	1.59		37.4		
		1		92.53	25.40		599		
	1		2.67	75.8	15.46	4.25		100	
Veal, loin, medium fat, A. P.			1	0.166	0.090		1.47		
			1	4.71	2.55		41.8		
		1		75.30	40.82		669		
	1		2.39	67.8	11.25	6.10		100	
Veal, loin, medium fat, E. P.			1	0.199	0.108		1.77		
			1	5.64	3.06		50.1		
		1		90.24	48.99		798		
	1		1.99	56.6	11.25	6.11		100	
Veal, neck, A. P.			1	0.139	0.046		0.97		
			1	3.94	1.30		27.5		
		1		63.05	20.87		440		
	1		3.63	103.0	14.33	4.74		100	
Veal, neck, E. P.			1	0.203	0.069		1.43		
			1	5.76	1.96		40.6		
		1		92.07	31.30		650		
	1		2.47	69.9	14.19	4.82		100	
Veal, rib, medium fat, A. P.			1	0.155	0.046		1.03		
			1	4.39	1.30		29.3		
		1		70.30	20.87		469		
	1		3.41	96.7	14.98	4.45		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	R. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Veal, rib, medium fat, E. P.				1	0.207	0.061		1.38	
			1		5.87	1.73		39.0	
	1				93.88	27.67		625*	
	1		2.56	72.6	15.03	4.43		100	
Veal, rump, A. P.				1	0.138	0.113		1.57	
			1		3.91	3.20		44.5	
	1		2.25	63.7	62.60	51.26		712	
	1				8.79	7.20		100	
Veal, rump, E. P.				1	0.198	0.162		2.25	
			1		5.61	4.59		63.8	
	1				89.82	73.48		1021	
	1		1.57	44.4	8.79	7.19		100	
Veal, shank, fore, A. P.				1	0.122	0.031		0.77	
			1		3.46	0.88		21.7	
	1				55.34	14.06		347	
	1		4.60	130.4	15.91	4.04		100	
Veal, shank, fore, E. P.				1	0.207	0.052		1.30	
			1		5.87	1.47		36.7	
	1				93.89	23.58		588	
	1		2.72	77.2	15.98	4.01		100	
Veal, shank, hind, medium fat, A. P.				1	0.077	0.017		0.46	
			1		2.18	0.48		13.0	
	1				34.93	7.71		209	
	1		7.65	216.9	16.70	3.68		100	
Veal, shank, hind, medium fat, E. P.				1	0.207	0.046		1.24	
			1		5.87	1.30		35.2	
	1				93.89	20.87		563	
	1		2.84	80.5	16.66	3.70		100	
Veal, shoulder, lean, A. P.				1	0.169	0.039		1.03	
			1		4.79	1.11		29.1	
	1				76.66	17.69		466	
	1		3.43	97.4	16.46	3.79		100	
Veal, shoulder, lean, E. P.				1	0.207	0.046		1.24	
			1		5.86	1.30		35.2	
	1				93.88	20.87		563	
	1		2.84	80.5	16.67	3.70		100	
Veal, shoulder, medium fat, A. P.				1	0.151	0.110		1.59	
			1		4.28	3.12		45.2	
	1				68.48	49.90		723	
	1		2.21	62.7	9.47	6.90		100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Veal, shoulder, medium fat, E. P.				1	0.197	0.144		2.08	
			1		5.58	4.08		59.1	
	1		1.69	47.9	89.36	65.32		945	
	1				9.45	6.91		100	
Walnuts, black, A. P.				1	0.072	0.146	0.030	1.72	
			1		2.04	4.14	0.85	48.8	
	1		2.05	58.1	32.66	56.22	13.61	781	
	1				4.18	8.48	1.74	100	
Walnuts, black, E. P.				1	0.276	0.563	0.117	6.64	
			1		7.82	15.96	3.32	188.2	
	1				125.19	255.38	53.06	3012	
	1		0.53	15.1	4.16	8.48	1.76	100	
Watermelons, fresh, A. P.				1	0.002	0.001	0.027	0.13	
			1		0.06	0.03	0.77	3.5	
	1				0.91	0.45	12.25	57	
	1		28.22	800.0	1.60	0.80	21.60	100	
Watermelons, fresh, E. P.				1	0.004	0.002	0.067	0.30	
			1		0.11	0.06	1.90	8.6	
	1				1.81	0.91	30.38	137	
	1		11.68	331.1	1.32	0.66	22.19	100	
Weakfish, whole, A. P.				1	0.086	0.011		0.44	
			1		2.44	0.32		12.6	
	1				39.01	4.99		201	
	1		7.96	225.7	19.41	2.48		100	
Weakfish, whole, E. P.				1	0.178	0.024		0.93	
			1		5.05	0.68		26.3	
	1				80.74	10.61		421	
	1		3.80	107.8	19.18	2.59		100	
Wheat, cracked and crushed				1	0.111	0.017	0.755	3.62	
			1		3.15	0.48	21.40	102.5	
	1				50.34	7.71	342.50	1641	
	1		0.97	27.6	3.07	0.47	20.87	100	
Wheat, parched and toasted				1	0.136	0.024	0.745	3.74	
			1		3.85	0.68	21.14	106.0	
	1				61.68	10.88	337.80	1696	
	1		0.94	26.7	3.63	0.64	19.89	100	
Whey, A. P.				1	0.010	0.003	0.050	0.27	
			1		0.28	0.09	1.42	7.6	
	1				4.54	1.36	22.68	121	
	1		13.2	374.5	3.74	1.12	18.73	100	

TABLE XXIII.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	p. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Whitefish, fresh, whole, E. P.			1	0.229	0.065		1.50		
		1		6.49	1.84		42.5		
		1		103.84	29.44		680		
	1	2.35	66.6	15.26	4.33		100		
Yeast, com- pressed			1	0.117	0.004	0.210	1.34		
		1		3.32	0.11	5.95	38.1		
		1		53.04	1.81	95.25	610		
	1	2.62	74.4	8.70	0.30	15.62	100		

TABLE XXIV.

FOOD VALUES PER GRAM AND PER 100 CALORIES (S. P.) OF SOME LESS COMMON FOOD MATERIALS.

Food Material	Weight		Protein Grams	Fat Grams	Carbo- hydrate Grams	Fuel Value Calories	Cost Dollars
	S. P.	Grams					
Almond butter	1	0.216	0.615	0.116	6.86
	1	14.58	3.15	8.97	1.69	100
Almond meal	1	0.264	0.017	0.568	3.49
	1	28.76	7.58	4.80	16.34	100
Angelica	1	0.001	0.001	0.873	3.50
	1	28.57	0.01	0.02	24.94	100
Apricots, canned	1	0.009	0.173	0.73
	1	137.40	1.24	23.76	100
Arrowroot starch	1	0.975	3.90
	1	25.64	25.00	100
Artichokes, A. P.	1	0.026	0.002	0.167	0.79
	1	126.60	3.29	0.25	21.13	100
Asparagus, canned, drained	1	0.027	0.005	0.035	0.29
	1	346.0	9.34	1.59	12.12	100
Bacon, broiled	1	0.230	0.670	6.95
	1	14.39	3.31	9.64	100
Barley flour	1	0.105	0.022	0.728	3.53
	1	28.32	2.98	0.62	20.62	100
Beef, fat flank, stewed	1	0.200	0.342	3.87
	1	25.81	5.16	8.82	100
Beef, lean, round, 1 inch thick, pan-broiled	1	0.225	0.098	1.78
	1	56.11	12.63	5.50	100
Beef, lean round, pot roast	1	0.345	0.097	2.25
	1	44.44	15.35	4.29	100
Bread, toasted, white, 20.0% water loss	1	0.116	0.015	0.658	3.23
	1	30.95	3.59	0.46	20.36	100
Bread crumbs (oven dried, water content 6%)	1	0.131	0.018	0.759	3.72
	1	26.87	3.52	0.48	20.39	100
Bread crumbs, stale, water loss 20%	1	0.10	0.014	0.570	2.81
	1	35.63	3.563	0.50	20.32	100

TABLE XXIV.

FOOD VALUES PER GRAM AND PER 100 CALORIES OF SOME LESS COMMON FOOD MATERIALS.—Continued.

Food Material	Weight		Protein Grams	Fat Grams	Carbohy- drate Grams	Fuel Value Calories	Cost Dollars
	S. P.	Grams					
Buns, cinnamon 1	1 29.52	0.094 2.77	0.072 2.13	0.591 17.45	3.39 100
Buns, currant 1	1 30.71	0.067 2.06	0.076 2.33	0.576 17.69	3.26 100
Chicken, canned, boned 1	1 44.25	0.277 12.26	0.128 5.66	2.26 100
Chicken, meat 1	1 55.16	0.226 12.47	0.101 5.57	1.81 100
Chicken meat, visible fat re- moved 1	1 91.14	0.218 19.87	0.025 2.28	1.10 100
Chicken, potted 1	1 38.41	0.194 7.45	0.203 7.80	2.60 100
Chicken, soup, canned 1	1 162.1	0.029 4.70	0.033 5.35	0.051 8.29	0.62 100
Chocolate, milk * 1	1 18.13	0.080 1.45	0.350 6.35	0.511 9.26	5.52 100
Citron 1	1 32.10	0.001 0.03	0.001 0.02	0.776 24.92	3.11 100
Corn oil 1	1 11.11	1.000 11.11	9.000 100
Corn, puffed 1	1 26.60	0.093 2.46	0.003 0.67	0.842 22.39	3.76 100
Corn syrup 1	1 29.41	0.850 25.00	3.400 100
Cottonseed oil 1	1 11.11	1.000 11.11	9.000 100
Crab meat, canned 1	1 125.80	0.158 19.87	0.015 1.89	0.007 0.889	0.80 100
Cream, 25% 1	1 39.66	0.028 1.11	0.250 9.91	0.040 1.58	2.52 100
Cream, 32% 1	1 32.09	0.024 0.77	0.320 10.27	0.035 1.12	3.12 100
Crisco 1	1 11.11	1.000 11.11	9.000 100

* Av. 10 brands, Conn. Exp. Sta. Dept. 1911.

TABLE XXIV.

FOOD VALUES PER GRAM AND PER 100 CALORIES OF SOME LESS COMMON FOOD MATERIALS.—Continued.

Food Material	Weight		Protein Grams	Fat Grams	Carbo- hydrate Grams	Fuel Value Calories	Cost Dollars
	S. P.	Grams					
Dextri-maltose	1	0.930	3.72
	1	26.88	25.00	100
Duck, A. P.	1	0.154	0.160	2.06
	1	48.63	7.54	7.78	100
Duck, E. P.	1	0.183	0.190	2.44
	1	40.95	7.49	7.78	100
Duck, breast	1	0.223	0.033	1.19
	1	83.89	18.71	2.77	100
Grapefruit	1	0.008	0.002	0.104	0.47
	1	212.80	1.72	0.45	22.10	100
Guinea hen, A. P.	1	0.194	0.054	1.26
	1	79.23	15.37	4.28	100
Guinea hen, E. P.	1	0.231	0.065	1.51
	1	66.28	15.31	4.31	100
Ice cream (commercial)	1	0.025	0.151	0.182	2.19
	1	45.72	1.13	6.90	8.32	100
Ice cream cones (without ice cream)	1	0.166	0.026	0.765	3.96
	1	25.27	4.20	0.65	19.35	100
Jelly, cherry	1	0.011	0.772	3.13
	1	31.93	0.35	24.65	100
Kidney beans, E. P.	1	0.411	0.016	0.421	3.47
	1	28.82	11.83	0.47	11.85	100
Kohl rabi, E. P.	1	0.020	0.001	0.055	0.31
	1	323.60	6.47	0.32	17.80	100
Lactose	1	1.000	4.00
	1	25.00	25.00	100
Lamb, leg, roasted	1	0.197	0.127	1.93
	1	51.78	10.21	6.58	100
Malt breakfast food	1	0.118	0.005	0.753	3.53
	1	28.39	3.36	0.14	21.39	100
Milk, dried skim	1	0.377	0.014	0.499	3.63
	1	27.57	10.40	0.37	13.77	100
Milk, dried whole	1	0.250	0.280	0.390	5.08
	1	19.68	4.92	5.51	7.68	100

TABLE XXIV.

FOOD VALUES PER GRAM AND PER 100 CALORIES OF SOME LESS COMMON FOOD MATERIALS.—Continued.

Food Material	Weight		Protein Grams	Fat Grams	Carbohydrate Grams	Fuel Value Calories	Cost Dollars
	S. P.	Grams					
Milk, human 1	1 162.10	0.015 2.43	0.033 5.35	0.065 10.53	0.617 100
Milk, malted 1	1 25.68	0.138 3.59	0.030 0.77	0.768 19.72	3.894 100
Milk, upper 1 ounce * 1	1 43.53	0.028 1.27	0.225 9.80	0.040 1.74	2.30 100
Milk, upper 2 ounces 1	1 45.31	0.028 1.27	0.215 9.74	0.040 1.81	2.21 100
Milk, upper 4 ounces 1	1 48.26	0.028 1.35	0.200 9.65	0.040 1.93	2.07 100
Milk, upper 6 ounces 1	1 55.13	0.029 1.60	0.170 9.40	0.042 2.30	1.81 100
Milk, upper 8 ounces 1	1 60.53	0.030 1.82	0.140 8.47	0.043 2.60	1.65 100
Milk, upper 10 ounces 1	1 75.36	0.030 2.26	0.115 8.67	0.043 3.24	1.33 100
Milk, upper 12 ounces 1	1 84.29	0.031 2.61	0.098 8.26	0.045 3.79	1.19 100
Milk, upper 16 ounces 1	1 100.80	0.031 3.13	0.076 7.66	0.046 4.64	0.99 100
Milk, upper 20 ounces 1	1 114.41	0.032 3.66	0.062 7.09	0.047 5.38	0.87 100
Milk, upper 24 ounces 1	1 126.90	0.032 4.06	0.052 6.60	0.048 6.09	0.79 100
Milk, upper 28 ounces 1	1 137.20	0.033 4.54	0.045 6.17	0.048 6.58	0.73 100
Mince meat 1	1 35.69	0.067 2.391	0.014 0.4996	0.602 21.48	2.802 100
Orange marmalade 1	1 29.29	0.006 0.18	0.001 0.03	0.845 24.76	3.41 100
Oyster plant, (salsify) fresh, E. P. 1	1 211.00	0.043 8.99	0.003 0.70	0.069 14.45	0.47 100
Paté de fois gras 1	1 24.07	0.136 3.27	0.382 9.20	0.043 1.04	4.15 100

* From a quart bottle after standing from 12 to 24 hours.

TABLE XXIV.

FOOD VALUES PER GRAM AND PER 100 CALORIES OF SOME LESS COMMON FOOD MATERIALS.—Continued.

Food Material	Weight		Protein Grams	Fat Grams	Carbo- hydrate Grams	Fuel Value Calories	Cost Dollars
	S. P.	Grams					
Pea meal	1	0.359	0.175	0.280	4.13
	1	24.21	8.69	4.24	6.78	100
Peanut oil	1	1.000	9.00
	1	11.11	11.11	100
Peas, canned, drained	1	0.030	0.002	0.083	0.47
	1	212.70	6.38	0.43	17.66	100
Peppers, green, fresh, E. P.	1	0.016	0.002	0.045	0.26
	1	386.10	6.18	0.58	17.53	100
Persimmons, fresh, E. P.	1	0.008	0.007	0.315	1.36
	1	73.80	0.59	0.52	23.25	100
Pheasant, A. P.	1	0.215	0.042	1.24
	1	80.78	17.37	3.43	100
Pheasant, E. P.	1	0.244	0.048	1.41
	1	71.04	17.34	3.41	100
Pigeon, A. P.	1	0.197	0.001	0.80
	1	125.50	24.74	0.12	100
Pigeon, E. P.	1	0.228	0.001	0.92
	1	108.50	24.73	0.12	100
Quail, A. P.	1	0.223	0.061	1.44
	1	69.39	15.47	4.23	100
Quail, E. P.	1	0.250	0.068	1.61
	1	62.04	15.51	4.22	100
Rice, boiled	1	0.018	0.001	0.213	0.93
	1	107.60	1.91	0.06	22.95	100
Rice, puffed	1	0.083	0.003	0.837	3.70
	1	27.02	2.23	0.07	22.61	100
Rye, cream of	1	0.116	0.015	0.731	3.52
	1	28.40	3.30	0.42	20.78	100
Soy beans	1	0.365	0.175	0.308	4.27
	1	23.44	8.56	4.10	7.22	100
Soy bean meal	1	0.400	0.191	0.251	4.31
	1	23.18	9.24	4.42	5.82	100
Squab, A. P.	1	0.157	0.186	2.30
	1	43.44	6.82	8.08	100

TABLE XXIV.

FOOD VALUES PER GRAM AND PER 100 CALORIES OF SOME LESS COMMON FOOD MATERIALS.—Continued.

Food Material	Weight		Protein Grams	Fat Grams	Carbohydrate Grams	Fuel Value Calories	Cost Dollars
	S. P.	Grams					
Squab, E. P.	1	0.186	0.221	2.733
	1	36.59	6.81	8.09	100
Squash, fresh, E. P.	1	0.014	0.005	0.090	0.46
	1	217.40	3.04	1.09	19.56	100
Tomato soup, canned *	1	0.015	0.007	0.095	0.50
	1	199.30	2.97	1.40	18.89	100
Tuna fish, A. P.	1	0.217	0.041	1.24
	1	80.85	17.55	3.32	100
Turkey, dark meat, cooked	1	0.392	0.043	1.96
	1	51.16	20.05	2.20	100
Turkey, dark meat, raw	1	0.214	0.206	2.71
	1	36.90	7.89	7.60	100
Turkey, light meat, cooked	1	0.346	0.049	1.83
	1	54.79	18.95	2.69	100
Turkey, light meat, raw	1	0.257	0.094	1.87
	1	53.37	13.72	5.02	100
Turkey, potted	1	0.172	0.220	2.67
	1	37.48	6.45	8.25	100
Wheat, cream of	1	0.110	0.009	0.786	3.66
	1	27.31	3.00	0.25	21.44	100
Wheat, puffed	1	0.162	0.018	0.732	3.74
	1	26.76	4.33	0.482	19.58	100

* Average of 3 brands.

TABLE XXV.

ENERGY CONTENT OF FOODS SOLD BY CONFECTIONERS.*

Food Material	Calories per Gram	Weight to yield 100 Calories, Grams	Cost of Market Unit, Dollars
Chocolate, nut (sold in bars)	5.70	17.54
Chocolate, plain sweet (sold in bars)	5.60	17.85
Almonds, chocolate	6.40	15.63
Almonds, salted	7.54	13.26
Almonds, sugar	4.30	23.26
Caramels	4.50	22.22
Cocoanut bars	4.10	24.39
Crackers, fruit	4.00	25.00
Crackers, sweet	4.50	22.22
Filberts, salted	7.89	12.68
Gum drops	3.40	29.41
Jelly beans	3.60	27.77
Licorice bars	3.40	29.41
Marshmallows	3.30	30.31
Mints, chocolate cream	3.80	26.31
Mints, cream	3.60	27.77
Nougatines, chocolate coated	4.50	22.22
Peanut bar	5.90	16.94
Pecans, salted	7.67	13.04
Peppermints, chocolate coated	4.50	22.22
Peppermints, molasses	3.80	26.31
Stick candy	3.70	27.03
Suckers (lollypops)	3.80	26.31
Pretzels	4.87	20.53
Wafers, fancy sugar (average)	5.00	20.00

* Adapted from The Energy Content of Extra Foods, Benedict and Benedict, Boston Medical and Surgical Journal, Vol. 179 (1918), pp. 153-162; Vol. 181 (1919) pp. 415-422.

TABLE XXVI.*

ASH CONSTITUENTS OF FOODS IN PERCENTAGE OF THE EDIBLE PORTION
(Compiled from Various Sources)

FOOD	CALCIUM (Ca)	MAGNE- SIUM (Mg)	POTAS- SIUM (K)	SODIUM (Na)	PHOSPHO- RUS (P)	CHLORINE (Cl)	SULPHUR (S)	IRON (Fe)
Almonds239	.251	.741	.019	.465	.037	.160	.0039
Apples007	.008	.127	.011	.012	.005	.006	.0003
dried032	.037	(.623)	(.050)	.048	(.025)	?	(.0015)
Apricots014	.010	.248	.038	.025	.002	.010	(.0003)
dried	(.066)	(.047)	(1.157)	(.177)	(.117)	(.009)	?	(.0014)
Asparagus025	.011	.196	.007	.039	.039	.041	.0010
Bacon (See Meat)								
Bananas009	.028	.401	.034	.031	.125	.010	.0006
Barley, entire043	.111	.477	.076	.400	.016	.153	.0041
pearled020	(.070)	(.241)	(.037)	.181	(.016)	(.120)	(.0020)
Beans, dried160	.156	1.229	.097	.471	.032	.215	.0070
kidney, dry132	.139	1.144	.041	.475	.041	.227	.0072
Lima, dry071	.188	1.741	.249	.338	.026	.161	.0070
Lima, fresh028	(.070)	(.613)	(.088)	.133	(.009)	(.057)	.0020
string, fresh046	.025	.247	.019	.052	.024	.030	.0011
Beef (See Meat)								
Beer004	.008	.058	.013	.028	.006	.015	.0001
Beets029	.021	.353	.093	.039	.058	.016	.0006
Blackberries017	.021	.169	(.007)	.034	(.019)	.020	.0006
Blood (avg.)008	.004	.075	.261	.031	.280	.137	.0526
Blueberries020	.007	.051	.016	.008	.008	.011	.0009
Bluefish (See Fish)								
Bread,								
Boston brown129	.078	(.232)	(.394)	.185	(.607)	.201	(.0030)
"entire wheat"	(.05)	(.05)	(.208)	(.394)	(.175)	(.607)	(.120)	(.0016)
graham	(.05)	(.05)	(.291)	(.394)	(.218)	(.607)	.150	(.0025)
rye024	.039	.151	.701	.148	1.025	.104	(.0016)
white027	.023	.108	(.394)	.093	(.607)	.105	.0009
Breadfruit084	.007	.235	.027	.068	.100	.049	
Brussels sprouts027	.040	.375	.004	.120	.040	.194	(.0011)
Buckwheat flour039	.048	.130	.027	.226	.012	.071	.0012
Butter015	.001	.014	(.788)	.017	(1.212)	(.010)	.0002
Buttermilk105	.016	.151	.064	.097	.099	.026	.00025

* Reprinted from The Chemistry of Food and Nutrition, Revised Edition, by Henry C. Sherman, by permission of author and publishers.

TABLE XXVI.—Continued.

Food	CALCIUM (Ca)	MAGNE- SIUM (Mg)	POTAS- SIUM (K)	SODIUM (Na)	PHOSPHO- RUS (P)	CHLORINE (Cl)	SULPHUR (S)	IRON (Fe)
Cabbage045	.015	.247	.027	.029	.024	.066	.0011
Cabbage greens106	.030	.512	.025	.099	.068	.173	.0018
Cantaloupe017	.012	.235	.061	.015	.041	.014	.0003
Capers122	.022	.209	.051	.062	—	—	—
Carp (See Fish)								
Carrots056	.021	.287	.101	.046	.036	.022	.0006
Cauliflower123	.014	.222	.068	.061	.050	.086	.0006
Caviar137	.022	.422	.874	.176	1.819	—	—
Celery078	.014	.316	.084	.037	.156	.022	.0005
Chard150	.071	.318	.086	.040	.039	.124	(.0025)
Cheese931	.037	.089	.606	.683	.880	.263	.0013
Cherries019	.016	.213	.023	.031	.014	.011	.0004
Cherry juice017	.011	.200	.013	.018	.003	.006	(.0003)
Chestnuts034	.051	.560	.065	.093	.006	.068	.0007
Chicken (See Meat)								
Chocolate092	(.293)	(.563)	.012	.455	(.051)	.085	(.0027)
Cider008	.011	.095	.020	.009	.006	.006	(.0002)
Citron121	.018	.210	.011	.033	.003	.020	—
Clams, round106	.098	.131	.705	.046	1.220	.224	—
soft, long124	.079	.212	.500	.122	.910	.213	—
Cocoa112	.420	.900	.059	.709	.051	.203	.0027
Coconut, dried059	.059	.597	.073	.155	.239	(.056)	—
fresh024	.020	.300	.036	.074	.120	.028	—
Coconut milk020	.009	.144	—	.010	—	.008	—
Cod (See Fish)								
Corn(maize),mature meal020	.121	.339	.036	.283	.045	.151	.0029
sweet018	.084	.213	.039	.190	.146	.111	.0009
sweet, dried006	.033	.113	.010	.103	.014	.046	.0008
Cotton-seed meal265	.462	1.390	.234	1.193	.037	.485	—
Cowpeas100	.208	1.402	.161	.456	.040	.240	—
Crackers022	.011	.100	(.594)	.102	(.910)	.125	.0015
Cranberries018	.007	.077	.010	.013	.009	.007	.0006
Cream086	.010	.126	.035	.067	.080	.030	.00022
Cucumbers016	.009	.140	.010	.033	.030	.020	.0002
Currants, dried082	.044	.873	.081	.195	.060	.044	(.0025)
fresh026	.017	.211	.007	.038	.006	.014	.0005

TABLE XXVI—Continued.

Food	CALCIUM (Ca)	MAGNE- SIUM (Mg)	POTAS- SIUM (K)	SODIUM (Na)	PHOSPHO- RUS (P)	CHLORINE (Cl)	SULPHUR (S)	IRON (Fe)
Currant juice021	.010	.185	(.006)	.018	.004	.005	—
Dandelion105	.036	.461	.168	.072	.099	.017	.0027
Dates065	.069	.611	.055	.056	.228	.070	.0030
Duck (See Meat)								
Eggplant011	.015	(.140)	(.010)	.034	.024	.016	.0005
Eggs067	.011	.140	.143	.180	.106	.195	.0030
Egg white015	.010	.160	.156	.014	.155	.216	.0001
Egg yolk137	.016	.115	.075	.524	.094	.166	.0086
Endive104	.013	.380	.109	.038	.167	.035	—
Farina021	.025	.120	.065	.125	.076	.155	.0008
Figs, dried162	.071	.964	.046	.116	.043	.056	.0030
fresh053	.022	.303	.012	.036	.014	.010	—
Fish *								
Flaxseed204	.252	.901	.050	.627	.022	.170	—
Flour, buckwheat .	.010	.048	.130	.027	.176	.012	.071	.0012
“entire wheat” .	.031	(.090)	(.274)	(.037)	.238	(.070)	(.180)	.0025
graham039	(.133)	(.457)	(.037)	.364	(.070)	.183	.0037
white020	.018	.115	.060	.092	.074	.177	.0010
rye018	.081	.463	.019	.289	.055	.123	.0013
Fowl (See Meat)								
Gluten feed247	.221	.250	.420	.542	.090	.558	—
Goose (See Meat)								
Gooseberries . .	.035	.014	.197	.038	.031	—	.011	.0005
Grapefruit021	.009	.161	.004	.020	.005	.010	.0003
Grapejuice011	.009	.106	.005	.011	.002	.009	.0003
Grapes019	.010	.197	.015	.031	.005	.024	.0003
Guava014	.008	.384	—	.030	.045	—	—
Haddock (See Fish)								
Halibut (See Fish)								
Ham (See Meat)								
Hazelnuts287	.140	.618	.019	.354	.067	.198	.0041
Herring (See Fish)								
Hominy011	.058	.174	.020	.144	.046	(.136)	(.0009)

* Average fish is estimated to contain per 100 grams of protein as follows: 0.109 gram Ca; 0.133 gram Mg; 1.671 grams K; 0.373 gram Na; 1.148 grams P; 0.528 gram Cl; 1.119 grams S; 0.0055 gram Fe.

TABLE XXVI—Continued.

Food	CALCIUM (Ca)	MAGNE- SIUM (Mg)	POTAS- SIUM (K)	SODIUM (Na)	PHOSPHO- RUS (P)	CHLORINE (Cl)	SULPHUR (S)	IRON (Fe)
Honey004	.018	.386	.001	.019	.029	.001	.0007
Horseradish096	.039	.468	.062	.076	.016	.190	—
Huckleberries . .	.020	.007	.051	.016	.008	.008	.011	.0009
Huckleberry wine	.009	.004	.042	.006	.004	.001	.006	—
Jam *								
Jelly014	(.010)	(.100)	(.013)	.008	(.004)	(.007)	(.0003)
Kohl-rabi077	.030	.370	.050	.071	.053	.057	.0006
Lamb (See Meat)								
Leeks058	.014	.199	.081	.006	.024	.072	—
Lemons036	.007	.175	.004	.022	.002	.011	.0006
Lemon juice024	.010	.127	.009	.010	.003	.006	—
Lemon, sweet030	.006	.442	—	.042	.013	.016	—
Lentils, dry107	.101	.877	.062	.438	.050	.277	.0086
Lettuce043	.017	.339	.027	.042	.074	.014	.0007
Limes055	.014	.350	.062	.036	.039	.010	—
Lime juice	—	—	—	—	—	—	.003	—
Linseed meal413	.432	1.083	.251	.741	.085	.396	—
Lupins, dry191	.191	.840	.073	.520	.034	—	—
Macaroni022	.037	.130	.008	.144	.073	.172	.0012
Mackerel (See Fish)								
Mamey009	.012	.345	—	.028	.140	—	—
Mango021	.007	.235	—	.017	.019	.013	—
Mangolds026	.030	.334	.071	.038	.082	.026	—
Maple syrup107	.034	.208	.010	.013	(.010)	(.005)	(.003)
Meat †								
Meat extract, solid	.085	.363	7.347	2.394	2.800	3.117	—	—
Meat peptone025	.124	2.440	.641	1.130	.561	.222	—
Milk (cow's), whole	.120	.012	.143	.051	.093	.106	.034	.00024
(cow's), skimmed	(.122)	(.012)	(.149)	(.052)	(.096)	(.110)	(.035)	.00025
(cow's), con- densed	(.300)	(.032)	(.374)	(.134)	.235	(.280)	(.090)	.0006

* The percentages of the ash constituents in jams are believed to average about two thirds those of the corresponding fruits.

† Average meat is estimated to contain per 100 grams protein as follows: 0.058 gram Ca; 0.118 gram Mg; 1.604 grams K; 0.421 gram Na; 1.078 grams P; 0.378 gram Cl; 1.146 grams S; 0.0150 gram Fe.

TABLE XXVI—Continued.

FOOD	CALCIUM (Ca)	MAGNE- SIUM (Mg)	POTAS- SIUM (K)	SODIUM (Na)	PHOSPHO- RUS (P)	CHLORINE (Cl)	SULPHUR (S)	IRON (Fe)
Milk — <i>Cont.</i>								
buffalo203	.016	.099	.038	.125	.062	—	—
camel's143	.021	.114	.019	.098	.105	—	—
goat's128	.013	.145	.079	.103	.014	.037	—
human034	.005	.047	.010	.015	.035	—	—
mare's083	.007	.081	.010	.054	.029	—	—
sheep's207	.008	.187	.030	.123	.071	—	—
Millet014	.167	.290	.085	.327	.019	—	—
Molasses211	.068	1.349	.019	.044	.317	.129	.0073
Mushrooms017	.016	.384	.027	.108	.021	.051	—
Muskmelon017	.012	.235	.061	.015	.041	.014	.0003
Mustard492	.260	.761	.056	.755	.016	1.230	—
Mutton (See Meat)								
Oatmeal069	.110	.344	.062	.392	.069	.202	.0038
Okra071	.010	.035	.043	.019	—	—	—
Olives122	.002	1.526	.128	.014	.004	.027	.0029
Onions034	.016	.178	.016	.045	.021	.070	.0006
Oranges045	.012	.177	.012	.021	.006	.011	.0002
Orange juice029	.011	.182	.008	.016	.003	.009	.0002
Oysters052	.037	.091	.459	.155	.590	.187	.0045
Paprika229	.164	2.075	.178	.341	.155	—	—
Parsnips059	.034	.518	.004	.076	.030	.036	.0006
Peaches016	.010	.214	.022	.024	.004	.009	.0003
dried034	.056	(.830)	.082	.146	—	.212	(.0012)
Peanuts071	.180	.654	.050	.399	.056	.224	.0020
Pears015	.011	.132	.016	.026	.011	.010	.0003
Pear juice009	.008	.140	—	.011	—	.009	—
Peas, dried084	.149	.903	.104	.400	.035	.219	.0057
fresh028	.038	.285	.013	.127	.024	.063	.0017
Pecan nuts089	.152	(.332)	—	.335	.050	.113	.0026
Pepper, green, fresh	.006	.010	(.139)	—	.026	.013	.014	.0004
Pepper, black, dry	.440	.156	1.140	.131	.188	.312	—	—
Pepper, white, dry	.425	.113	—	—	.233	.029	—	—
Perch (See Fish)								
Persimmons022	.009	.292	.011	.021	.002	.005	—
Pineapple018	.011	.321	.016	.028	.051	.009	.0005
Plums020	.011	.203	.019	.032	.002	.009	.0005

TABLE XXVI—Continued.

Food	CALCIUM (Ca)	MAGNE- SIUM (Mg)	POTAS- SIUM (K)	SODIUM (Na)	PHOSPHO- RUS (P)	CHLORINE (Cl)	SULPHUR (S)	IRON (Fe)
Pomegranate011	.005	.063	.085	.105	.003	—	.0004
Pork (See Meat)								
Potatoes014	.028	.429	.021	.058	.038	.030	.0013
sweet019	.028	.397	.039	.045	.094	.024	.0005
Prunes, dried054	.055	1.030	.069	.105	.017	.037	.0030
Pumpkin023	.008	(.320)	.065	.059	—	.021	(.0008)
Radishes021	.012	.218	.069	.029	.054	.041	.0006
Raisins064	.083	.820	.133	.132	.082	.051	.0021
Raspberries049	.024	.173	—	.052	—	.017	.0006
Raspberry juice . .	.021	.016	.134	.005	.012	—	.009	—
Rhubarb044	.017	.325	.025	.031	.036	.013	.0010
Rice, brown . . .	—	—	—	—	.207	—	—	.0020
white009	.033	.070	.025	.096	.054	.117	.0009
Romaine (salad) . .	.045	.032	.306	.016	.053	.073	.019	—
Rutabagas074	.018	.399	.083	.056	.058	.083	—
Rye, entire055	.130	.453	.035	.385	.025	.170	.0039
(See also Bread and Flour)								
Salmon (See Fish)								
Sapato026	.008	.179	—	.006	.087	—	—
Shredded wheat . .	.041	.144	—	—	.324	—	—	.0045
Shrimp096	—	—	—	—	—	—	—
Soup, canned036	—	.033	—	.030	—	—	—
canned vegetable	.025	.013	.101	—	.038	—	.025	—
Spinach067	.037	.774	.125	.068	.074	.038	.0036
Squash, summer, seeds removed	.018	.008	.150	.002	—	—	—	(.0006)
with seeds024	.012	.180	.004	—	—	—	(.0006)
Squash, winter . .	.019	.011	.320	.004	—	—	—	(.0006)
Strawberries041	.019	.147	.050	.028	.006	.014	.0008
Tamarind007	.021	—	—	.072	.007	.009	—
Tapioca023	—	—	—	.090	.018	.029	.0016
Tomatoes011	.010	.275	.010	.026	.034	.014	.0004
Tomato juice006	.010	.310	.015	.015	.055	—	—
Truffles024	.018	.404	.077	.062	.039	—	—
Turnips064	.017	.338	.056	.046	.041	.065	.0005
Turnip tops347	.028	.307	.082	.049	.168	.069	—

TABLE XXVI—Continued.

Food	CALCIUM (Ca)	MAGNE- SIUM (Mg)	POTAS- SIUM (K)	SODIUM (Na)	PHOSPHO- RUS (P)	CHLORINE (Cl)	SULPHUR (S)	IRON (Fe)
Veal (See Meat)								
Vinegar (cider)016	.008	.165	—	.013	—	.017	(.0003)
Walnuts089	.134	(.332)	—	.358	.040	.172	.0021
Water cress187?	.034	.287	.099	.005	.061	.167	.0019
Watermelon011	.003	.073	.008	.003	.008	.007	
Wheat, entire (See also Bread and Flour)	.045	.133	.473	.039	.423	.068	.181	.0050
Wheat bran120	.511	1.217	.154	1.215	.090	.247	.0078
Wheat germ071	.342	.296	.722	1.050	.070	.325	—
Wheat gluten078	.045	.007	.028	.200	.050	.920	—
Whey044	.008	.157	.038	.035	.119	.009	?
Whortleberries, en- tire031	.021	.261	.021	.042	—	—	—
flesh only020	.011	.087	—	.018	—	—	—
Wine (avg.)009	.010	.104	.008	.015	.011	.015	(.0003)

TABLE XXVII.*

PROTEIN, CALCIUM, PHOSPHORUS, AND IRON IN GRAMS PER 100 CALORIES
OF FOOD MATERIAL

(Estimated from data compiled from various sources)

Food	PROTEIN	CALCIUM (Ca)	PHOSPHORUS (P)	IRON (Fe)	CaO	P ₂ O ₅
	Grams	Grams	Grams	Grams	Grams	Grams
Almonds	3.22	.037	.072	.00060	.052	.165
Apples	0.64	.012	.020	.00048	.016	.045
Apricots	1.90	.023	.044	.00052	.033	(.100)
Asparagus	8.10	.122	.177	.00451	.171	.405
Bacon (See Meat)						

* Reprinted from The Chemistry of Food and Nutrition, by Henry C. Sherman, by permission of author and publishers.

TABLE XXVII—Continued.

FOOD	PROTEIN	CALCIUM (Ca)	PHOSPHORUS (P)	IRON (Fe)	CaO	P ₂ O ₅
	Grams	Grams	Grams	Grams	Grams	Grams
Bananas	1.32	.009	.031	.00061	.012	.072
Beans, dried	6.52	.047	.137	.00203	.065	.314
kidney	5.83	(.040)	(.143)	(.00216)	(.056)	(.326)
Lima	5.80	.020	.096	.00200	.028	.221
string	5.55	.110	.126	.00265	.154	.289
Beef (See Meat)						
Beer	—	.008	.061	.00217	.011	.140
Beets	3.47	.064	.084	.00130	.089	.193
Blackberries	2.25	.029	.058	.00104	.042	.133
Blueberries	(0.8)	(.027)	(.011)	(.0012)	(.038)	(.025)
Bluefish (See Fish)						
Bread, Boston brown	2.64	.056	.082	(.0013)	.079	.187
"entire" wheat	3.95	(.020)	.071	(.00065)	(.028)	(.163)
graham	3.42	(.020)	.084	(.00096)	(.028)	(.192)
rye	3.54	.009	.058	.00039	.013	.133
white	3.59	.011	.035	.00035	.015	.081
Brussels sprouts	(7.30)	(.086)	(.380)	(.00349)	(.121)	(.870)
Buckwheat flour	1.85	.011	.065	.00034	.015	.148
Butter	0.13	.002	.002	.00003	.003	.005
Buttermilk	8.40	.294	.271	.00070	.411	.621
Cabbage	5.07	.143	.092	.00349	.200	.210
Cantaloupe	1.51	.044	.038	.00071	.061	.088
Carp (See Fish)						
Carrots	2.42	.124	.101	.00133	.173	.232
Cauliflower	5.90	.403	.200	.00197	.564	.459
Celery	1.28	.421	.201	.00270	.589	.460
Chard	8.37	.393	.105	(.00655)	.550	.240
Cheese	6.05	.212	.156	.00030	.297	.357
Cherries	1.20?	.025	.039	.00051	.035	.090
Chestnuts	2.55	.014	.044	.00029	.019	.088
Chicken (See Meat)						
Chocolate	2.11	.015	.075	(.00044)	.021	.171
Citron	0.15	.037	.010	.00099	.052	.023
Clams, long	19.82	.285	.282	(.00970)	.399	.645
round	14.01	.229	.100	(.00970)	.321	.228
Cocoa	4.35	.023	.143	.00054	.032	.327
Coconut	0.95	.006	.018	(.00030)	.009	.041
Cod (See Fish)						

TABLE XXVII—Continued.

FOOD	PROTEIN	CALCIUM (Ca)	PHOSPHORUS (P)	IRON (Fe)	CaO	P ₂ O ₅
	Grams	Grams	Grams	Grams	Grams	Grams
Corn	3.06	.006	.102	.00079	(.008)	(.233)
Corn meal	2.59	.005	.053	.0003	.007	.121
Cotton-seed meal	12.80	.066	.298	—	.092	.682
Cowpeas	6.20	.029	.132	—	.041	.303
Crackers, "soda"	2.37	.006	.025	.00036	.008	.057
Cranberries	0.85	.039	.027	.00129	.054	.062
Cream, 18.5 per cent fat	1.27	.050	.044	.0001	.072	.100
40 per cent fat	0.58	.020	.020	.00005	.032	.045
Cucumbers	4.60	.090	.191	.00115	.126	.437
Currants, dried (Zante)	0.75	.026	.061	.00087	.036	.139
fresh	2.62	.045	.066	.00087	.063	.150
Dandelion greens	3.93	.172	.117	.0044	.241	.269
Dates	0.60	.019	.016	.00086	.026	.037
Duck (See Meat)						
Eggplant	4.30	.041	.122	.00184	.057	.280
Eggs	9.05	.045	.122	.00205	.063	.279
Egg white	24.12	.020	.022	.00020	.028	.050
Egg yolk	4.32	.036	.118	.00230	.050	.270
Farina	3.05	.006	.035	.00022	.008	.079
Figs	1.35	.051	.037	.00095	.072	.084
Fish (See footnote on page 423)						
Flour, buckwheat	1.84	.011	.065	.00034	.015	.148
"entire" wheat	3.85	.009	.066	.0007	.012	.152
graham	3.71	.011	.101	.00100	.015	.232
white (wheat)	3.20	.006	.026	.00023	.008	.060
rye	1.95	.005	.082	.00037	.007	.188
Fowl (See Meat)						
Goose (See Meat)						
Grapefruit	1.15	.040	.036	.00058	.056	.083
Grapes	1.35	.019	.032	.00031	.027	.074
Grapejuice	0.35	(.011)	.011	.0003	.015	.025
Haddock (See Fish)						
Halibut (See Fish)						
Ham (See Meat)						
Hazelnuts	—	.041	.050	.00057	.057	.115
Herring (See Fish)						
Hominy	2.35	.002	.027	.00025	.002	.063

TABLE XXVII—Continued.

FOOD	PROTEIN	CALCIUM (Ca)	PHOSPHORUS (P)	IRON (Fe)	CaO	P ₂ O ₅
	Grams	Grams	Grams	Grams	Grams	Grams
Honey	0.12	.002	.006	.0003	.002	.013
Huckleberries	0.82	.027	.011	.0012	.038	.025
Kohl-rabi	6.48	.249	.186	.00194	.349	.426
Lamb (See Meat)						
Lemons	2.25	.081	.049	.00135	.113	.112
Lemon juice	—	.060	—	—	.084	.059
Lentils	7.37	.031	.126	.00247	.043	.288
Lettuce	6.27	.224	.224	.00785	.314	.513
Linseed meal	—	—	—	—	—	—
Lupins	—	—	—	—	—	—
Macaroni	3.70	.006	.040	.00033	.008	.092
Mackerel (See Fish)						
Maple syrup	—	.037	(.003)	(.001)	.053	(.007)
Meat (See footnote on page 424)						
Milk, whole	4.75	.174	.134	.00035	.243	.308
skimmed	9.25	(.331)	.262	(.00068)	(.463)	(.600)
condensed, sweetened	2.70	(.096)	.072	(.0002)	(.135)	.165
condensed, unsweetened	5.75	.189	.146	(.0004)	(.264)	.335
Molasses	0.83	.074	.015	.00255	.102	.035
Muskmelon	1.51	.043	.038	.0008	.060	.088
Mutton (See Meat)						
Oatmeal	4.20	.017	.099	.00096	.024	.226
Olives	0.37	.041	.004	.00097	.057	.010
Onions	3.30	.069	.093	.0010	.097	.212
Oranges	1.55	.088	.040	.00039	.123	.091
Orange juice	1.44	.067	.037	.00046	.093	.082
Oysters	12.30	.106	.306	.00893	.149	.702
Parsnips	2.47	.091	.117	.0009	.128	.268
Peaches	1.70	.038	.057	.00073	.053	.130
Peanuts	4.70	.013	.073	.00036	.018	.166
Pears	0.95	.024	.041	.00047	.033	.093
Peas	6.92	.026	.120	.00165	.036	.274
Pecans	1.30	.012	.045	.00035	.017	.104
Pepper, green	4.59	.034	.145	.00222	.047	.333
Perch (See Fish)						
Persimmons	—	—	—	—	—	—
Pineapple, fresh	0.92	.041	.064	.00116	.058	.146

TABLE XXVII—Continued.

FOOD	PROTEIN	CALCIUM (Ca)	PHOSPHORUS (P)	IRON (Fe)	CaO	P ₂ O ₅
	Grams	Grams	Grams	Grams	Grams	Grams
Plums	1.20	.024	.038	.00059	.033	.087
Pork (See Meat)						
Potatoes	2.65	.016	.069	.00156	.023	.158
sweet	1.45	.016	.037	.00041	.023	.084
Prunes	0.70	.018	.035	.00100	.025	.080
Pumpkin	3.90	.089	.229	(.00130)	.125	.525
Radishes	4.42	.073	.098	.00205	.102	.225
Raisins	0.75	.019	.038	.00139	.026	.088
Raspberries	2.57	.074	.078	.00091	.104	.178
Rhubarb	2.60	.189	.134	.00433	.264	.307
Rice, brown	2.52	(.003)	.060	.00058	(.004)	.138
white	2.27	.001 ⁺	.027	.00026	.003	.063
Rutabagas	3.15	.185	.140	—	.259	.322
Rye, entire	—	—	—	—	—	—
Salmon (See Fish)						
Shredded wheat	3.50	.011	.089	.00123	.016	.203
Spinach	8.79	.281	.285	.01506	.393	.653
Squash, summer	3.05	.039	.035	(.0013)	.054	.080
winter	3.10	.040	.061	(.0013)	.056	.139
Strawberries	2.56	.104	.072	.00205	.146	.164
Tapioca	0.11	.004	.025	.00045	.006	.058
Tomatoes	3.95	.050	.113	.00175	.070	.259
Turnips	3.30	.161	.117	.00127	.226	.269
Turnip tops	—	—	—	—	—	—
Veal (See Meat)						
Vinegar (cider)	—	.111	.090	.00213	.156	.206
Walnuts, California or English	2.60	.013	.015	.00030	.018	.116
Water cress	—	—	—	—	—	—
Watermelon	1.32	.038	.010	(.00099)	.053	.023
Wheat, entire	3.63?	.013	.118	.00140	.018	.270
Wheat germ	—	—	—	—	—	—
Wheat gluten	—	—	—	—	—	—
Whey	3.74	.165	.131	?	.231	.300
Whortleberries	—	—	—	—	—	—
Wine (average, 10 per cent alcohol)	—	.011	.021	.00167	.016	.047

APPENDIX.


THE EQUIPMENT OF A DIETETICS LABORATORY.

It is essential that laboratory practice with actual food materials accompany instruction in the quantitative aspects of dietetics, and it is advantageous even in considering the qualitative side to present a dietary in concrete form. A place must therefore be provided where weighing and measuring of food materials and cooking and serving of days' rations for individuals and groups can be done by a whole class. The ordinary cooking laboratory can be made to answer the purpose by a few additions to its ordinary equipment, but a room definitely planned for the special problems involved is more satisfactory, and it is hoped that the following description of a laboratory which has been found to meet these needs will be suggestive to others.

The floor plan is shown in the accompanying drawing. The room is thirty-nine feet long and twenty-eight and one-half feet wide, and accommodates a class of thirty students.

One side of the room is occupied by three cooking tables with sinks at each end. These tables have on each side five drawers and five cupboards for utensils, and three deeper drawers for supplies such as flour and sugar. On each table are conveniently arranged five two-burner school stoves, and six Harvard trip scales with brass weights from one gram to five hundred grams. The usual individual arrangement of utensils in the desks has not been followed, owing to the fact that many problems in dietetics involve group work, but the three tables are equipped in identical fashion, so that three groups may prepare at once three family dietaries without students of one group having to go to another table for utensils, thus saving time and avoiding confusion. In each utensil drawer are placed knives, forks, spoons, holders and brushes, towels being provided from a common rack. In each cupboard is a single kind of utensil (or a group of small articles), the contents being plainly indicated on the door. This arrangement not only makes the different articles easy of access but also easy to replace.

The other side of the room is supplied with eight portable oak



Floor Plan of a Dietetics Laboratory—Rose.

tables three by four and one-half feet, with a single large drawer in each for storing paper, charts, cook books and other reference material. These tables serve a double purpose, being used for writing in the lecture hour, or for calculations, to which much time must be given in spite of all devices to eliminate mere clerical labor, and also affording space for the proper display of food materials, whether for the simple comparison of standard or 100-Calorie portions or for a critical study of days' rations for several families. The size of the tables makes the system very elastic. In setting out family dietaries one table will accommodate each meal for the group; by putting two together end to end, four individual days' dietaries can be set out parallel for comparison; two set side to side make a dining table of attractive shape for a meal to be eaten by a small group; or three side to side provide a large table of good proportions. For accommodating such a system doilies are more satisfactory than table cloths. Enough linen, silver, glass and china are provided that the whole class can be served in three groups to breakfast, luncheon and dinner at the same time, but no provision is made for elaborate service or fancy cookery.

A large amount of blackboard space is highly desirable for the purpose of recording the results of laboratory experiments or writing the menus and other details of dietaries which are being displayed. In this laboratory a single long board is provided (see drawing). Besides the blackboard a large cork bulletin board behind the instructor's desk affords a place to post charts, dietaries and other data.

The character of the equipment is shown in the following classified lists.

SILVER.			
Forks.....	3½ dozen	Doilies, round, 10 inches in diameter.....	3 dozen
Knives.....	2½ dozen	Doilies, round, 12 inches in diameter.....	½ dozen
Teaspoons.....	7½ dozen*	Doilies, oval, 8 x 12 inches..	½ dozen
Tablespoons.....	5 dozen†	Doilies, oval, 10 x 15 inches..	½ dozen
Butter forks.....	¼ dozen	Lunch cloths, 30 inches square.....	¾ dozen
Sugar shells.....	¼ dozen	Towels, hand.....	6 dozen
		Towels, dish.....	6 dozen
		Dishcloths.....	6 dozen
LINEN.		CHINA.	
Napkins.....	1½ dozen‡	Bowls.....	½ dozen
Doilies, round, 6 inches in diameter.....	5 dozen	Butter dishes, individual.....	1½ dozen
* Including 5 dozen in drawers of cooking tables.		Cups and saucers, after dinner coffee.....	1 dozen
† Including 2½ dozen in drawers of cooking tables.			
‡ Ordinarily paper napkins are used.			

INDEX.

Abridged method of dietary calculation	77	Bean meal, soy	130
Activity, influence on energy requirement, table	11	Beans, baked	92
Adults, energy requirement of	9	butter	86
weight and height of, tables	9, 10	kidney, canned	92
Aged, energy requirement of	17	dried	22, 128, 133, 140
Almond butter	126	Lima	30, 31, 87, 133, 140
meal	126	soy	22
Almonds	22, 27, 85, 87, 133, 139	meal	130
chocolate	132	string	31, 86, 133, 140
salted	132	canned	92
sugar	132	white (navy), dried	22, 30, 87, 89, 133, 140
American cheese	22, 35, 87, 134, 140	Beechnuts	85
Angelica	126	Beef, brusket	85
Apples	22, 27, 28, 85, 87, 89, 133, 139	chuck	85
Apricots	28, 85, 87, 126, 133, 139	corned	85, 92
Arrowroot starch	126	dried	31, 32
Artichokes	126	fat	22
Ash constituents, elements in	1	flank	85, 92, 126
function of	7	heart	22, 85
how determined	4	juice	92
in 100-Calorie portions, table	139	kidney	22, 85, 92, 93
in percentage of edible portion, table	133	liver	22, 85, 93
requirements for	19	loin	85, 93
Asparagus	29, 133, 139	lungs	93
canned	29, 126	marrow	93
Bacon	29, 85, 139	navel	93, 94
broiled	126	neck	85, 94
Baked beans, canned	92	plate	85, 94
Baking powder	87	porterhouse steak	85, 94, 95
Bananas	22, 29, 30, 85, 133, 140	pot roast	126
Barley, flour	87, 126	refuse in	85
pearled	30, 87, 133	rib rolls	95
whole	22, 133	ribs	85, 95
Bass, black	85	roast	32, 95
striped	85, 92	round	85, 95, 96, 126
		rump	85, 96
		shank	85, 96
		shoulder and clod	96, 97
		sirloin steak	85, 97

Beef, suet	32, 88	Butter, almond	126
sweetbreads	23, 97	crackers	104
tenderloin	97	peanut	49
tongue	85, 97	Butterfish	100
top of sirloin	97, 98	Buttermilk	87, 100, 133, 140
Beer	133, 140	Butternuts	85, 100, 133
Beets	22, 32, 86, 89, 133, 140	Cabbage	22, 33, 86, 134, 140
Black bass	85	Calcium, body requirement	20
Blackberries	33, 133, 140	occurrence	8
canned	98	Calculation of fuel values	60
Black fish	85	of food values of mixtures	62
Blueberries	98, 133, 140	of percentage composition	
Bluefish	98	of food combinations	65
Bologna sausage	86, 117	of weight of standard or 100-	
Boston crackers	104	Calorie portion	61, 64
Bouillon	98	Calf's foot jelly	100
Boys, weight according to age		Calorie, definition	6
and height, table	15	Candied cherries	101
Bran	23, 87, 139	Candies	132
Brain	22	Canned asparagus	29, 126
Brazil nuts	22, 85, 98	baked beans	92
Bread, brown	98, 133, 140	blackberries	98
corn	98	blueberries	98
crumbs	87, 126	cherries	101
gluten	99	chicken, boned	127
graham	99, 133, 140	consommé	104
home-made	99	corn	36, 87
milk	99	kidney beans	92
rye	99, 133, 140	lamb's tongue	110
rye and wheat	99	Lima beans	30
toasted white	126	losbter	110
white, cream	99	mackerel	111
milk	99	oysters	114
miscellaneous	22, 33,	peaches	48
99, 133, 140		pears	49
Vienna	99	peas	50, 130
whole wheat	22, 99, 133, 140	pineapples	88
Breadfruit	133	salmon	54
Brisket, beef	85	sardines	55
Broiled lamb chop	42, 43, 85	shrimp	118, 138
Brown bread	98, 133, 140	string beans	92
sugar	119	tomatoes	56, 89
Brussels sprouts	133, 140	Cantaloupe	45, 85, 134
Buckwheat, farina and groats	100	Capers	134
flour	88, 99, 133, 140	Caramels	132
Buns	127	Carbohydrates, body require-	
Bushel, weight of foods per	89	ment	19
Butter	22, 33, 87, 133, 140		

- Carbohydrates, elements in 1
 how determined 4
- Carrots 22, 34, 86, 89, 134, 140
- Catfish 100
- Cauliflower 22, 34, 134, 140
- Caviar 134
- Celery 22, 34, 87, 134, 140
- Cereal coffee 100
- Cerealine 101
- Chard 22, 134, 140
- Cheddar cheese 101
- Cheese, American pale 22, 35,
 87, 134, 140
- Cheddar 101
- cottage 101
- Fromage de Brie 101
- full cream 101
- head 86, 108
- Neuchatel 35
- pineapple 101
- Roquefort 101
- Swiss 101
- Cherries 35, 85, 134, 140
- candied 101
- canned 101
- Cherry juice 134
- Chestnuts 22, 85, 102, 134, 140
- Chicken, broilers 86, 102
- canned, boned 127
- gizzard 102
- heart 102
- liver 102
- meat 127
- potted 127
- soup 127
- Children, energy requirement of
 12, 13
- rate of growth, table 17
- weight according to age and
 height, tables 14, 15, 16
- Chocolate 35, 87, 134, 140
- almonds 132
- cream mints 132
- milk 127
- nut bars 132
- sweet 132
- Chuck, beef 85
- mutton 85, 112
- Chuck, veal 86, 121
- Cider 134
- Cinnamon buns 127
- Citron, dried 87, 102, 127, 134, 140
- Clams 103, 134, 140
- Cocoa 36, 87, 134, 140
- Coconut bars 132
- milk 134
- oil 22
- Coconuts 22, 85, 87, 103, 134, 140
- Cod 22, 103
- salt 36, 103
- steak 103
- Cod liver oil 22, 103
- Coffee 87
- Composition of food stuffs 1
- of food materials used chiefly
 by measure, table 27
- of food materials used chiefly
 by weight, table 92
- of foods sold by confection-
 ers, table 132
- of less common food materi-
 als, table 126
- Condensed milk 23, 44, 88,
 136, 142
- Confectionery 132
- Consommé, canned 104
- Conversion table, grams to ounces 91
- ounces and pounds to grams 90
- Cooked meat 126, 127, 128, 131
- Corn 23, 134, 141
- bread 98
- canned 36, 87
- dried 134
- flakes 37
- flour 104
- green 36, 86, 87
- meal 37, 134, 141
- oil 22, 87, 127
- puffed 127
- syrup 127
- Corried beef 85, 92
- Cornstarch 37, 88
- Cottage cheese 101
- Cottolene 88, 104
- Cotton seed oil 22, 127
- meal 134, 141

- Cowpeas, dried.....134, 141
 Crab meat..... 127
 Cracker meal..... 104
 Crackers, butter..... 104
 Boston..... 104
 cream..... 104
 crumbs..... 88
 fruit..... 132
 graham..... 37
 oyster..... 37
 saltines..... 55
 soda..... 38, 134, 141
 sweet..... 132
 water..... 104
 Cranberries....38, 88, 89, 134, 141
 Cream..22, 38, 88, 104, 127, 134, 141
 cheese, full..... 101
 crackers..... 104
 of wheat..... 131
 white bread..... 99
 Crisco.....88, 127
 Cucumber pickles..... 104
 Cucumbers....38, 86, 89, 134, 141
 Currant, buns..... 127
 juice..... 135
 Currants.....39, 134, 141
 dried.....39, 88, 134, 141
 Dandelion greens..22, 106, 135, 141
 Dasheens.....22, 88
 Dates, dried.....39, 85, 135, 141
 Dextrimaltose..... 128
 Doughnuts..... 105
 Dried beef.....31, 32
 chestnuts..... 102
 citron...87, 102, 127, 134, 140
 corn..... 134
 cowpeas.....134, 141
 currants.....39, 88, 134, 141
 dates.....39, 85, 135, 141
 figs.....40, 88, 135, 141
 lentils.....43, 136, 142
 milk.....22, 88, 128
 peas.....23, 50, 89, 137, 142
 prunes....23, 52, 85, 138, 143
 Duck..... 128
 Edible portion, definition..... 2
 Eels..... 105
 Eggplant.....105, 135, 141
 Egg, hen's..22, 39, 40, 85,
 135, 141
 white.....40, 135, 141
 yolk.....22, 40, 135, 141
 Elements in foods..... 1
 Endive.....22, 40, 135, 141
 Energy, requirements of adults. 9
 requirement, influence of
 occupation, table..... 12
 requirements of aged..... 17
 requirements of children..12, 13
 unit of measurement..... 6
 Equipment for a laboratory.... 144
 Farina.....40, 88, 135, 141
 Fat, body requirement..... 19
 elements in..... 1
 how determined..... 4
 Fig bars..... 105
 Figs, dried.....40, 88, 135, 141
 Filberts.....22, 85, 105
 salted..... 132
 Fish, ash constituents in...135, 141
 Flaked wheat.....58, 89
 Flank, beef.....85, 92, 126
 mutton.....85, 112
 veal..... 121
 Flaxseed..... 135
 Flounder..... 105
 Flour, barley.....87, 126
 buckwheat...88, 99, 133, 140
 corn..... 104
 entire wheat.....58, 135, 141
 gluten.....106, 135, 141
 graham.....41, 88, 135, 141
 rice.....88, 116
 rye.....88, 117, 135, 141
 wheat, roller process..58,
 88, 135, 141
 Food as body regulating mate-
 rial..... 8
 as building material..... 7
 as a source of energy..... 6
 factors for fuel value..... 7
 Food combinations, food values
 of..... 64
 percentage composition of.. 65

- Food materials, ash constituents
 in 100-Calorie portion . . . 139
 ash constituents in percent-
 age of edible material . . . 133
 common measures of 87
 weights per bushel 89
- Food requirements, of adults . . . 9
 of aged 17
 for ash 19
 for carbohydrates 19
 of children 12, 13
 for fat 19
 for protein 18
 for vitamins 21
- Food values, of a recipe 62
 of a single food stuff 60
 of combination of food ma-
 terials 62
 Tables 27, 92, 126, 132
- Food stuffs, composition of . . . 1
 determination in food ma-
 terial 3
 distribution in 100-Calorie
 portion 63
 energy values for 6
 functions of 5
- Force 41
- Forms, dietary 69
 food record 26
 recipe card 65
 score card 75
- Fowl 86, 105
- Frankfort sausage 117
- French roll 117
- Frog's leg 106
- Fromage de Brie 101
- Fruit crackers 132
- Fruits, refuse in 85
- Fuel value of foods 6
 abridged method of calcu-
 lation 77
 calculation for a single food
 material 60
 calculation for a com-
 bination of food mate-
 rials 62
 Tables 27, 92, 126, 132
- Full cream cheese 101
- Game, refuse in 85
- Gelatin 41, 88
- Ginger, crystallized 106
- Gingersnaps 106
- Girls, weight according to age
 and height, table 16
- Gizzard, chicken 102
- Gluten bread 99
 flour 106, 135, 141
- Goose 86, 106
- Gooseberries 135
- Graham bread 99, 133, 140
 crackers 37
 flour 41, 88, 135, 141
- Grams, conversion to ounces,
 table 91
- Granulated sugar 56, 89
- Grapefruit 22, 128, 135, 141
- Grape juice 22, 106, 135, 141
- Grapenuts 42
- Grapes 22, 41, 85, 135, 141
- Green corn 36, 86, 87
- Greens, dandelion 22, 106
- Growth, rate of, table 17
- Guava 135
- Guinea hen 128
- Gumdrops 132
- Haddock 106, 107
- Halibut 107
- Ham, boiled, smoked 42
 boneless 107
 deviled 107
 fresh 107, 108
 smoked 108
- Hazelnuts 108
- Head cheese 86, 108
- Heart 22
 beef 85
 chicken 102
 pig 23
- Height and weight of adults,
 tables 9, 10
 of children, tables 14, 15, 16
- Hen's eggs 22, 39, 40, 85, 135, 141
- Herring 22, 108, 109
- Hickory nuts 22, 85, 88, 109
- Hominy 42, 88, 135, 141

Honey.....	22, 109, 136, 142	Liver, chicken.....	102
Horse radish.....	136	veal.....	121
Hourly factors for energy re- quirement, table.....	11	Lobster.....	111
Huckleberries.....	136, 142	canned.....	110
Ice cream.....	128	Loin, beef.....	85, 93
cones.....	128	lamb.....	85, 110
Iron, occurrence.....	7	mutton.....	85, 112
requirement.....	20	pork.....	85, 115
Jelly.....	128, 136	veal.....	86, 122
beans.....	132	Lollipops (suckers).....	132
calf's foot.....	100	Lungs, beef.....	93
Kohlrabi.....	128, 136, 142	Macaroni.....	44, 88, 136, 142
Kidney beans.....	22, 92, 128, 133, 140	Macaroons.....	111
beef.....	22, 85, 92, 93	Mackerel.....	111
veal.....	22, 121	Maize, see corn	
Koumiss.....	109	Malt breakfast food.....	128
Laboratory equipment.....	144	Malted milk.....	129
Lactose.....	128	Mamey.....	136
Lady fingers.....	42	Mango.....	136
Lamb, breast.....	85, 109	Mangolds.....	136
chops, broiled.....	42, 43, 85	Maple syrup.....	136, 142
leg.....	85, 109	Marmalade, orange.....	129
loin.....	85, 110	Marrow, beef.....	93
neck.....	85, 110	Marshmallows.....	132
roast.....	128	Meal, corn.....	37, 134, 141
shoulder.....	85, 110	almond.....	126
tongue, canned.....	110	cottonseed.....	134, 141
Lard.....	43, 88	cracker.....	104
Leeks.....	136	pea.....	130
Leg, lamb.....	85, 109	soy bean.....	130
mutton.....	85, 112	Measures, of common food ma- terials, table.....	87
veal.....	85, 122	metric and English systems, table.....	87
Legumes, germinated.....	22	Meat, ash constituents in.....	136, 142
Lemon juice.....	22, 43, 88, 136, 142	cooked.....	126, 127, 131
Lemons.....	43, 136, 142	Men, weight according to age and height, table.....	9
Lentils.....	43, 136, 142	Menus, rules for.....	76
Lettuce.....	22, 43, 44, 136, 142	Metric system, table.....	87
Licorice bars.....	132	Milk, ash constituents in.....	136, 142
Lima beans.....	30, 31, 87, 133, 140	buttermilk.....	87, 100, 133, 140
Limes.....	22, 136	condensed.....	22, 44, 88, 136, 142
Linseed meal.....	136	dried.....	22, 88, 128
Liver.....	23	human.....	129, 137
beef.....	85, 93	malted.....	129

- Milk, skimmed. .23, 44, 88, 128,
136, 142
 sugar. 128
 top. 129
 whole. 23, 45, 88, 136, 142
Millet. 137
Mince meat. 129
Mints, chocolate. 132
 cream. 132
Molasses. 45, 88, 137, 142
Muscle. 23
Mushrooms. 111, 137
Muskmelons. 45, 85, 133, 137, 142
Mustard. 137
Mutton, chuck. 85, 112
 flank. 85, 112
 leg. 85, 112
 loin. 85, 112, 113
 neck. 85, 113
 shoulder. 85, 113
Navel, beef. 92, 94
Neck, beef. 85, 94
 lamb. 85, 110
 mutton. 85, 113
 veal. 86, 122
Nectarines. 85, 113
Neuchatel cheese. 35
Nitrogen, factor for protein. 4
Nougatines. 132
Nut margarine. 23
Nuts, refuse in. 85


Oatmeal. 88, 113, 137, 142
Oats, rolled. 22, 45, 88
Occupation, influence on energy
 requirement, table. 12
Oil, coconut. 22
 cod liver. 22, 103
 corn. 22, 87, 127
 cottonseed. 22, 127
 olive. 23, 46, 88
 peanut. 130
 whale. 24
Okra. 86, 113, 137
Oleomargarine. 23, 88, 113
Olive oil. 23, 46, 88
Olives, green. 46, 137, 142
 ripe. 114

100-Calorie portion, food values
 of, tables. 27, 92, 126, 132
 methods of calculation. 61, 64
Onions. 23, 46, 86, 89, 137, 142
Orange juice. 88, 114, 137, 142
 marmalade. 129
Oranges. 23, 47, 85, 137, 142
Ounces, conversion to grams,
 table. 90
Oyster crackers. 37
 plant. 129
Oysters, canned. 114
 in shell. 47
 solids. 47, 137, 142

Pancreas. 23
Paprika. 137
Parsnips. 23, 47, 48, 86, 89, 137, 142
Paté de fois gras. 129
Peaches. 48, 85, 89, 137, 142
Pea meal. 130
Peanut bars. 132
 butter. 49
 oil. 130
Peanuts. 23, 48, 85, 88, 89,
137, 142
Pearled barley. 30, 87, 133
Pear juice. 137
Pears. 23, 49, 85, 89, 137, 142
Peas, canned. 50, 130
 cow. 134, 141
 dried. 23, 50, 89, 137, 142
 green. 23, 50, 86, 137, 142
Pecans. 23, 85, 88, 114, 137, 142
 salted. 132
Peppermints. 132
Pepper. 137
Peppers, green. 130, 137, 142
Percentage composition, in re-
 lation to weight. 59
 of a food mixture, calcula-
 tion. 65
Perch, yellow. 114
Persimmons. 130, 137, 142
Pheasant. 130
Phosphorus, body requirement. 20
 occurrence. 8
Pickerel, pike. 114

Pickles, cucumber	104	Radishes	53, 86, 138, 143
Pigeon	130	Raisins	53, 85, 88, 138, 143
Pigs feet, pickled	114	Raspberries	53, 116, 138, 143
Pike, pickerel	114	Raspberry juice	136
Pineapple cheese	101	Recipe, model card	65
juice	115	Refuse, amount in food materials	85
Pineapples	50, 51, 137, 142	Requirements of body, for car-	
canned	88	bohydrates	19
Pine nuts	23, 115	for ash	19
Pistachios	115	for energy, adults	9
Plate, beef	85, 94	children	12, 13
Plums	51, 85, 137, 143	aged	17
Pomgranate	138	for fat	19
Pop corn	115	for protein	18
Porgy	115	for vitamins	21
Pork, chops	115	Rhubarb	54, 86, 88, 138, 143
fat, salt	116	Rib rolls, beef	95
ham	85	Ribs, beef	85, 95
lean	115	veal	86, 122
loin	85, 115	Rice	23, 54, 88, 138, 143
refuse in	85	boiled	130
salt, fat	116	flour	88, 116
sausage	118	puffed	130
shoulder, smoked	86, 115	Roast beef	32, 95
side	86	lamb	128
tenderloin	116	Roe, shad	23, 118
Porterhouse steak	85, 94, 95	Rolled oats	22, 45, 88
Potato chips	52	Rolls	117
Potatoes	23, 51, 86, 89, 138, 143	Romaine	138
sweet	23, 52, 89, 138, 143	Roquefort cheese	101
Potted chicken	127	Round of beef	85, 95, 96, 126
Pot roast, beef	126	Rules for menu	76
Poultry, refuse in	86	Rump, beef	85, 96
Pounds, conversion to grams,		veal	86, 123
table	90	Rutabagas	23, 86, 117, 138, 143
Pretzels	132	Rye	23, 138
Protein, as building material	7	and wheat bread	99
body requirement of	18	bread	99, 133, 140
elements in	1	cream of	130
how determined	3	flour	88, 117, 135, 141
nitrogen factor for	4	Salmon	117
Prunes	23, 52, 85, 138, 143	canned	54
Puffed corn	127	trout	120
rice	130	Salsify	129
wheat	131	Salt	88
Pumpkin	86, 88, 116, 138, 143	Saltines	55
Quail	130	Sapato	138

Tomato juice.....	138	Watermelon.....	85, 124, 139, 143
soup.....	131	Water rolls.....	117
Tongue, beef.....	85, 97	Weak fish.....	124
pickled.....	97	Weight, relation to height in	
lamb's, canned.....	110	adults, tables.....	9, 10
Top milk, composition of.....	129	relation to age and height in	
Top sirloin.....	97	children, tables....	14, 15, 16
Tripe.....	120	Weights and measure of food per	
Trout, salmon.....	120	bushel.....	89
Truffles.....	138	of metric and English sys-	
Tuna fish.....	131	tems.....	87
Turkey.....	86, 120, 131	Weights of protein, fat and car-	
Turnips...23, 57, 86, 89, 138, 143		bohydrate in any food	
tops.....	138	material.....	59
Turtle.....	120	of 100-Calorie portion, meth-	
Vanilla wafers.....	120	od of calculation....	61, 64
Van Noorden on energy require-		Wheat.....	24, 124, 139, 143
ments of old age.....	18	bran.....	23, 87, 139
Veal, breast.....	86, 120	bread, white cream.....	99
chuck.....	86, 121	graham.....	99, 133, 140
flank.....	121	home made.....	99
kidney.....	22, 121	milk.....	99
leg.....	86, 121, 122	miscellaneous..22, 33	
liver.....	22, 122	99, 133, 140	
loin.....	86, 122	Vienna.....	99
neck.....	86, 122	whole wheat..22, 99,	
refuse in.....	86	133, 140	
ribs.....	86, 122, 123	cracked.....	124
rump.....	86, 123	cream of.....	131
shank.....	86, 123	flaked.....	58, 89
shoulder.....	86, 123, 124	flour, roller process..58, 88,	
Vegetables, refuse in.....	86	135, 141	
Vienna rolls.....	117	whole wheat..58, 135, 141	
bread.....	99	germ.....	24, 139, 143
Vinegar.....	139, 143	gluten.....	139, 143
Vitamines.....	8	puffed.....	131
distribution of.....	22	shredded.....	58, 138, 163
requirements for.....	21	Whey.....	24, 124, 139, 143
Wafers, fancy.....	132	White fish.....	125
vanilla.....	120	Whortleberries.....	139
Walnuts.....	23, 139, 143	Wine.....	139, 143
California..57, 85, 89, 139, 143		Women, wieght according to age	
black.....	85, 124	and height, table.....	10
Water as a constituent of food..	3	Yeast.....	24, 125
Water crackers.....	104	Zwiebach.....	58
cress.....	139, 143		



THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

AN INITIAL FINE OF 25 CENTS
WILL BE ASSESSED FOR FAILURE TO RETURN
THIS BOOK ON THE DATE DUE. THE PENALTY
WILL INCREASE TO 50 CENTS ON THE FOURTH
DAY AND TO \$1.00 ON THE SEVENTH DAY
OVERDUE.

OCT 30 1946

17 Mar '52 SA

23 Jan '58 LS

REC'D LD

JAN 20 1958

31 Oct '60 BM

IN STACKS

OCT 20 1960

REC'D LD

JUN 9 1961

YC 93673



454252

TX

551

R74

1921

THE UNIVERSITY OF CALIFORNIA LIBRARY

